# CONTENTS:

About us P3-4 • OE tpms sensor TPMS tire monitoring system P11-13 One push start/stop system GPS&GSM car alarm system Bluetooth car alarm system P15 P16-23 ( O)— OEM&ODM car alarm system Keyless entry system Central locking system **Immobilizer** Automation door control system Parking sensor P29-31 ( Car DVR camera

P32-42 Remote control





Production Line



ICT Test SMT Machine

## About us

GUANGDONG VICTOR ELECTRONICS CO., LTD is a professional manufacturer of car electronic products in Zhongshan city of Guangdong Province. With more than 13 years experience, we have developed to be one of the leading high-tech car electronics manufacturers. Our main products are TPMS, GPS & GSM car alarms, trackers, 1 way & 2 way car alarm, parking sensors, central locking system and other car electronics. With our stable quality, we gain good reputation among customer overseas such as European, Middle East, Central America, Africa countries...etc. We are committing to offering quality products and services that comply with international standards to satisfy our customers.

Our latest innovation of SAFETIRE Tire Pressure Monitoring System (TPMS) products are exported to many countries or regions such as Taiwan, Australia and South-East Asia, Africa...etc. The purpose of this product is entire the tire safety to prevent the explosion of the 4 tires. Thanks to the rich experience in vehicle safety, we have great achievements in tire pressure monitoring products. We have different models of TPMS from basic cigarette lighter display, solar powered display, ACC powered display, OE-FIT display to OE replacement TPMS for over 1000+ models of cars. Safetire will keep focusing on TPMS to save tires, save lives forever.

Our factory covers an area of 5000 square meters. Our modern production lines are equipped with 4 sets of SMT machines, Automatic ICT machine, automatic soldering machine, high-low temperature testing machine, aging machines and other necessary test machines. We are ISO9001 & TS16949 certified and most of our products carry CE, EMARK or FCC certificates.

We have dedicated R&D team which meet customers various OEM &ODM requirements and strict quality control system. We focus on new products development and also have cooperation with top universities in China. Our values and belief are Quality Priority, Customer First, Team Work and Honesty. Bearing our values in mind, we will keep working to make our customers satisfied.

As a professional car electronic factory, we guarantee prompt delivery, competitive price and comprehensive service.







# CERTIFICATE OF HONOR
























# OE REPLACEMENT SENSOR






- 1.OE sensor with 433/315MHz frequency optional
- 2.One to one /One to many (Pre-programmed/Programmable) OE replacement sensor optional for European/American cars.
- 3.1000 kinds of car models are compatible, covers 97% of all the car models in the world.
- 4. Easy programming for the OE sensor with program tool (VT-PM21E/VT-PM22A) by select the Vehicle/Model/Year
- 5.OE sensor is the universally programmable sensor for tire pressure monitoring system, with the help of a program tool (VT-PM21E/VT-PM22A)
- 6.OE sensor suitable for most aluminum and steel rim
- 7.Flexible and reduced inventory







# Compatible with 1000+ Models of Car











1.Optional valve stems 2.Wide coverage

3.Patented id copy function 4. Wireless programming


#### **OE Sensor Parameter**

Operating frequency	433.92MHz/315MHz
Pressure monitoring range	0Bar ~ 9Bar/0PSI ~ 131PSI
Pressure reading accuracy	±0.1Bar/±1.5PSI
Temperature reading accuracy	± 3°C
Operating voltage	2.0-3.8V
Operating current	≤10mA
Static current	≤1uA
Storage temperature	-40°C - 125°C
Operating temperature	-40°C - 105°C
Sensor weight	28g ±1g
Battery life	5 years





# OE SENSOR CONTENT





MODEL	TPNZ003
SIZE(mm)	60x25x18(Without valve)
WEIGHT(g)	15.5
BATTERY	CR2050



MODEL	TPNZ005
SIZE(mm)	53x25x13(Without valve)
WEIGHT(g)	15.5
BATTERY	CR2050



MODEL	TPNZ001
SIZE(mm)	60x28x20(Without valve)
WEIGHT(g)	28.7
BATTERY	CR2450



MODEL	TPWZ002
SIZE(mm)	23(R)x18(Height)
WEIGHT(g)	10.5
BATTERY	CR1632



MODEL	TPWZ006
SIZE(mm)	65x26x22
WEIGHT(g)	22
BATTERY	CR2450



MODEL	TPWZ005
SIZE(mm)	20(R)x24(Height)
WEIGHT(g)	13.8
BATTERY	CR1632



MODEL	TPNZ001
SIZE(mm)	60x28x20(Without valve)
WEIGHT(g)	28.7
BATTERY	CR2450








# CIGRETTE LIGHTER TPMS



## **VT-TP1007**











- 1.LCD Display with USB charger
- 2.RF wireless transmission
- 3.5V/1A USB output for charging smart device
- 4. Display showing 4 tire pressure or temperature at a glance
- 5. Compatible with both external and internal sensor
- 6.DIY installation for external sensor
- 7. Replacement battery for external sensor: CR1632
- 8. Long life battery for internal sensor
- 9. Visual and audible warning
- 10. Convertible pressure and temperature unit





# SOLAR POWER TPMS



## **VT-TP1008**












- 1. Solar powered LCD display with USB input charging slot
- 2.RF wireless transmission
- 3. Battery rechargeable by charging slot even in cloudy days
- 4.Flexible display place on dashboard freely
- 5. High capacity battery for a month use
- 6. Display showing 4 tire pressure and temperature all at a glance
- 7. Compatible with both external and internal sensor
- 8.DIY installation for external sensor
- 9. Replacement battery for external sensor: CR1632
- 10.Long life battery for internal sensor
- 11. Visual and audible warning
- 12. Convertible pressure and temperature unit







# HEAD UP SOLAR POWER TPMS




## VT-TP1009



- 1.Overhead solar powered LCD display with USB input charging slot
- 2.Battery rechargeable by charging slot even in cloudy days
- 3.Flexible display place on windshield freely
- 4. High capacity battery for a month use
- 5. Display showing 4 tire pressure and temperature all at a glance







# OE-FIT TPMS















- 1.Multi-color OE button design LCD display
- 2. Easy installation display powered by ACC
- 3. More display brackets available for different car models
- 4. The transceiver provides both visual and audible warning even no Bluetooth connection
- 5. Compatible with both external and internal sensor









# SOLAR POWER TPMS



## VT-TP1013









- 1. Solar powered black and white LCD display with USB input charging slot
- 2.Battery rechargeable by charging slot even in cloudy days
- 3.Flexible display place on dashboard freely
- 4. High capacity battery for a month use
- 5.Display showing 4 tire pressure and temperature all at a glance

# TPMS FOR ANDROID DVD



## VT-TP1019







- 2.Compatible with Android phone APP
- 3. Visual and audible warning
- 4.Long time battery with internal sensor













# TPMS FOR TRUCK
















- 1.RF wireless portable display
- 2. Match up to 22 tires
- 3. Suitable for commercial vehicle with 12V or 24V
- 4.Compact size repeater included
- 5.Rechargeable display
























- 1.6 Wheel sensors for trucks, tire pressure monitoring value can reach 9.0bar.
- 2.REAL-TIME monitoring of tire conditions
- 3. When the vehicle starts, the display automatically starts to protect the driving safety at all times.
- 4.Supports two solar / USB charging methods
- 5.Rotection level: IP65







# PUSH BUTTON START/STOP



# Basic One Button Push Start



VT-PS201

## FEATURE

- 1. One push button to start/stop the engine.
- 2. The original car remote control remote start preheating refrigeration.
- 3. Handbrake detection, foot brake detection.
- 4. Remote start 10 minutes to stop the flame.
- 5. Remote start automatic lock door.
- 6.can be matched your car alarm system or keyless entry system refrigeration.
- 7. Suitable for all kinds of cars
- 8. Easy to install and remove.

## RFID One Button Push Start




VT-PS202

## FEATURE

- 1. One push button to start/stop the engine.
- 2. The original car remote control remote start preheating refrigeration.
- 3. Handbrake detection, foot brake detection.
- 4. Remote start 10 minutes to stop the flame.
- 5. Remote start automatic lock door.
- 6.can be matched your car alarm system or keyless entry system refrigeration.
- 7. Suitable for all kinds of cars
- 8. Easy to install and remove.
- 9.RFID iduction car anti-theft function.



# PKE PUSH BUTTON START SYSTEM







Model:	VT-PS203
Fit For:	All the car
Working Frequency:	433.92MHZ
Operating Voltage:	12V±3V



PKE + ALARM SYSTEM

#### OPTIONAL














# GPS&GSM CAR ALARM



# BLUETOOTH CAR ALARM







## Function:

- 1. Realtime tracking and history checking
- 2. Vibration alarm and power cut-off alarm
- 3. Microphone ovice monitoring
- 4. And SOS button for energency
- 5. Arming and disarming by remote and cellphone
- 6. Engine cut-off by mobile app or platform
- 7. Car search by remote and app
- 8. Emergency calling
- 9. Build-in battery
- 10. GEO-FENCE
- 11. Trunk relase by app
- 12. Over speed alert
- 13. Vibration record
- 14. Opened door alert
- 15. Auto central locking

## VT-119



## Function:

- 1. Realtime tracking and history checking
- 2. Vibration alarm and power cut-off alarm
- 3. Microphone ovice monitoring
- 4. And SOS button for energency
- 5. Arming and disarming by remote and cellphone
- 6. Engine cut-off by mobile app or platform
- 7. Car search by remote and app
- 8. Emergency calling
- 9. Build-in battery
- 10. GEO-FENCE
- 11. Trunk relase by app
- 12. Over speed alert
- 13. Vibration record
- 14. Opened door alert 15. Auto central locking





VT-266



VT-233





VT-100DBT

## Function:

Bluetooth connection

Lock/unlock by mobile App

Support for IOS/Android system

- 1. Anti-hijacking by driver's door, ACC ON and remote control
- 2. Outptut to activate window roll-up module

Upgrade To Bluetooth Car Alarm With One Click


Mobile App remote car alarm/keyless entry

- 3. Remote arming
- 4. SILENT ARMING
- 5. Auto-rearming
- 6. Remote trunk release
- 7. Remote semsor bypass
- 8. Panic/car locating
- 9. Emergency override
- 10. Valet mode
- 11. LED status indicator
- 12. CODE learning
- 13. Mobile APP remote car alarm system
- 14. Replace the normal remote with original 433.92/370/315MHz
- 15. Both google APP market and APP store can download.











# Upgrade alarm for OE keyless remote

## Function:

- 1. Arm/Disarm /Silent Arm
- 2. Anti-Hijacking (engine Cut Off)
- 3. Original Remote Transmitter Upgrade
- 4. No Need To Change The Original Vehicle Circuitt
- 5. Intrusion Memory/ Disconnection Memory
- 6. Passive Arm
- 7. Auto Central Lock
- 8. Positive Or Negative Side-door Triggering
- 9. Negative Engine Hood Triggering
- 10. Adjustable Shocking Sensor
- 11. Compatible With OE Keyless Remotes
- 12. Door Open Alert
- 13.Power Window Output(Optional)

# Specially for Iran market





VT-39

VT-39E

# Specially for Middle East market



- 4. Auto keyless system
- 5. Remote arm and disarm
- 6. Ant-hijacking
- 7. Vehicle search function
- 8. Vibration record
- 9. Opened door alert
- 10. Auto central door lock
- 11. Emergency calling
- 12. Electronic/air compressor lock transition
- 13. Built-in central lock relay
- 15. Power window output (Optional)

# Function:

- . Alarm armed mode
- 2. Silent arming
- 3. Emergency alarm
- 4. Remote trunk release
- 5. Anti Hijacking
- 6. Auto Rearming
- 7. Automatic central door lock
- 8. Power Interrupted memory
- 9. Closing door reminder
- 10. Door open signal
- 11. Car finder
- 12. Emergency call
- 13. intrusion memory
- 14. Anti-false alarm
- 15. Emergency override
- 16. Programmable power/vacuum type door lock




## 1. Trunk release

- 2. Sound and light alarm setting
- 3. Release alarm setting


- 14. Long distance
















# Hopping code against Code-scanning&copying

## Function:

- 1. Arm/disarm/silent Arm
- 2. Auto Re-arm
- 3. Auto Central Lock
- 4. Disconnection Memory
- 5. Emmergency Release
- 6. Vehicle Location
- 7. Negative Side-door Triggering
- 8. Reminder Of Arming
- 9. Anti-hijacking
- 10. Led Indicator
- 11. Remote Trunk Release
- 12. Intelligent Circumstance Identification
- 13. Domelight Supervision Compatible
- 14. Intelligent Identification Triggering With Two Alert Modes
- 15. Active Anti-carjacking/passive Anti-carjacking
- (programmable)
  16. Door Open Alert With Flashing Lights
- (programmable)
  17. Electronic/air Compressor Lock (programmable)
- 18. Anti-hijacking With Engine Cut-off (programmable)
- 19. Saftest Hopping Code Against Code-scanning & Copying
- 20. Code Changing Every Operation To Ensure The Safety Of Your Vehicle
- 21.Power Window Output


# Specially for South American market

## **Function:**

- 1. Anti-hijacking by driver's door, ACC ON and remote control
- 2. Output to activate window roll-up module
- 3. Remote arming
- 4. Silent arming
- 5. Auto-rearming
- 6. Auto arming
- 7. Remote trunk release
- 8. Safety door lock by ignition
- 9. Remote sensor bypass
- 10. Panic/car locating
- 11. Emergency override
- 12. Valet mode
- 13. LED status indicator
- 14. Code learning



# ONE WAY CAR ALAM






# Specially for mexico market

## Function:

- 1.Activación del sistema de alarma utilizando el transmisor
- 2. Exclusión de zonas defectuosas
- 3.Exclusión del sensor de impacto mediante el transmisor
- 4. Activación Automática
- 5. Sistema de Alarma Activado y en disparo
- 6. Desactivación del sistema de alarma
- 7. Re-armado Automático
- 8. Activación Silenciosa
- 9. Desactivación Silenciosa
- 10.Localizador
- 11. Modo Pánico
- 12. Seguros con Ignición
- 13. Abril Cajuela Eléctrica (Canal 2)
- 14.Canal 3
- 15.Anti-asalto por Puertas/Transmisor/ignición/Activado






# ONE WAY CAR ALARM ESPECIALLY FOR LATIN AMERICAN AND SOUTH AMERICAN COUNTRIES

#### Function:

- 1. Anti-hijacking by driver's door, ACC ON and remote control
- 2. Output to activate window roll-up module
- 3. Remote arming
- 4. Silent arming
- 5. Auto-rearming
- 6. Auto arming
- 7. Remote trunk release
- 8. Safety door lock by ignition
- 9. Remote sensor bypass
- 10. Panic/car locating
- 11. Emergency override
- 12. Valet mode
- 13. LED status indicator
- 14. Code learning
- 15.Shock sensor build-in







# Various Code & Volumetric Sensor



## **Function:**

- 1. Anti-hijacking by driver's door, ACC ON and remote control
- 2. Output to activate window roll-up module
- 3. Remote arming
- 4. Silent arming
- 5. Auto-rearming
- 6. Auto arming
- 7. Remote trunk release
- 8. Safety door lock by ignition
- 9. Remote sensor bypass
- 10. Panic/car locating
- 11. Emergency override
- 12. Valet mode
- 13. LED status indicator
- 14. Code hopping

# Specially for South American market




## Function:


- 1.Arm/disarm
- 2. Silent arm/Silent disarm
- 3. Arming with zones' cancellation
- 4.Doors' signal arming delay
- 5.Disarm by using the reset button
- 6.Panic/Car finder
- 7.Anti-hijacking by ignition or by Transmitter
- 8.automatic arming/automatic rearming
- 9.valid mode
- 10.doors lock with ignition
- 11.door locks' control with the transmitter while driving
- 12.with 18 functions optional




# ONE WAY CAR ALAM







# VT-100INA ORALAM ORA



SENSOR KEJUT

# Specially for Latin American market


- 1. Anti-hijacking by driver's door, ACC ON and remote control
- 2. Output to activate window roll-up module
- 3. Remote arming
- 4. Silent arming
- 5. Auto-rearming
- 6. Auto arming
- 7. Remote trunk release
- 8. Safety door lock by ignition
- 9. Remote sensor bypass
- 10. Panic/car locating
- 11. Emergency override
- 12. Valet mode
- 13. LED status indicator
- 14. Built-in central locking module.
- 15. Code learning

# **Specially for South East Asia market**

## Function:

- 1.Arming/disarming
- 2. Discreet disarm mode
- 3.Disarm without remote
- 4.Silent arm & disarm
- 5.Panic Mode
- 6. Valet Mode
- 7. Auto lock with Brake
- 8. Auto lock with Ignition
- 9.Auto Unlock
- 10.Anti-hijack






# Engine start car alarm




## Function:

- 1. 3 or 4 buttons transmitter optional
- 2. Bright LED indicator for theft warning
- 3. Remote engine start
- 4. Remote trunk release
- 5. Remote arming /disarming.
- 6. Built-in start relay set.
- 7. Auto re-arming
- 8. Electronic/Pneumatic locks (Jumper selectable)
- 9. Petrol/diesel model (Jumper selectable)
- 10. Automatic central door lock
- 11. Emergency calling
- 12. Mute alarm setting
- 13. Trigger status recording
- 14. Car location identification
- 15. Remote engine and air conditioner starter
- 16. Emergency override switch
- 17. Ultrasonic sensor (optional)
- 18. LED status indicator.





# TWO WAY CAR ALAM





- 1.Ultra-long Fsk Communication Range (two-way Range Over 1000m)
- 2. Visual And Audio Alert On Remote
- 3. Car/alarm Status Lcd Display On Remote
- 4. Anti-carjacking System
- 5. Silent Arm/disarm/alert
- 6. Automatic Windows Roll-up Output
- 7. Automatic Dome Light Supervision
- 8. Remote Trunk Release
- 9.Six-tone 120db Siren
- 10.Ultra-low Standby Power Consumption Of Remote Control
- 11.Real-time Clock And Personal Alarm Clock Of Remote Control
- 12. Keyboard Lock And Led Backlight
- 13.Code Hopping Technology Against Scanning And Copying
- 14. Compatible With Factory Security System
- 15.14 Multiple User-programmable Features
- 16. Valet Mode
- 17.Interface Of Microwave Sensor Or Ultrasonic Sensor






- 1.Ultra-long Fsk Communication Range (two-way Range Over 1000m) 2.Visual And Audio Alert On Remote
- 2. Visual Aliu Audio Aleit Oli Kelliote
- 3. Car/alarm Status Lcd Display On Remote
- 4.Anti-carjacking System
- 5. Silent Arm/disarm/alert
- 6. Automatic Windows Roll-up Output
- 7. Automatic Dome Light Supervision
- 8. Remote Trunk Release
- 9.Six-tone 120db Siren
- 10.Ultra-low Standby Power Consumption Of Remote Control
- 11.Real-time Clock And Personal Alarm Clock Of Remote Control
- 12.Keyboard Lock And Led Backlight
- 13.Code Hopping Technology Against Scanning And Copying
- 14. Compatible With Factory Security System
- 15.14 Multiple User-programmable Features
- 16. Valet Mode
- 17.Interface Of Microwave Sensor Or Ultrasonic Sensor
- 18. Remote Start Bypass Output
- 19. Remote Start Timer Mode
- 20.Long Range Remote Start With Gear



# KEYLESS ENTRY SYSTEM





- 1.Remote door lock/unlock
- 2.Car search
- 3. Direction light out put
- 4. Central locking time optional
- 5. Jumper option for electric lock/pneumatic lock
- 6.Trunk release output +/- optional



- 1.Remote door lock/unlock
- 2.Car finding
- 3.Flashing light out put
- 4. Central locking time optional
- 5.Programmable to option electric lock/pneumatic lock
- 6.Jumper option for +/- trunk release output
- 7. Negative power window output
- 8.LED status indicator
- 9.Double-sided PCB



- 1.Remote door lock/unlock
- 2.Car finding

upgrade


- 3.Flashing light out put
- 4. Central locking time optional
- 5. Jumper option for electric lock/pneumatic lock 6.Jumper option for +/- trunk release output
- 7. Negative power window output
- 8. Output for existing siren
- 9.LED status indicator 10.Double-sided PCB



VT-500TWL-BT



# CENTRAL LOCKING SYSTEM



## Specifically Central Locking System

Optional 2 wire/5 wire









## **CENTRAL LOCKING**

- 1. 1 Master 3 Slaves
- 2. Rotatable Head For Easy Installation
- 3. Ultrasonic Sealed Actuator Body
- 4. Life Time Up To 100,000 Times




#### REMOTE CENTRAL LOCKING

- 1. Remote Lock/unlock With 4 Actuators
- 2. Electronic Lock/air Compressor Lock Programmable
- 3. Turning Lights Flashing Output (optional)
- 4. Learning Code Or Hopping Code(Optional)
- 5. Universal Design, Compatible With Any Cars



#### **CENTRAL LOCKING**

- 1. 2 Master 2 Slaves
- 2. Rotatable Head For Easy Installation
- 3. Ultrasonic Sealed Actuator Body
- 4. Life Time Up To 100,000 Times



**ACTUATOR** 

## 2.4GHz IMMOBILIZER

Intelligent electronic car engine Lock system


# VT-IM888 VT-IM88ES

- \* Anti-hijacking.
- \* Avoid starting by force.
- \* Cut off engine after the driver leaves for 30 seconds.
- \* Special 2.4GMHZ frequency, few disturbance.
- \* 2 way comminucation, engergy-saving design doubles battery life-time.

There are 5 functions modes:

- 1. Code learning
- 2. Password setting
- 3. Service mode
- 4. Anti-hijacking On
- 5. Anti-hijacking Off
- 6.With accelerator(optional)








## ANTI-ROBBERY DEVICE

- 1. Anti-theft while parking and no robbing while driving
- 2. Automatically identify the driver and prevent illegal engine start.
- Control the circuit of the vehicle and make sure your vehicle can not be started with a simple wire bridge.



# Automation Door Control System



# Specially for European market with hopping code



- 1. What this system can used for:
  All garage door, slide door, swing door
- 2. Learning code or fixed code or Hopping code
- 3. Frequency available between 315MHz and 433.92 MHz
- 4. Original design, many types of remote model can be choose from
- 5. Universal compatible, easy to get the remote control to copy the signal
- 6. Same code information with the advanced famous
  Brands like: NICE SMILO FAAC FIX FAAC XT CAME
  SPACE BENINCA BEF MITTO KEY DTM WISNIOWSKI
  etc. Which mean all the remote controls from these
  brands can work on this system directly!
- 7. Different car logo/symbols available for special product models

# Car lights sensor Coming home sensor




- 1. Automatically turn on or turn off car lights in darkness, make your way home safter and brighter.
- Time interval of lights adjustable from 10-40 seconds by trimmer button.
- 3. Easy installation with universal design.
- 4. Compatible with car alarm and keyless entry.

# OEM Relay





# PARKING SENSOR





#### LED PARKING SENSOR

- 1.Digital LED showing obstacle distance
- 2. Alarm by Bi-Bi sound
- 3.LED display with three colors (Green, Red & yellow)
- 4.Crescent small shape digital display screen
- 5. Economical type
- 6.2-8 sensors are available.



### SENSOR AND CAMERA 2 IN 1

- 1. Reverse beep alarm
- 2. Auto on in reverse
- 2. Auto on in reverse 2. Visual reverse osd
- 3. HD wide view angle
- 4. Night vision
- 5. Universal fit






## LED PARKING SENSOR

- 1.Digital LED showing obstacle distance
- 2. Alarm by Bi-Bi sound
- 3.LED display with three colors (Green, Red & yellow)
- 4.Crescent small shape digital display screen
- 5.with BIBI sound on/off,can turn on/off the sound according to your desire
- 6.2-8 sensors are available.










# DVR CAMERA







VT-809H



VT-809H9




VT-809H1

VT-809H7

# **P30**



# DVR CAMERA









VT-809H9



VT-809H7

## FEATURES:

1.LCD Screen

2.Chip: Generaplu

3.Lens: 170 degree 1080P

4. Files Format: AVI

5. Video Resolution: FHD,1920\*1080; 1280\*720 6. Recording Video Format: AVI,Audio:AAC

'. Interface:support USB,AV OUT

8. Motion Detection: Support

9. G-Sensor: Support

10. Time Synchronization: Support

11. Photo Format: 1200Mega

12. Support Memory Card: Support TF(MAX32GB)

13. Built-in stereo: Support 14. Power Interface: 5V 1A






VT-809H












Bandage User manual





# Duplicable Remote Control



V669

Product name: Duplicable Remote Control model No.: V669 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN

Battery Model: CR2016 Carton Dimension: 64\*34\*28CM Voltage:6 V Encoder Model: (EV1527 PT2240 HT12E

PT2260 FP527 HT12E HT6P20B)

Frequency:(286MHz-564MHz)



V703

Product name: Duplicable Remote Control model No.: V703 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency **Technical Parameter: ASK** Packaging Parameter: 500PCS/CTN

Battery Model: CR2016 Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B )

Frequency:(294MHz-560MHz)



V602

Product name: Duplicable Remote Control model No.: V602 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN

Frequency:(299MHz-513MHz)

Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B )



V615

Product name: Duplicable Remote Control model No.: V615 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN Frequency:(277MHz-391MHz)

Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B)



V654

Product name: Duplicable Remote Control model No.: V654 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN

Frequency:(289MHZ-459MHZ)

Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B



Product name: Duplicable Remote Control model No.: V655 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN Frequency:(301MHZ-503MHZ)

Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B



model No.: V719 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files: Adjustable Frequency Technical Parameter: ASK Packaging Parameter: 500PCS/CTN Frequency:(278MHZ-500MHZ)

Product name: Duplicable Remote Control

Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model: (EV1527 PT2240 HT12E PT2260 FP527 HT12E HT6P20B



Product name: Duplicable Remote Control model No.: V627 **Brand Name: VICTOR** Packing:25PCS/BOX Configuration Files:SAW Technical Parameter: ASK Packaging Parameter: 500PCS/CTN

Frequency:(315MHz 370MHz 433MHz)


Battery Model:27A Carton Dimension: 64\*34\*28CM Voltage:12 V Encoder Model:(EV1527 PT2240 HT12E FP527 HT12E HT6P20B)



















**M50** 





V615












V682



# REMOTE CONTROL










# REMOTE CONTROL

V923△

V916











**V775** 

**V822** 













**V742** 



V816

**V750** 



**V782** 





V817








**V924** 

V926\*

V815

**V927** 















































V954














# REMOTE CONTROL







































**P38** 







V997\*



V1000







V1001\*



V1004\*











V1006 V1004-1\*









V1011









V1015\*














V1020



# REMOTE CONTROL

















V1023





V1025





V1030\*







V1032

V1033













V1034
























V1049

V1050

V1051

V1052

<u>V1053</u>







V1055



V1056





V1057



V1058



V1054







V1059

V1060

V1061

V944-1