



青島一恒專用車輛有限公司
QINGDAO YIHENG SPECIAL HAND TRUCK CO.,LTD.

青島一恒專用車輛有限公司

QINGDAO YIHENG SPECIAL HAND TRUCK CO.,LTD.

FACTORY INTRODUCTION

QINGDAO YIHENG SPECIAL HAND TRUCK CO.,LTD.was established in 2005.We are a manufacturer,which specializes in producing all kinds of beach cart, garden tool cart, moving dolly, and other metal products.Our products not only supply the domestic market,but also exported to Europe, North America, Southeast Asia, Middle East and other overseas areas.

Our company has the complete production lines and perfect quality system.In the production process, we take the "high efficiency""high quality""good service"to serve our customers.We also have a quality control team of 10 people to inspect our products quality at regular intervals.At the same time, our design and development strength is powerful. We also can make products according to customers' requirements.

Our company always advocates and observes the faith of Honesty and Reality & Customer first forever.In our heart,the customers is the first,whatever big order or small order.We ensure we will delivery the goods "on time".Welcome to enquire by telephone or send E-mail to us,and we are ready to provide high quality products and service at any time.



www.yihengmetal.com
<http://yihengmetal.en.alibaba.com/>





BEACH CART



TC2023
Frame size: 122x45cm
12" balloon wheel
"T" feet
8 rod holders
128 PCS/20'GP
288 PCS/40'GP



TC2023A
Frame size: 122x45cm
13" pneumatic wheel
"T" feet
4 rod holders
128 PCS/20'GP
288 PCS/40'GP



TC2022
Frame size: 90x40cm
12" balloon wheel
"T" feet
8 rod holders
160 PCS/20'GP
352 PCS/40'GP



TC2022A
Frame size: 90x40cm
13" pneumatic wheel
"T" feet
4 rod holders
160 PCS/20'GP
352 PCS/40'GP



TC2022B
Frame size: 90x40cm
10" PU wheel
"T" feet
4 rod holders
160 PCS/20'GP
352 PCS/40'GP



TC2024
Frame size: 50x69cm
10" pneumatic wheel
4 rod holders
200 PCS/20'GP
400 PCS/40'GP



TC2021
Whole size: L650XW780XH1050
12" balloon wheel
320 PCS/20'GP
650 PCS/40'GP



TC2020
Size: 12" balloon wheel
QTY: 1500 PCS/20'GP
3100 PCS/40'GP





GARBAGE CONTAINER



GC0206
Capacity: 120 liters
Material: polyethylene or metal
QTY: 1350 PCS/40HQ
550 PCS/20'GP



GC0207
Capacity: 240 liters
Material: polyethylene or metal
QTY: 682 PCS/40 'GP
324 PCS/20'GP

MOVING DOLLY



TC4307
Load capacity:300KG
Wheel:4''Solid
Size(LxWxH):760x460x170
QTY: 1000 PCS/20'GP
2150 PCS/40'GP



TC4308
Load capacity:300KG
Wheel:4''Solid
Size(LxWxH):760x460x180
QTY: 1000 PCS/20'GP
2100 PCS/40'GP



TC4330
Load capacity:300KG
Wheel:4''Solid
Size(LxWxH):760x455x175
QTY: 800 PCS/20'GP
1600 PCS/40'GP



TC4335
Load capacity:500KG
Wheel:4''Solid
Size(LxWxH):490x490x150
QTY: 1100 PCS/20'GP
2200 PCS/40'GP



TC4318
Load capacity:300KG
Wheel:4''Solid
Size(LxWxH):760x450x175
QTY: 650 PCS/20'GP
1300 PCS/40'GP



TC4326
Load capacity:150KG
Wheel:4''Solid
Size(LxWxH):800x400x975
QTY: 800 PCS/20'GP
1600 PCS/40'GP





GARDEN WORK SEAT CART



TC4501A
Load Capacity(kg):150
Wheel:10"x3.50-4Air
Body Size(mm):
L465xW205xH500
QTY:380 PCS/20'GP
760 PCS/40'GP



TC4501B
Load Capacity(kg):150
Wheel:10"x3.50-4Air
Body Size(mm):
L465xW205xH500
QTY:380 PCS/20'GP
760 PCS/40'GP



TC4501C
Load Capacity(kg):150
Wheel:10"x3.50-4Air
Body Size(mm):
L870xW440xH490
QTY:376 PCS/20'GP
752 PCS/40'GP



TC4501D
Load Capacity(kg):150
Wheel:10" x3.50-4Air
Body Size(mm):
L860xW440xH975
QTY:380 PCS/20'GP
760 PCS/40'GP

...



TC4501E
Load Capacity(kg):150
Wheel:10" x3.50-4Air
Body Size(mm):
L940xW445xH540
QTY:360 PCS/20'GP
720 PCS/40'GP



TC4501F
Load Capacity(kg):150
Wheel:10" x3.50-4Air
Body Size(mm):
L860xW440xH975
QTY:380 PCS/20'GP
760 PCS/40'GP



LAWN ROLLER



TI-021A
Body Size(mm):
L1230xW580xH400
QTY:300 PCS/20'GP
600 PCS/40'GP



TI-023
Body Size(mm):
L1120xW1050xH400
QTY:135 PCS/20'GP
270 PCS/40'GP





LAWN AERATOR



TI-064 (with mud guard)
Body Size(mm):
L1250xW430xH245
N.W(kg):3.2
G.W(kg):3.7 QTY:1200
PCS/20'GP
2400 PCS/40'GP



TI-065 (without mud guard)
Body Size(mm):
L1250xW430xH245
N.W(kg):3.1
G.W(kg):3.6 QTY:1200
PCS/20'GP
2400 PCS/40'GP

FERTILIZER SPREADER



TC2014
Load Capacity(kg):15
Water Capacity(L):15
Wheel:8" Solid
Body Size(mm):
L1050xW460xH750
QTY:650 PCS/20'GP
1300 PCS/40'GP



TC2026
Load Capacity(kg):20
Water Capacity(L):25
Wheel:9" x2.2"Solid
Body Size(mm):
L910xW485xH795
QTY:330 PCS/20'GP
660 PCS/40'GP



TC2027
Load Capacity(kg):25
Water Capacity(L):25
Wheel:9" x2.3"Solid
Body Size(mm):
L1000xW485xH690
QTY:190 PCS/20'GP
380 PCS/40'GP



TC2028
Load Capacity(kg):30
Water Capacity(L):40
Wheel:13" x5.00-6Air
Body Size(mm):
L1100xW770xH700
QTY:80 PCS/20'GP
162 PCS/40'GP



TC2031A
Load Capacity(kg):30
Water Capacity(L):40
Wheel:13" x3.50-6Air
Body Size(mm):
L940xW580xH775
QTY:130 PCS/20'GP
260 PCS/40'GP



TC2032B
Load Capacity(kg):30
Water Capacity(L):20
Wheel:10" x2"Solid
Body Size(mm):
L815xW685xH815
QTY:380 PCS/20'GP
800 PCS/40'GP





HOSE REEL CART



TC4719
Wheel:4.10/3.50-4 Air
Body Size(mm):
L770xW600xH920
QTY:170 PCS/20'GP
350 PCS/40'GP



TC4705
Body Size(mm):
L800xW440xH508 QTY:225
PCS/20'GP 450PCS/40'GP

METAL SEAT



TC4511
Load Capacity(kg):150
Thickness(mm):1.8
N.W(kg):2
Body Size(mm):
L450 x W340 x H60
QTY:8000 PCS/20'GP
10250 PCS/40'GP



TC4511A
Load Capacity(kg):150
Thickness(mm):1.8
N.W(kg):2
Body Size(mm):
L450 x W340 x H60
QTY:8000 PCS/20'GP
10250 PCS/40'GP



TC4512
Load Capacity(kg):150
Thickness(mm):1.8
N.W(kg):3
Body Size(mm):
L480 x W390 x H140
QTY:5300 PCS/20'GP
6800 PCS/40'GP



TC4512A
Load Capacity(kg):150
Thickness(mm):1.8
N.W(kg):3
Body Size(mm):
L480 x W390 x H140
QTY:5300 PCS/20'GP
6800 PCS/40'GP

BAR CHAIR



TC4513
Load Capacity(kg):150
N.W(kg):5.8
G.W(kg):12.6
Body Size(mm):
L450xW340 x H580/780
QTY:920 PCS/20'GP
1880 PCS/40'GP



TC4514
Load Capacity(kg):150
N.W(kg):6.4
G.W(kg):13.8
Body Size(mm):
L480xW390 x H580/920
QTY:920 PCS/20'GP
1880 PCS/40'GP





TC4515
Load Capacity(kg):150
N.W(kg):6.6
G.W(kg):13.2
Body Size(mm):
φ30 x H580/780
QTY:920 PCS/20'GP
1880 PCS/40'GP



TC4513
Load Capacity(kg):150
N.W(kg):6.5
G.W(kg):7.5
Body Size(mm):
L450xW340 x H660/740
QTY:175 PCS/20'GP
375 PCS/40'GP

GARAGE CHAIR



TC4509
Load Capacity(kg):150
Wheel:5" caster wheel
Body Size(mm):
L845xW380 x H510
QTY:1400 PCS/20'GP
2936 PCS/40'GP



TC4509A
Load Capacity(kg):120
Wheel:2" caster wheel
Body Size(mm):
L845xW380 x H510
QTY:1600 PCS/20'GP
3350 PCS/40'GP



TC4509B
Load Capacity(kg):120
N.W(kg):5.2
G.W(kg):6.2
Body Size(mm):
L450 x W340
QTY:950 PCS/20'GP
1990 PCS/40'GP



TC4510
Load Capacity(kg):120
Wheel:2" caster wheel
Body Size(mm):
L365xW380 x H465
QTY:1100 PCS/20'GP
2200 PCS/40'GP





CAR LIFT



GHSL110
Lifting capacity(T): 3
Lifting height(mm): 1830
Min. Height(mm): 110
Lifting time(s): 50
Overall length for platform(mm): 1450-2050
Overall width for platform(mm): 660
Motor power: can be custom-made as your country standards
Power supply(v): 220/380
Oil pressure(mpa): 20
Air supply pressure(bar): 6-8
Weight(kg): 900
QTY:24 PCS/20'GP
30 PCS/40'GP



AUSL401
Lifting capacity(T): 3
Lifting height(mm): 1000
Min. Height(mm): 105-120
Lifting time(s): 30
Overall length for platform(mm): 1400-1940
Overall width for platform(mm): 535
Motor power: can be custom-made as your country standards
Power supply(v): 220/380
Oil pressure(mpa): 20
Air supply pressure(bar): 6-8
Weight(kg): 600
QTY:27 PCS/20'GP
45 PCS/40'GP

CAR ACCESSORIES



TC-2018T
Load Capacity(kg):200
N.W(kg):11.3
G.W(kg):13.3
Body Size(mm):
L1225xW1025x H147
QTY:192 PCS/20'GP
363 PCS/40'GP



TC-2018F
Load Capacity(kg):200
N.W(kg):19.3
G.W(kg):20.8
Tube size(mm):
L690 x W50 x H50
Tube thick(mm):3
Body Size(mm):
L1510 x W515x H140
QTY:280 PCS/20'GP
570 PCS/40'GP



TC-2018H
Load Capacity(kg):200
N.W(kg):3.9
G.W(kg):4.5
Body Size(mm):
L515 x W400 x H95
QTY:1230 PCS/20'GP
2580 PCS/40'GP



TI-157
Body Size(mm):
900x450x1800
Metal thickness(mm):1.2
Wood thickness(mm):5
QTY:1000 PCS/20'GP
2000 PCS/40'GP





KIDS SAND DIGGER



TI-051

Body Size(mm):

L1075xW445xH550

QTY:650PCS/20'GP

1300PCS/40'GP



TI-052

Body Size(mm):

L920xW400x440

QTY: 700PCS/20'GP

1400PCS/40'GP

KIDS WAGON



TC4241

Load capacity(kg):80

Wheel:10"x3.50-4 Air

Body Size(mm):

L1030xW500xH825

QTY:650PCS/20'GP

1300PCS/40'GP



TC4203B

Load capacity(kg):100

Wheel:10"x3.00-4 Air

Body Size(mm):

L940xW615xH980

QTY:330PCS/20'GP

660PCS/40'GP



TC4201

Load capacity(kg):150

Wheel:10"x3.50-4Air

Body Size(mm):

L1000xW480xH850

QTY:410PCS/20'GP

850PCS/40'GP



TC4201-B

Load capacity(kg):150

Wheel:9" Balloon Wheel

Body Size(mm):

L1000xW480xH850

QTY:410PCS/20'GP

850PCS/40'GP



ALUMINIUM FOLDING CART



TC2003B

Load capacity(kg):150

Wheel:20"x2.125"

Body Size(mm):

L1660xW850xH675

QTY:120PCS/20'GP

240PCS/40'GP



TC2003C

Load capacity(kg):150

Wheel:20"x2.125"

Body Size(mm):

L1600xW850xH875

QTY:130PCS/20'GP

260PCS/40'GP





青島一恒專用車輛有限公司
QINGDAO YIHENG SPECIAL HAND TRUCK CO.,LTD.

THANKS FOR YOUR BROWSE!

THE DETAIL CONTACT AS BELOW:

Jane Yang

Fax:+86-0532-86167225

Tel:+86-15194221056

Email:sales2@yihengmetal.com

Website:www.yihengmetal.com

www.yihengmetal.en.alibaba.com

Address:Lingang Industrial Park, Jiaonan City,Qingdao City,Shandong Province,China.



www.yihengmetal.com
<http://yihengmetal.en.alibaba.com/>

