



YP-800-2\*9D-75/65




YP-1700/2700-2\*9D-65/30




YP-700/2700-7D-70/55




YP-880/2635-7D-70/55




YP-698/2700-8/10D-SMA



YP-1800/2600-2\*9D-65/30



YP-2400/2700-14D-SMA



YP-5150-5850-10D-SMA




YP-698/2700-3D-fme

Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YP-800-2*9D-75/65	800MHz ; 2*9DBI	2*5M RG58 cable ; 2*SMA male	280*180*60mm	US\$11.00
YP-1700/2700-2*9D-65/30	1700-2700MHz ; 2*9DBI	2*30CM RG58 ; 2* F female	210*178*45mm	US\$6.50
YP-700/2700-7D-70/55	700-960/1710-2700MHz;7/10DBI	30CM RG58; N female	210*178*45mm	US\$5.80
YP-880/2635-7D-70/55	880-960/1710-2635MHz ;7/10DBI	30CM RG58 ; N female	210*178*45mm	US\$5.80
YP-698/2700-8/10D-SMA	698-960/1710-2700MHz ; 8/10DBI	30CM RG58 ; SMA male	210*180*44mm	US\$6.80
YP-1800/2600-2*9D-65/30	1800-2600MHz ; 2*9DBI	2*30CM RG58 ; 2* SMA male	210*180*44mm	US\$6.70
YP-2400/2700-14D-SMA	2400-2700MHz ; 14DBI	30CM RG58 ; SMA male	210*180*44mm	US\$6.00
YP-5150-5850-10D-SMA	5150-5850MHz ; 10DBI	30CM RG58 ; SMA male	210*180*44mm	US\$6.80
YP-698/2700-3D-fme	698-960/1710-2700MHz;3DBI	3M RG174 cable;FME female	45*85mm	US\$2.30



[YY-698/2700-11D-70/55](#)



[YY-698/2700-9D-90/75](#)



[YY-470/860-7D-70/65](#)




[YY-697/800-6/8D-SMA](#)



[YY-824/2170-10D-SMA](#)


Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YY-698/2700-11D-70/55	698-960/1710-2700MHz ; 11DBI	10M RG58 ; SMA male	450*215*65mm	US\$10.74
YY-698/2700-9D-90/75	698-960/1710-2700MHz ; 9DBI	10M RG58 ; SMA male	295*215*65mm	US\$9.00
YY-470/860-7D-70/65	470-860MHz ; 7DBI	No ; F female	420*250mm	US\$1.65
YY-697/800-6/8D-SMA	697-800MHz ; 6/8DBI	30CM RG58 ; SMA male	360*175*50mm	US\$4.60
YY-824/2170-10D-SMA	824-960/1710-2170MHz ; 10DBI	30CM RG58 ; SMA male	360*170*50mm	US\$4.70



[YF-698/2700-3D-Nmale](#)




[YF-700/2700-2\\*6D-360](#)




[YF-700/2700-6D-360/60-90](#)



[YF-700/2700-4D-360/60-90](#)




[YF-700/2700-2\\*8D-360](#)




[YF-700/2700-6D-ABS](#)


Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YF-698/2700-3D-Nmale	698-960/1710-2700MHz;3DBI	NO cable ; N male	Φ20*250mm	US\$5.20
YF-700/2700-2*6D-360	700-960/1710-2700MHz ;2*6DBI	2*5M RG58U cable ;2*SMA male	Φ63*240mm	US\$15.00
YF-700/2700-6D-360/60-90	698-960/1710-2700MHz ; 6/7DBI	NO cable ; N female	Φ63*300mm	US\$16.00
YF-700/2700-4D-360/60-90	700-960/1710-2700MHz ; 4/6DBI	NO cable ; N female	Φ63*240mm	US\$15.00
YF-700/2700-2*8D-360	700-960/1710-2700MHz ;2*8DBI	NO cable ; 2*N female	Φ83X775mm	US\$34.00
YF-698/2700-6D-ABS	698-960/1710-2700MHz;6DBI	NO cable ; N male	Φ80*250mm	US\$10.00




[YW-698/2700-5D-TS9](#)




[YW-698/2700-3D-TS9](#)



[YW-698/2700-5D-SMAmale](#)




[YW-698/2700-5D-160mm](#)



[YW-698/2700-5D-SMA](#)




[YW-698/2700-5D-360](#)




[YW-698/2700-5D-170](#)



[YW-698/2700-5D-22cm](#)




[YW-698/2700-1.5D-55mm](#)



[YW-900/2170-2D-SMA](#)


Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YW-698/2700-5D-TS9	698-960/1710-2700MHz;5DBI	NO cable ; TS9	Φ4x (170±5) (mm)	US\$0.82
YW-698/2700-3D-TS9	698-960/1710-2700MHz;3DBI	NO cable ; TS9	Φ10x (120±5) (mm)	US\$0.60
YW-698/2700-5D-SMAmale	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ14x (210±5) (mm)	US\$1.00
YW-698/2700-5D-160mm	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ20x (160±5) (mm)	US\$0.75
YW-698/2700-5D-SMA	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ10x (165±5) (mm)	US\$0.72
YW-698/2700-5D-360	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ10 x (190±5) (mm)	US\$0.95
YW-698/2700-5D-170	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ15x (170±5) (mm)	US\$0.75
YW-698/2700-5D-22cm	698-960/1710-2700MHz;5DBI	NO cable ; SMA male	Φ25x (220±5) (mm)	US\$1.80
YW-698/2700-1.5D-55mm	698-960/1710-2700MHz;1.5DBI	NO cable ; SMA male	Φ14x (55±5) (mm)	US\$0.56
YW-900/2170-2D-SMA	GSM/3G/2.4G/1575MHz/1200MHz	NO cable ; SMA male	Φ10*50mm	US\$0.48




[YW-698/2700-5D-Grey](#)



[YW-2400/2483-5D-185mm](#)



[YW-2400/2483-2D-360](#)




[YW-2400/2483-2.5D-10mm](#)




[YW-2400/2500-3D-360](#)



[YW-2400/2483-3D-360](#)




[YW-800/2100-5D-Nmale](#)



[YW-800/2100-5D-Fmale](#)




[YW-900/1800-7D-29cm](#)




[YW-868-3D-360](#)


Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YW-698/2700-5D-Grey	698-960/1710-2700MHz ; 5DBI	NO cable ; SMA male	Φ14x (210±5) (mm)	US\$1.00
YW-2400/2483-5D-185mm	2400-2483MHz ; 5DBI	NO cable ; SMA male	Φ14*185mm	US\$0.65
YW-2400/2483-2D-360	2400-2483MHz ; 2DBI	NO cable ; SMA male	Φ8*110mm	US\$0.60
YW-2400/2483-2.5D-10mm	2400-2483MHz ; 2.5DBI	NO cable ; SMA male	Φ10*110mm	US\$0.43
YW-2400/2500-3D-360	2400-2500MHz ; 3DBI	NO cable ; SMA male	Φ10.5*(50+0.5)mm	US\$0.50
YW-2400/2483-3D-360	2400-2483MHz ; 3DBI	NO cable ; SMA male	Φ8*110mm	US\$0.60
YW-800/2100-5D-Nmale	800/900/1800/1900/2100MHz;5DBI	NO cable ; N male	Φ14x (210±5) (mm)	US\$1.00
YW-800/2100-5D-Fmale	800/900/1800/1900/2100MHz;5DBI	NO cable ; F male	Φ14x (210±5) (mm)	US\$0.90
YW-900/1800-7D-29cm	900/1800MHz ; 7DBI	NO cable ; SMA male	Φ13x (290±5) (mm)	US\$1.68
YW-868-3D-360	868MHz 3DBI	NO cable ; SMA male	Φ8*110mm	US\$0.70




[YW-800/1900-3D-360](#)



[YW-870/1880-3D-360](#)



[YW-1200/1575-2D-SMA](#)



[YW-2400/5800-9D-N38cm](#)



[YW-2400/5800-9D-SMA38cm](#)



[YW-2400/2500-7D-250mm](#)

Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YW-800/1900-3D-360	800/850/1800/1900 ; 3DBI	NO cable ; SMA male	Φ8*(40+1)mm	US\$0.64
YW-870/1880-3D-360	870-960/1710-1880MHz ; 3DBI	NO cable ; SMA male	Φ10.5*(50+0.5)mm	US\$0.68
YW-1200/1575-2D-SMA	1575MHz/1200MHz ; 2DBI	NO cable ; SMA male	Φ10*50mm	US\$0.48
YW-2400/5800-9D-N38cm	2400-2500/5725-5850MHz ; 9DBI	NO cable ; N male	Φ14*380mm	US\$1.35
YW-2400/5800-9D-SMA38cm	2400-2500/5725-5850MHz ; 9DBI	NO cable ; SMA male	Φ14*380mm	US\$1.00
YW-2400/2500-7D-250mm	2400-2500MHz ; 7DBI	NO cable ; SMA male	Φ13*250mm	US\$1.30



[YM-870/1900-3D-360](#)



[YM-700/2700-5D-63mm/FMEf](#)



[YM-700/2700-5D-SMA](#)



[YM-870/1990-3D-RG316](#)



[YM-NB-5D-RG174](#)



[YG-1575.42-28D-GT5](#)



[YG-1575.42-28D-Fakra 90](#)



[YM-900/1800-5D-295mm](#)



[YM-900/1800-5D-240mm](#)




[YM-700/2700-12D-360mm](#)

Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	YM-700/2700-12D-360mm
YM-870/1900-3D-360	870-960/824-960/1710-1900 ; 3DBI	3M RG174 cable ; SMA male	Φ29 x (107±5) (mm)	US\$0.80
YM-700/2700-5D-63mm/FMEf	698-960/1710-2700MHz;5DBI	3M RG174 cable;FME female	63 x (316±5)mm	US\$3.60
YM-700/2700-5D-SMA	698-960/1710-2700MHz;5DBI	3M RG174 cable;SMA male	32 x (316±5)mm	US\$1.00
YM-870/1990-3D-RG316	870-960/1710-1990MHz ; 3DBI	3M RG316 ; Fakra 90	20*8*3cm/1pcs/0.045kg	US\$2.52
YM-NB-5D-RG174	870-960/1710-1990MHz ; 3DBI	3M RG174 ; SMA male	20*8*3cm/1pcs/0.045kg	US\$0.78
YG-1575.42-28D-GT5	1575.42MHz ; 28DBI	3M RG174 ; GT5 grey	50*38*15mm	US\$3.80
YG-1575.42-28D-Fakra 90	1575.42MHz ; 28DBI	3M RG174 ; Fakra 90	50*38*15mm	US\$3.00
YM-900/1800-5D-295mm	900/1800MHz ; 5DBI	3M RG174 cable;SMA male	Φ29 x (295±5)mm	US\$0.80
YM-900/1800-5D-240mm	900/1800MHz ; 5DBI	3M RG174 cable;SMA male	Φ29 x (240±5)mm	US\$0.80
YM-700/2700-12D-360mm	700-960/1710-2700MHz ; 12DBI	3M RG174 cable;SMA male	Φ29 x (360±5)mm	US\$1.00



[YM-2400/2500-5D-260mm](#)



[YM-900/1800-7D-B60](#)



[YM-2400/5800-5D-225mm](#)



[YM-GPS/4G-2\\*28D-SMA](#)



[YM-1800-3D-90mm](#)



[YM-2400/2500-3D-110mm](#)



[YM-470/860-3D-150mm](#)




[YM-1920/2170-5/6D-290mm](#)



[YM-433-4D-150mm](#)

Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YM-2400/2500-5D-260mm	2400-2500MHz ; 5DBI	3M RG174 cable;SMA male	Φ29 x (260±5)mm	US\$0.80
YM-900/1800-7D-B60	900/1800MHz ; 7DBI	3M RG174 cable;SMA male	Φ60 x (430±5) (mm)	US\$3.00
YM-2400/5800-5D-225mm	2400-2500/5725-5850MHz ; 5DBI	3M RG174 cable;SMA male	Φ29 x (225±5)mm	US\$0.80
YM-GPS/4G-2*28D-SMA	1575.42+698-2700MHz ; 28DBI	2*3M RG174 cable;2*SMA male	Φ80 x (150±5)mm	US\$5.20
YM-1800-3D-90mm	1800MHz ; 3DBI	3M RG174 cable;SMA male	Φ29 x (90±5)mm	US\$0.73
YM-2400/2500-3D-110mm	2400-2500MHz ; 3DBI	3M RG174 cable;SMA male	Φ29 x (110±5)mm	US\$0.80
YM-470/860-3D-150mm	470-860MHz ; 3DBI	3M RG174 cable;SMA male	Φ29 x (150±5)mm	US\$0.72
YM-1920/2170-5/6D-290mm	1920-2170MHz ; 5/6DBI	3M RG174 cable;SMA male	Φ29 x (290±5)mm	US\$0.80
YM-433-4D-150mm	433MHz ; 4DBI	3M RG174 cable;SMA male	Φ29 x (150±5)mm	US\$0.78






[YC-698/2700-3D-165mm](#)



[YC-698/2700-5D-185mm](#)


Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YC-698/2700-3D-165mm	698-960/1710-2700MHz;3DBI	30CM RG58 cable ; SMA male	Φ165*90mm	US\$1.80
YC-698/2700-5D-185mm	698-960/1710-2700MHz;5DBI	30CM RG58 cable ; SMA male	Φ185*85mm	US\$2.50



[YC-FMEm/TS920CM-01](#)




[YC-FMEf/FMEm-RG58/5M-01](#)



[YC-Nf/UFL-1.37/10CM-01](#)




[YC-SMAf/UFL-178/20CM-01](#)



[YC-SMAm/SMAm8CM-01](#)



[YC-RPSMAf/Ufl8CM-01](#)



[YC-SMAf/Ufl10CM-01](#)



[YC-SMAf/Ufl25CM-01](#)



[YC-Crc9/Ff25CM-01](#)



[YC-Nm/SMAm5M-01](#)

Model No.	Connector	Cable length	Dimension(mm)	Price
YC-FMEm/TS920CM-01	FME male to TS9	RG174 cable 20CM	22*1*1CM/1pcs/0.01kg	US\$0.75
YC-Nf/UFL-1.37/10CM-01	N female to UFL/IPEX	1.37 cable 10CM	24*4*2CM/1pcs/0.037kg	US\$1.28
YC-SMAf/UFL-178/20CM-01	SMA female to UFL/IPEX	RG178 20CM	22*1*1CM/1pcs/0.02kg	US\$0.45
YC-FMEf/FMEm-RG58/5M-01	FME male to FME female	RG58 cable 5M	23*16*3CM/1pcs/0.19kg	US\$2.80
YC-SMAm/SMAm8CM-01	SMA male / SMA male	RG316 cable 8CM	8X2X2 cm/1pcs/0.33kg	US\$0.78
YC-RPSMAf/Ufl8CM-01	SMA female pin / UFL	RF1.13 cable 8CM	8*1*1CM/1pcs/0.01kg	US\$0.50
YC-SMAf/Ufl10CM-01	SMA female hole/ UFL	RF1.13 cable 10CM	10*1*1CM/1pcs/0.01kg	US\$0.50
YC-SMAf/Ufl25CM-01	SMA female hole/ UFL	RF1.13 cable 25CM	25*1*1CM/1pcs/0.02kg	US\$0.70
YC-Crc9/Ff25CM-01	Crc9 to F female	RG316 cable 25CM	28*2*2CM/1pcs/0.008kg	US\$0.75
YC-Nm/SMAm5M-01	N male / N male	5D-FB cable 5M	30X10X5CM/1pcs/0.35kg	US\$4.20



[YC-SMAfw/MS-156-137/20CM-01](#)



[YC-SMAf/MS-156-137/20CM-01](#)



[YC-SMAf/SMAm-316/20CM-01](#)



[YC-Nm/SMAm-RG142/20cm-01](#)

Model No.	Frequency range / Gain	Cable length / Connector	Dimension(mm)	Price
YC-SMAfw/MS-156-137/20CM-01	SMA female to MS-156	1.37 cable 20CM	24*2*2CM/1pcs/0.006kg	US\$1.60
YC-SMAf/MS-156-137/20CM-01	N female to UFL/IPEX	1.37 cable 10CM	24*2*2CM/1pcs/0.006kg	US\$1.50
YC-SMAf/SMAm-316/20CM-01	SMA male hole to SMA female pin	RG316 cable 20CM	21*1*1CM/1pcs/0.009kg	US\$0.75
YC-Nm/SMAm-RG142/20cm-01	N male pin to SMA male hole	RG142 cable ; 20CM	20*2*2CM/1pcs/0.015kg	US\$1.80