

GUANGZHOU ZHANYE AUTOMOTIVE REFINISHING CO.,LTD

Factory Add: Shangnan cun, Taihe, Baiyun, Guangzhou, China

Office Add: Room 307, No.9 Yongheng Street, Dabei Road, Shiqiao, Panyu, Guangzhou, China




MOBILE: +86-15989184628 | TEL: +86-020-22096675 | FAX: +86-020-87428660




Website: www.gzzhanye.com.cn

Contact Person: Olive Yang | Email: olive@gzzhanye.com.cn







Masking Tape 美纹纸

Picture	Product Name	Item No.	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Decorated Masking Tape 装修级美纹纸胶带	MT-307BW	Any size	Cost effective solution for indoor, light-duty applications. Low tack rubber adhesive provides a quick, temporary stick to a variety of surfaces. Ideal for use on sensitive surfaces. Crepe paper backing tears by hand.	Thickness: 155±10 μm Backing Material: Crepe Paper Adhesive Type: Rubber Temperature: 70°C(>30mins) Color: White Holding Power: ≥ 30 mins(2hours) Initial Tack (Ball test): 16	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Decorated Masking Tape 装修级美纹纸胶带	MT-307BY	Any size	Cost effective solution for indoor, light-duty applications. Low tack rubber adhesive provides a quick, temporary stick to a variety of surfaces. Ideal for use on sensitive surfaces. Crepe paper backing tears by hand.	Thickness: 155±10 μm Material: Crepe Paper Adhesive Type: Rubber Temperature: 70°C(30mins) Color: Yellow Holding Power: ≥ 30 mins(2hours) Initial Tack (Ball test): 16	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Automotive Masking Tape 汽车级美纹纸胶带	MT-531	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 170±5 um Backing Material: Crepe Paper Adhesive Type: Rubber Temperature: 80°C Color: Yellow HS code: 4808900000 Cohesion(H/25MM):>8H Initial Tack: >18	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn




Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	Automotive Masking Tape 汽车级美纹纸胶带	MT-307	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 165±10 Material: Crepe Paper Adhesive: Rubber Temperature: 80°C(>30mins) Color: Beige Holding Power: ≥ 30 mins(2hours) Initial Tack (Ball test): 12	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
 <p>www.gzzhanye.com.cn</p>	Automotive Masking Tape 汽车级美纹纸胶带	MT-333	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 170 ±10 um Backing Material: Crepe Paper Adhesive Type: Rubber Temperature: 80°C(>30mins) Color: Yellow Cohesion(H/25MM):>8H Initial Tack: >18	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Automotive Masking Tape 汽车级美纹纸胶带	MT-523	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 170 ±10 um Backing Material: Crepe Paper Adhesive Type: Rubber Temperature: 80°C(>30mins) Color: Yellow Cohesion(H/25MM):>8H Initial Tack: >18	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	3M Masking Tape 3M美纹纸	3M 2298 3M 2214	18mm×25m 18mm×50m	It's cost-effective, crepe paper backed tape that holds, bundles, seals and performs other light duty taping jobs where a pressure sensitive tape is needed. This tape tears easily from the roll by hand, sticks confidently, and can be removed conveniently and quickly.	Adhesion Strength: 22 oz/in Adhesion Strength (metric): 24 N/100mm Adhesive Type: Rubber Backing Material: Crepe Paper Color: Tan Temperature: 93 Degree Celsius	48 or 96 pcs/ctn

Picture	Product Name	Item	Size	Usage	Description	Packing
<p>http://www.gzzhanye.com.cn</p>	Heat Resistant Masking Tape 耐高温美纹纸	MT-418	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 150 ±10 um Material: Crepe Paper Adhesive: Pressure-sensitive Temperature: 80 degree(>60mins) Color: White Holding Power: ≥18h Initial Tack: >10	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn
<p>http://www.gzzhanye.com.cn</p>	Heat Resistant Masking Tape 耐高温美纹纸	MT-519	Any size	Masking Tape is designed for general purpose automotive projects on the interior and exterior of the vehicle. This crepe-backed auto paint masking tape has medium adhesion and resists lifting and curling on a variety of surfaces including moldings, plastic, glass, metal, rubber and painted surfaces. This tape also removes cleanly from automotive surfaces.	Thickness: 150 ±10 um Material: Crepe Paper Adhesive: Rubber Temperature: 120 degree Color: Yellow HS code: 4808900000 OEM: Available	12mm: 72 pcs/ctn 18mm: 48 pcs/ctn 24mm: 36 pcs/ctn



Tack Cloth 除尘布

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	Cotton Tack Cloth 纱布除尘布	ZYTC001 ZYTC002	38cm×80cm (15"×31.5") 45cm×90cm (18"×36")	Tack Cloth is ideal for critical cleanup and removal of dust, lint and other particles from auto body surfaces before painting. This cloth features a very light adhesive that draws dust and sanding particles into it, yet it does not leave drag marks on the surface or adhesive on the hands.	Material: 100% Cotton Gauze (Cheese Cloth) Color: White or Yellow Glue: Can be adjusted HS code: 6307100000 OEM: Available	Individual Packing, 1 pcs/polybag, 10 pcs/box, 20 boxes/ctn = 200 pcs/ctn Carton size: 31.5×31.5×33cm
 <p>www.gzzhanye.com.cn</p>	Water Based Tack Cloth 水性除尘布	ZYTC003 ZYTC004	22*26cm 22*38.5cm	Tack Cloth is ideal for critical cleanup and removal of dust, lint and other particles from auto body surfaces before painting. This cloth features a very light adhesive that draws dust and sanding particles into it, yet it does not leave drag marks on the surface or adhesive on the hands.	Material: Non-woven Cloth Color: White or Blue Glue: Can be adjusted HS code: 6307100000 OEM: Available	Individual Packing, 1 pcs/polybag, 10 pcs/box, 20 boxes/ctn = 200 pcs/ctn Carton size: 31.5×31.5×33cm
 <p>www.gzzhanye.com.cn</p>	Non-woven Tack Cloth 无纺布除尘布	ZYTCA380 ZYTCB380 ZYTCC380	40cm*60cm 30cm*40cm 25cm*30cm	Tack Cloth is ideal for critical cleanup and removal of dust, lint and other particles from auto body surfaces before painting. This cloth features a very light adhesive that draws dust and sanding particles into it, yet it does not leave drag marks on the surface or adhesive on the hands.	Material: Non-woven Cloth Color: White or Yellow Glue: Can be adjusted HS code: 6307100000 OEM: Available	Individual Packing, 1 pcs/polybag, 10 pcs/box, 20 boxes/ctn = 200 pcs/ctn Carton size: 31.5×31.5×33cm
 <p>www.gzzhanye.com.cn</p>	Wave Tack Cloth 波浪除尘布	ZYTCWAV ZYTCWAV +	80cm*90cm 80cm*110cm	This tack cloth is made of 100% cotton gauze and impregnated in specially formulated mixed chemicals which mainly contains alkyl resins. According to applications in different area, it has 3 impregnations, light duty, medium duty and heavy duty. It is ideal for all cleaning jobs prior to the application of primer fillers and conventional basecoat.	Material: Cotton Gauze Color: White Glue: Can be adjusted HS code: 6307100000 OEM: Available	Individual Packing, 1 pcs/polybag, 50 pcs/box, 4 boxes/ctn = 200 pcs/ctn Carton size: 60×46×36cm



Paint Strainer(Paint Filter, Paint Funnel) 纸漏斗

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	Paint Strainer 纸漏斗	PS-1219 PS-1212	120g,190mic 120g,125mic	<p>Filtrate paint with good waterproofness. Faster performance without paint left inside. Good for filtering car body filler, making paint more bright. Filtrate oil paint/liquid paint, as well as rosin water Colors logo print on the strainer is available.</p>	<p>Paper: 120 GSM Mesh: 125 or 190 micron Material: Paper + Nylon Mesh Logo print: available HS code: 4823909000 OEM: Available</p>	<p>250 pcs/bag, 4 bags/ctn = 1000pcs/ctn.</p> <p>Carton size: 32*16*52cm</p>
 <p>www.gzzhanye.com.cn</p>	Paint Strainer 纸漏斗	PS-1619 PS-1612 PS-1819 PS-1812	160g,190mic 160g,125mic 180g,190mic 180g,125mic	<p>Filtrate paint with good waterproofness. Faster performance without paint left inside. Good for filtering car body filler, making paint more bright. Filtrate oil paint/liquid paint, as well as rosin water Colors logo print on the strainer is available.</p>	<p>Paper: 160 GSM Mesh: 125 or 190 micron Material: Paper + Nylon Mesh Logo print: available HS code: 4823909000 OEM: Available</p>	<p>250 pcs/bag, 4 bags/ctn = 1000pcs/ctn.</p> <p>Carton size: 32*16*52cm</p>
 <p>www.gzzhanye.com.cn</p>	Water Based Paint Strainer 水性纸漏斗	WBPS	160g, 125mic	<p>Filtrate paint with good waterproofness. Faster performance without paint left inside. Good for filtering car body filler, making paint more bright. Filtrate oil paint/liquid paint, as well as rosin water Colors logo print on the strainer is available.</p>	<p>Paper: 160 GSM Mesh: 106 micron or other Material: Paper + Nylon Mesh Logo print: available HS code: 4823909000 OEM: Available</p>	<p>250 pcs/bag, 4 bags/ctn = 1000pcs/ctn.</p> <p>Carton size: 32*16*52cm</p>




Masking Film 遮蔽膜

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Masking Film 遮蔽膜	MF-055 MF-110 MF-140 MF-150	55cm×30m 110cm×30m 140cm×30m 150cm×30m	Used for car painting and spraying. Used for house painting. Anyone that wants to protect items from airborne particles. Easy to handle roll,unfold, paste on and use. Very helpful to achieve a neat finish.	Thickness: 10 microns Masking Tape: item 307 (can be changed) OEM: Available	50 rolls/ctn, 100 rolls/ctn
 <p>http://www.gzzhanye.com.cn</p>	Masking Film 整车遮蔽膜	MF-38 MF-40	3.8m*100m 4m*300m	Masking car, furniture or floor when painting	Material: HDPE Color: Transparent Thickness: 9microns, 10 mirons, 11 microns, etc.	1 roll/box




Masking Paper 遮蔽纸




Picture	Product Name	Item	Size	Usage	Description	Packing
	Masking Paper 遮蔽纸	MP-225 MP-300 MP-450 MP-600 MP-900	225mm×200m 300mm×200m 450mm×200m 600mm×200m 900mm×200m	Used for car painting protection; High quality paper; Replace the Newspaper; 4s Stores using; Different sizes; Competitive price.	Size: 9 inch to 36 inch Material: Light Weight Coated Paper GSM: 64 Color: White	225mm:16 rolls/box 300mm:12 rolls/box 450mm: 8 rolls/box 600mm: 6 rolls/box 900mm: 4 rolls/box
	Masking Paper 遮蔽纸	KMP-9 KMP-12 KMP-18 KMP-24 KMP-36	9inch×200m 12inch×200m 18inch×200m 24inch×200m 36inch×200m		Size: 9 inch to 36 inch Material: Kraft Paper GSM: 40 Color: Brown	9inch:12 rolls/box 12inch:12 rolls/box 18inch: 6 rolls/box 24inch: 6 rolls/box 36inch: 4 rolls/box

3M Car Care Products 3M钣喷系列产品





Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>401Q Imperial Wetordry Paper</p> <p>3M 401Q美容砂纸</p>	<p>401Q-P1500</p> <p>401Q-P2000</p>	<p>228mm×139mm</p> <p>(5 1/2 in/po × 9in/po)</p>	<p>Designed for sanding old paint, primer and final coats. Ideal for sanding primers, sealers, plastic, lacquers and paints.</p> <p>Works well for sanding old paint, primer and final coats</p>	<p>Case Inner Pack 50 sheets per pack</p> <p>Performance Level: Best</p> <p>Backing: A Weight Paper</p> <p>Grade: P1500 & P2000 Color: Black</p> <p>Product Form: Abrasive Sheet</p> <p>Sanding Surface: Clear Coat, Clear Plastic, Paint</p> <p>Abrasive Mineral: Silicon Carbide</p> <p>Sanding Method: Hand, Machine</p> <p>Wet or Dry Wet or Dry</p>	<p>Chinese Packing: 200 sheets/pack</p> <p>No Chinese Packing: 50 sheets/pack</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>3M™ Hookit™ Paper Disc</p> <p>3M干磨砂纸</p>	<p>3M 236U</p>	<p>5 Inch, 6 Inch</p> <p>Grade: P80, P120, P180, P240, P320, P400</p>	<p>3M™ Hookit™ Paper Disc 236U offers aggressive cut and long life on a premium aluminum oxide disc with a durable edge and convenient Hookit attachment. A go-to product in many industrial operations, this durable disc is well suited for high production sanding operations as well as general purpose applications on paint, primer, wood, metal, plastic, and composites, including fiberglass.</p>	<p>Applications: Finishing, Orbital Sanding, AOEM Finish Prep/Repair, Blending, Random Orbital Sanding, Prepping Metal Prior to Paint</p> <p>Diameter: 5 Inch, 6 Inch</p> <p>Grade: P80, P120, P180, P240, P320, P400</p> <p>Mineral Type: Aluminum Oxide</p> <p>Product Form: Disc</p>	<p>100 pcs/box</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Super Duty Rubbing Compound</p> <p>至尊粗蜡</p>	<p>3M PN05954</p>	<p>1.2 KG</p>	<p>Heavy cutting rubbing compound. Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces. Can be used by hand or machine.</p>	<p>Case Quantity: 6 per case</p> <p>Case Inner Pack: 1 bottle</p> <p>Performance Level: Best</p> <p>Form: Liquid</p> <p>Type: Rubbing Compound</p> <p>Color: Tan</p>	<p>6 bottles/ctn</p>




Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Super Duty Rubbing Compound 美容粗蜡	3M PN05955	4.5 KG	Aggressive compound that removes 1000 and finer sand scratches on all types of paint surfaces. Remains wet on the job with little or no mess. Maintains high rate of cut with constant pressure. Buffs to high gloss with minimum of swirl marks.	Entry Level Rubbing Compound. Case Quantity: 4 per case Case Inner Pack: 1 gallon Performance Level: Good Form: Liquid Type: Rubbing Compound Color: Tan	4 bottles/ctn
 <p>http://www.gzzhanye.com.cn</p>	Rubbing Compound Compuesto Pulidor 美容粗蜡	3M PN05973	1 KG	Specially designed medium cutting, liquid compound for removing 1200, 1500, and 2000 grit sanding scratches in automotive paints including clear coats.	Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Better Form: Liquid Type: Rubbing Compound Color: Tan	6 bottles/ctn Carton size: 26*26*18cm
 <p>http://www.gzzhanye.com.cn</p>	Rubbing Compound Compuesto Pulidor 至尊中蜡	3M 05973	946 ml	Use with Foam Compounding Pad 05723. Specially designed medium cutting, liquid compound for removing 1200, 1500, and 2000 grit sanding scratches in automotive paints including clear coats.	Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Better Form: Liquid Type: Rubbing Compound Color: Tan	6 bottles/ctn Carton size: 26*26*18cm
 <p>http://www.gzzhanye.com.cn</p>	Rubbing Compound Compuesto Pulidor 至尊中蜡	3M 05974	3.78 L	Medium cutting rubbing compound designed to remove sand scratches and leaves a fine finish on automotive paints. Proven performer.	Case Quantity: 4 per case Case Inner Pack: 1 gallon Performance Level: Better Form: Liquid Type: Rubbing Compound Color: Tan	4 bottles/ctn Carton size: 37×27×26cm





Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>Perfect-It Rubbing Compound Compuesto Pulidor</p> <p>至尊美容粗蜡</p>	<p>3M 06085</p>	<p>946 ml</p>	<p>Fast cutting rubbing compound designed remove sand scratches and leaves a fine finish on automotive paints.</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Best Form: Liquid Type: Rubbing Compound Color: White</p>	<p>6 bottles/ctn</p> <p>Carton size: 26*26*18cm</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Hand Glaze</p> <p>皇家保养蜡</p>	<p>3M PN05990</p>	<p>946 ml</p>	<p>Recommended for use by hand to increase surface gloss and to clean up spatter or residue after machine glazing all types of refinish or factory applied automotive paints. To minimize the possibility of staining, do not apply in direct sunlight or onto a hot surface.</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Better Form: Liquid Type: Glaze Color: Brown</p>	<p>6 bottles/ctn</p> <p>Carton size: 26*26*18cm</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Machine Polish Compuesto para Abrillantar</p> <p>深色镜面蜡</p>	<p>3M 05996</p>	<p>946 ml</p>	<p>Uniquely formulated to remove compound swirl marks. Contains no waxes or silicones. Best for dark colored paint finishes. Less clean up required.</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Better Form: Liquid Type: Glaze Color: Gray</p>	<p>6 bottles/ctn</p> <p>Carton size: 26*26*18cm</p>



Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>Perfect-It SHOW CAR PASTE WAX 特级水晶硬蜡</p>	<p>3M 39526</p>	<p>297.7 g</p>	<p>39526 is an ultra high gloss paste wax with exceptional durability for use on automotive paints. Shines and protects new and like new pint finishes, producing a deep high gloss, lustrous, durable, "wet look" finish.</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1can Performance Level: Best Form: Paste Type: Wax Color: Yellow</p>	<p>12 cans/ctn</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Fast Cut Rubbing Compound IV 高效蜡</p>	<p>3M PN05967</p>	<p>1 KG</p>	<p>This product is specifically to remove paint job and design flaws of the paint after polishing agent, can quickly remove the paint down stream, orange peel, fisheye and sandpaper No. 1200 mark mark, safe and rapid. This product does not contain silicon and grease, suitable for painting workshop use</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1can Performance Level: Best Form: Liquid Type: Rubbing Compound Color: Tan</p>	<p>6 bottles/ctn</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Foam Polishing Pad Glaze 镜面处理剂</p>	<p>3M PN05996</p>	<p>946 g</p>	<p>Uniquely formulated to remove compound swirl marks. Contains no waxes or silicones. Best for dark colored paint finishes. Less clean up required.</p>	<p>Case Quantity: 6 per case Case Inner Pack: 1 bottle Performance Level: Better Form: Liquid Type: Glaze Color: Gray</p>	<p>6 bottles/ctn</p>

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	3M Scotch-Brite 百洁布	3M7448	6 in × 9 in	These ultra-fine grit Scotch-Brite pads are used for cleaning, finishing, blending, deburring or for scuffing before applying paint and paint primers. Also used in cleaning upholstery and chrome. Can be rinsed and used over and over again.	Performs like steel wool without splintering. Each 6 x 9 inch pad is perforated, so it can be split into two smaller pads. Silicon Carbide abrasive mineral. Color:Black Case Quantity: 3 boxes per case Case Inner Pack: 20 pads per box	60 pads/ctn
 <p>http://www.gzzhanye.com.cn</p>	3M Scotch-Brite 百洁布	3M 7447	6 in × 9 in	These very-fine grit Scotch-Brite pads are used for cleaning, finishing, blending, deburring or for scuffing before applying paint and paint primers. Also used in cleaning upholstery and chrome. Can be rinsed and used over and over again.	Performs like steel wool grade 1 without splintering. Each 6 x 9 inch pad is perforated, so it can be split into two smaller pads. Aluminum Oxide abrasive mineral. Color: Red Case Quantity: 3 boxes per case Case Inner Pack: 20 pads per box	60 pads/ctn
 <p>http://www.gzzhanye.com.cn</p>	3M Foam Compounding Pad 3M波浪海绵球	3M 05723	8 Inch	Coarse foam compounding pad used to apply compound to remove sanding scratches and swirls. Medium cut. Convuluted foam face design holds compounds better to reduce slinging of compound. Suggested for use with Perfect-It™ Rubbing Compound (39060, 06085, 06086). Use backup pads 05717 or 05718.	Case Quantity: 12 bag per case Case Inner Pack: 2 pads per bag Material: Foam Color: White Rate of Cut: Aggressive Pad Type: Compounding Attachment Method: Hookit Application: Cured Paint, Fresh Paint Finishes, Hardest Paint Finishes, Medium Paint Finishes, Sand Scratch Removal, Scratch Removal.	12 bags/ctn Carton size: 63*22*23cm
 <p>http://www.gzzhanye.com.cn</p>	3M Foam Compounding Pad 3M波浪海绵球	3M 05725	8 Inch	Single Sided Black Foam Polishing Pad used to remove compound swirl marks and fine paint surface defects. Flat back design. For use with 3M™ machine polishes and 3M™ Hookit™ back up pads, 05717 or 05718. Proven performer.	Case Quantity: 12 bag per case Case Inner Pack: 2 pads per bag Material: Foam Color: Black Rate of Cut: Least Aggressive Pad Type: Polishing Attachment Method: Hookit Application: Cured Paint, Fresh Paint Finishes, Medium Paint Finishes, Refining Compound Scratches, Scratch Removal, Swirlmark Removal	12 pairs/ctn Carton size: 63*22*18cm




Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	<p>Wool Polishing Pad</p> <p>3M羊毛球</p>	3M 05711	9 Inch	Single Sided Blended wool compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ back up pads, part numbers 05717 or 05718. Proven performer.	<p>Case Quantity 6 pads per case</p> <p>Case Inner Pack: 1 pad</p> <p>Material: Wool Blend</p> <p>Rate of Cut: Aggressive</p> <p>Pad Type: Compounding</p> <p>Attachment Method: Hookit</p> <p>Application: Cured Paint, Fresh Paint Finishes, Hardest Paint Finishes, Medium Paint Finishes, Sand Scratch Removal, Scratch Removal</p>	6 pads/ctn
 <p>http://www.gzzhanye.com.cn</p>	<p>Wool Polishing Pad</p> <p>3M羊毛球</p>	3M 05701	9 Inch	Double Sided Wool Compounding Pad used to refine sand scratches. For use with 3M™ Compounds and 3M™ Adaptor, 05710. Best suited for entry level technicians and consumers.	<p>Case Quantity: 6 pads per case</p> <p>Case Inner Pack: 1 pad</p> <p>Material: 100% Wool</p> <p>Rate of Cut: Most Aggressive</p> <p>Pad Type: Compounding</p> <p>Attachment Method: Screw-On</p> <p>Application: Cured Paint, Fresh Paint Finishes, Hardest Paint Finishes, Medium Paint Finishes, Sand Scratch Removal, Scratch Removal</p>	6 pads/ctn
 <p>www.gzzhanye.com.cn</p>	<p>Wool Polishing Pad</p> <p>3M羊毛球</p>	3M 05713	9 Inch	Single Sided Yellow Blended Wool Polishing Pad; removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes and 05717 or 05718 3M Hookit Back Up Pad. Proven performer.	<p>Case Quantity: 6 pads per case</p> <p>Case Inner Pack: 1 pad</p> <p>Material: Wool Blend</p> <p>Rate of Cut: Aggressive</p> <p>Pad Type: Polishing</p> <p>Attachment Method: Hookit</p> <p>Application: Cured Paint, Fresh Paint Finishes, Hardest Paint Finishes, Medium Paint Finishes, Sand Scratch Removal, Scratch Removal</p>	6 pads/ctn
 <p>http://www.gzzhanye.com.cn</p>	<p>Wool Polishing Pad</p> <p>3M羊毛球</p>	3M 05705	9 Inch	Double sided, soft edge polishing pad designed for use with a polisher and glaze. 3M™ Wool Polishing Pad is made with extremely fine fibers to produce a high gloss on paint surfaces. Pad has its own built in, lightweight support system. For use with 3M™ 05710 adaptor.	<p>Case Quantity: 6 pads per case</p> <p>Case Inner Pack: 1 pad</p> <p>Material: Wool Blend</p> <p>Rate of Cut: Least Aggressive</p> <p>Pad Type: Polishing</p> <p>Attachment Method: Screw-On</p> <p>Application: Cured Paint, Fresh Paint Finishes, Medium Paint Finishes, Refining Compound Scratches, Scratch Removal, Swirlmark Removal</p>	6 pads/ctn





Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	Half Facepiece Respirator 3M口罩	3M 6200CN	Medium	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	The 3M™ Half Facepiece Reusable Respirator 6000 Series offers versatility for many environments and applications helping to provide protection against particulates and a wide variety of gases and vapors when used with approved cartridges and filters.	24 bags/ctn
 <p>http://www.gzzhanye.com.cn</p>	Half Facepiece Respirator 3M口罩	3M 620P	Medium	This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.	The 3M™ Half Facepiece Reusable Respirator 6000 Series offers versatility for many environments and applications helping to provide protection against particulates and a wide variety of gases and vapors when used with approved cartridges and filters.	10 packs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Half Facepiece Respirator 3M口罩	3M 7502	Medium	This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduce heat and moisture build-up for cool, dry comfort.	Easy breathing, comfortable and durable respiratory protection. When properly fitted and used with approved 3M™ Cartridges and Filters, helps provide respiratory protection from a variety of gases, vapors and particulate hazards at concentrations up to 10 times the Permissible Exposure Limit (PEL). Not for use in environments that are immediately dangerous to life or health.	24 bags/ctn

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>www.gzzhanye.com.cn</p>	Particulate Respirator 3M口罩	3M 9002		Suited to mining, building, casting, grinding drugs, agriculture, gardening, forestry, livestock husbandry, subway engineering, aluminum working, electronic and electrical appliances manufacturing industry, meter and instrument manufacturing industry, food processing, cement works, textile mill, hardware factory, metal burnishing, polishing and cutting...etc.	The out layer is made of water-punched non-woven. Smooth surface and soft touch. Using the environment protection elastic strap will keep more safe, no irritation to skin. Strong elastic and tenacity, sound elasticity, the stretching reaches 450%-600%. It can be welded by ultrasonic.	20 pcs/box
 <p>www.gzzhanye.com.cn</p>	Respirator Cotton 3M口罩棉	3M 5N11		General Protection Testing And Approvals UL registered firm.	Filtration Grade: N95 for Model: 6000 Series 7000 Series. Type: Filter. Requires 501 prefilter retainer.	10 pcs/box 10 boxes/carton
 <p>www.gzzhanye.com.cn</p>	Organic Vapor Cartridge 3M碳芯	3M 6001CN	Height: 3.4 Inch Length: 4.2 Inch	Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics. When properly fitted, helps provide respiratory protection from certain organic vapors at concentrations up to 10 times the Permissible Exposure Limit (PEL) with half facepieces or 50 times PEL with full facepieces.	Color: Black Application: Assembly and Mechanical, Batch-Charging, Change-Overs, Chemical Dispensing, Clean-up, Cleaning, Painting, Parts Cleaning, Seal Coatings Industry: Construction, General Manufacturing, Mining, Oil & Gas, Transportation	2 pcs/bag, 30 bags/ctn
 <p>www.gzzhanye.com.cn</p>	Respirator Cover 3M口罩胶盖	3M 501	8.5 x 4.5 x 4 inches ; 5.6 ounces	Used to clamp particulate pre-filters on to gas and vapour filters.	Color: Transparent Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series	100 pcs/ctn

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>Double Sided Foam Tape 3M双面泡胶</p>	<p>3M 4229</p>	<p>5mm×33M 6mm×33M 8mm×33M 10mm×33M</p>	<p>Typical applications include body side moldings; stainless steel, ABS and PVC rocker panels; wheel lip moldings, door edge moldings, nameplates/ ornamentation, luggage rack slats, wind and rain deflectors, and dashboard overlays.</p>	<p>3M 4229 is a medium-density, dark gray acrylic foam tape with high performance acrylic adhesives. It is characterized by high performance peel and shear adhesion, high internal strength, good conformability and excellent plasticizer resistance.</p>	<p>5mm and 6mm: 10 rolls/box; 8mm: 9rolls/box; 10mm: 7rolls/box;</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>Paint Buster 3M洗手膏</p>	<p>3M 05975</p>	<p>288 ml</p>	<p>It is a cream type hand cleaner offering superior performance in the removal of lacquer, enamel and urethane paints, primers, putties, plastic fillers, adhesives and automotive sealants from skin.</p>	<p>Case Quantity: 12 tubes per case Case Inner Pack: 1 tube Size: 10.5 fluid ounces</p>	<p>12 tubes/ctn</p>




Other Car Care Products 其他汽车护理用品

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Cleaning Cloth 擦拭布	PC	30cm×35cm	Cleaning	Color: White or Blue Material: Non-woven	100 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Transparent Paint Mixing Cup 透明刻度调漆杯	TPMC-04 TPMC-06 TPMC-13 TPMC-24	PMC-04- 0.4L PMC-06- 0.65L PMC-13- 1.3L PMC-24- 2.4L	An easy to perform the paint job. Can be used for accurately mixing paints and lacquers. An economical alternative to paint tins for transporting mixed paints to the end-user.	Material: PP Size: 400, 650, 1300, 2240cc LOGO printable	200 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Paint Mixing Cup 调漆杯	PMC-02 PMC-03 PMC-05 PMC-10 PMC-20	PMC-02- 0.2L PMC-03- 0.3L PMC-05- 0.5L PMC-10- 1L PMC-20- 2L	Paint Mixing	Material: recycled plastic	02- 650pcs/ctn 03- 550pcs/ctn 05- 350pcs/ctn 10- 220pcs/ctn 20- 100pcs/ctn




Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Abrasive Sponge Sanding Block 抹灰板	SB-S SB-L	SB-S: Short 13.5cm×7cm×3cm SB-L: Long 22.5cm×7cm×3cm	Use with abrasive paper for car painting.	Color: Green Two size: Long and Short Feature: Non water and oil absorbent, not easy to distort	SB-S: 200 pcs/ctn SB-L: 100 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Rubber Scrappers 多功能刮灰刀	SC-O	Length: 11.5cm	Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.	Color: Orange or Black or other colors OEM MOQ: 10,000 pcs	40 pcs/box
 <p>http://www.gzzhanye.com.cn</p>	Rubber Scrappers 梯形刮灰刀	SC-T	Trapezia	Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.	Color: Black Small size: 9.5cm×7.5cm Big size: 11.5cm×7.9cm OEM MOQ: 10,000 pcs	300 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	3M Rubber Squeegee 3M 刮灰刀	3M 05518	2 x 3 Inch	Flexible, sturdy rubber used for removing slush created when sanding or applying glazing putty and plastic filler.	Case Quantity: 1 case per case Case Inner Pack: 50 squeegees per case Attachment Method: None Length: 3 inch Width: 2 inch Brand: 3M, Wetordry	50 pcs/ctn




Picture	Product Name	Item	Size	Usage	Description	Packing
<p>http://www.gzzhanye.com.cn</p>	<p>Sponge Polishing Pad</p> <p>普通海绵球</p>	PP-L	6 Inch 150mm×45mm M16 or M14	Make polished things clearer and smoother.Soft sponge buffing pad, comfortable touch and washable, it won't hurt the surface of car.Use with polishing liquid, paste or powder to reach a better effect.Can be used to polish stainless steel, home appliances, plastic, furniture and car etc.Great for Car use.	Color: Orange or White Quality Grade: C	40 pcs/ctn
<p>www.gzzhanye.com.cn</p>	<p>Advanced Sponge Polishing Pad</p> <p>高级海绵球</p>	PP-M	6 Inch 150mm×45mm M16 or M14	Make polished things clearer and smoother.Soft sponge buffing pad, comfortable touch and washable, it won't hurt the surface of car.Use with polishing liquid, paste or powder to reach a better effect.Can be used to polish stainless steel, home appliances, plastic, furniture and car etc.Great for Car use.	Color: Orange or White Quality Grade: B	40 pcs/ctn
<p>http://www.gzzhanye.com.cn</p>	<p>Professional Foam Pad</p> <p>专业高档海绵球</p>	PP-H	6 Inch M16 or M14	Make polished things clearer and smoother.Soft sponge buffing pad, comfortable touch and washable, it won't hurt the surface of car.Use with polishing liquid, paste or powder to reach a better effect.Can be used to polish stainless steel, home appliances, plastic, furniture and car etc.	Color: Yellow Quality Grade: A	40 pcs/ctn
<p>http://www.gzzhanye.com.cn</p>	<p>Wave Polishing Pad</p> <p>波浪海绵球</p>	WPP	7 Inch	The products are widely used in wood furniture industry, automobile manufacturing, automobile hub, etc., dedicated to polishing the surface and parts. To polish glass,fiber reinforced plastic To polish stainless steel,plastic outer of covering	Color: Black or Orange	50 pairs/ctn

Picture	Product Name	Item	Size	Usage	Description	Packing
<p>www.gzzhanye.com.cn</p>	<p>Single Sided Wool Buffing Pad (Made in China)</p> <p>国产单面羊毛球</p>	WPS	8 Inch	To polish cars, fiber reinforced plastic B. Family private polishing, automobile polishing, automobile maintenance, cosmetology	<p>Material: 100% wool Hair length: 2.5cm-3cm Diameter: 125\150\180\200\230mm Usage: Car polish</p>	PP bag and carton
<p>www.gzzhanye.com.cn</p>	<p>Double Sided Wool Buffing Pad (Made in China)</p> <p>国产双面羊毛球</p>	WPD	8 Inch	To polish cars, fiber reinforced plastic B. Family private polishing, automobile polishing, automobile maintenance, cosmetology	<p>Material: Wool; wool yarn Wool length: 15mm-35mm Type: 702; plate type; lace tied; velcro Color: White/yellow or other</p>	PP bag and carton
<p>http://www.gzzhanye.com.cn</p>	<p>Foam Compounding Pad (Made in China)</p> <p>国产海绵球</p>	CN5723	8 Inch	Coarse foam compounding pad used to apply compound to remove sanding scratches and swirls. Medium cut. Convuluted foam face design holds compounds better to reduce slinging of compound.	<p>Material: Foam Color: White Rate of Cut: Aggressive Pad Type: Compounding Attachment Method: Hookit Application: Cured Paint, Fresh Paint Finishes, Hardest Paint Finishes, Medium Paint Finishes, Sand Scratch Removal, Scratch Removal.</p>	PP bag and carton
<p>http://www.gzzhanye.com.cn</p>	<p>Foam Compounding Pad (Made in China)</p> <p>国产海绵球</p>	CN5725	8 Inch	Single Sided Black Foam Polishing Pad used to remove compound swirl marks and fine paint surface defects. Flat back design.	<p>Material: Foam Color: Black Rate of Cut: Least Aggressive Pad Type: Polishing Attachment Method: Hookit Application: Cured Paint, Fresh Paint Finishes, Medium Paint Finishes, Refining Compound Scratches, Scratch Removal, Swirlmark Removal</p>	PP bag and carton

Picture	Product Name	Item	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>Eagle Waterproof Abrasive Paper</p> <p>韩国鹰牌水磨砂纸</p>	SP-Eagle	<p>23cm×28cm</p> <p>Grit 60# 80#</p> <p>Grit 150#-1000#</p> <p>Grit 1500# 2000#</p>	<p>It is suitable for grinding and polishing of metal and non-metal.</p> <p>It is widely used for production processing and repair of car and jewelry.</p> <p>It can also be used for precise grinding of electron device;</p>	<p>Made in Korea</p> <p>Grade: P60, P80, P150, P180,P240,P320,P400,P600,P1000,P1200,P1500,P2000</p>	100 pcs/pack
 <p>http://www.gzzhanye.com.cn</p>	<p>Flag Waterproof Abrasive Paper</p> <p>中国旗牌水磨砂纸</p>	SP-Flag	<p>23cm×28cm</p> <p>Grit 60#-100#</p> <p>Grit 120#-2000#</p>	<p>It is suitable for grinding and polishing of metal and non-metal.</p> <p>It is widely used for production processing and repair of car and jewelry.</p> <p>It can also be used for precise grinding of electron device;</p>	<p>Made in China</p> <p>Grade: 60P, P80, P100, P120, P150, P180, P220, P240, P320 , P400, P500, etc.</p>	100 pcs/pack
 <p>http://www.gzzhanye.com.cn</p>	<p>XYS Paper Disc</p> <p>协研社干磨砂纸</p>	XYS	<p>5 Inch, 6 Inch</p> <p>Grade: P60, P80, P120, P180, P240, P320, P400</p>	<p>Applications: Finishing, Orbital Sanding, AOEM Finish</p> <p>Prep/Repair, Blending, Random Orbital Sanding, Prepping Metal Prior to Paint</p>	<p>Diameter: 5 Inch, 6 Inch</p> <p>Grade: P60, P80, P120, P180, P240, P320, P400, P500, etc.</p>	100 pcs/box

Spray Gun 喷漆枪

Picture	Product Name	Type	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	<p>German SATA Spray Gun 德国萨塔喷枪</p>	<p>Traditional Environmental Portable (Red)</p>	<p>1.3mm, 1.4mm, 1.7mm</p>	<p>Spray</p>	<p>Traditional Gravity 1.4mm/1.7mm Environmental RP 1000 Gravity 1.3mm</p>	<p>1 pcs/box 10 pcs/ctn</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>German Warte Spray Gun 德国瓦尔特喷枪</p>	<p>Traditional Environmental Vario</p>	<p>1.3mm 1.4mm 1.7mm</p>	<p>Spray</p>	<p>Traditional Gravity 1.4mm Traditional Suction 1.7mm Environmental 2000 B RP 1.3mm Environmental 3000 B RP 1.3mm WARTE Vario RP Gravity 1.3mm</p>	<p>1 pcs/box 10 pcs/ctn</p>
 <p>http://www.gzzhanye.com.cn</p>	<p>China HWSTAR Spray Gun 海王星喷枪</p>	<p>Traditional Environmental Environmental</p>	<p>Gravity 1.4mm Suction 1.7mm Gravity 1.3m</p>	<p>Spray</p>	<p>Traditional Gravity 1.4mm Environmental Suction 1.7mm Environmental Gravity 1.3m</p>	

Picture	Product Name	Type	Size	Usage	Description	Packing
 <p>http://www.gzzhanye.com.cn</p>	Taiwan DREAMSATA Spray Gun 台湾幻彩喷枪	Traditional RP 1000 RP 4000	1.3mm, 1.4mm, 1.7mm	Spray	Traditional Gravity 1.4mm/1.7mm RP 1000 Gravity 1.3mm RP 4000 Gravity 1.3mm	1 pcs/box 10 pcs/ctn
 <p>http://www.gzzhanye.com.cn</p>	Japan DEVILBISS Spray Gun		Gravity 1.4mm Gravity 1.8mm		Gravity 1.4mm Gravity 1.8mm	1 cup/box 1 spray gun/box
 <p>http://www.gzzhanye.com.cn</p>	Lotus Spray Gun	4000B	Gravity 1.4mm Suction 1.7mm		Gravity 1.4mm Suction 1.7mm	1 pcs/box 10 pcs/ctn

More details, please check our website:

<http://www.gzzhanye.com.cn/>

<http://gzzhanye.en.made-in-china.com>

www.gzzhanye.com