

Xiamen Oceangate Trading Co.,Ltd

2018 marine hardware catalogue

15
YEARS

**15 years experience in production and technical
Timely production and transportation
Full range of boat accessory**

Email: jessica@xmooceangate.com

Tel: 86 592-6261975



WHO WE AER



Xiamen Oceangate Trading Co., Ltd. is one of the professional manufacturer in Marine Hardware in China. We have raw material 316/304 Stainless Steel stamping/welding/bending/casting items as well as the related plastic injection ones. With more than 15 years experience on engineering and mass production, we stand behind our product with 100% guarantee with best quality, prompt and accurate delivery and compatible price.





VIEW MORE +



VIEW MORE +



VIEW MORE +



VIEW MORE +

[Email: jessica@xmooceangate.com](mailto:jessica@xmooceangate.com)

Tel: 86 592-6261975



VIEW MORE +



VIEW MORE +



VIEW MORE +



VIEW MORE +

Email: jessica@xmoceangate.com

CATEGORIES



STEERING WHEEL



BOAT LADDER



BOAT HANDRAIL



BOAT HOOK



DRINK CUP HOLDER



FISHING ROD HOLDER



ANCHOR ACCESSORY



OTHER HARDWARE





Please Scan The QR Code To Add My
Wechat To Get More Information.

jessica@xmoceangate.com

Jessica@xmooceangate.com

ANTENNA MOUNT



HEAVY DUTY ANTENNA BASE

High-Polished cast 316 stainless steel Base dimensions: 2-3/8" x 3-3/4"

Overall Height: 4" 1"-14 male thread

P/N A020100



ANTENNA RAIL MOUNT

High-Polished cast 316 stainless steel
fits tubing 7/8" & 1" 1"-14 male thread

P/N A030100



ANTENNA BASE

Nylon Deck Mount Fits 1"
Tubing or 7/8" with insert

P/N A040100



ANTENNA RATCHET MOUNT

Material: High Impact White Nylon

P/N A050100

ANTENNA MOUNT

FIXED ANTENNA BASE, WITH 1"-14 THREAD

Made of 304 Stainless Steel

P/N	length	Base Dia	Tube. O D
<u>A060100</u>	40	φ77	φ25.4
<u>A060200</u>	105	φ77	φ25.4

FIXED ANTENNA BASE WITH 1"-14 THREAD - HEAVY DUTY

Made of 304 Stainless Steel

P/N	length	Base Dia	Tube. O D
<u>A070100</u>	40	φ77	φ25.4
<u>A070200</u>	105	φ77	φ25.4

RAIL MOUNT ANTENNA BRACKET, WITH 1"-14 THREAD

Made of 304 Stainless Steel

P/N	Fits Tubing
<u>A080100</u>	7/8" TO 1"

FIXED ANTENNA BASE

This antenna base will accept any standard antenna with 1"-14 threads

P/N	Base	Height	M'TL
<u>A090100</u>	2-13/16"	1-5/8"	Nylon

ANTENNA MOUNT

TUBE MOUNT ANTENNA BASE, WITH 1" -14 THREAD



Made of 316 Stainless Steel

P/N	Length	Fits	Fastener
<u>A100100</u>	2"	1"	1/4"-28UNC

ANTENNA MOUNT EXTENSION WITH 1" -14 THREAD



Made of 304 Stainless Steel

P/N	Length	Tube O. D
<u>A110100</u>	6"	1-1/16"
<u>A110200</u>	12"	1-1/16"
<u>A110300</u>	24"	1-1/16"

RAIL MOUNT ANTENNA BRACKET WITH 1" -14 THREAD

Made of 304 Stainless Steel

P/N	Fits Tubing
<u>A120100</u>	7/8" TO 1"

FLAG POLE

PONTOON FLAG POLE SOCKET

material of 6063 Aluminum alloy aluminum tube + nylon plastic



P/N	Dia	Length	Description
<u>B010100</u>	7/8"	24"	Flagpole + flag
<u>B010200</u>	7/8"	24"	Flagpole

RAIL MOUNTED FLAG STAFF

Made of 304 Stainless Steel



P/N	Dia	Length	Description
<u>B010212Q</u>	1/2"	14"	Flagpole + flag
<u>B010212</u>	1/2"	14"	Flagpole

RAIL MOUNTED FLAG STAFF

Made of 304 Stainless Steel



P/N	Dia	Length	Description
<u>B010314Q</u>	1/2"	14"	Flagpole + flag
<u>B010314</u>	1/2"	14"	Flagpole

STANCHION

Made of 304 Stainless Steel



P/N	Dia	Length
<u>B010450</u>	1"	19-11/16"
<u>B010561</u>	1"	24"
<u>B010666</u>	1"	26"

FLAG POLE

STANCHION

Made of 304 Stainless Steel

P/N	Tube	Length
<u>B010750</u>	1"	19-11/16"
<u>B010861</u>	1"	24"
<u>B010966</u>	1"	26"

STANCHION

Made of 316 Stainless Steel

P/N	Tube	Length
<u>B011025</u>	1"	24"

STANCHION

Made of 304 Stainless Steel

P/N	Tube	Length
<u>B011120</u>	1"	20.3"
<u>B011224</u>	1"	24"

STANCHION SOCKET

Made of 304 Stainless Steel

P/N	Tube	Degree	Base
<u>B011390</u>	1"	90°	2-1/2"*3-1/2"
<u>B011484</u>	1"	84°	2-1/2"*3-1/2"

FLAG POLE

STANCHION SOCKET

Made of 304 Stainless Steel



P/N	Tube	Degree	Base
<u>B011590</u>	1"	90°	3"*3.5"
<u>B011684</u>	1"	84°	3"*3.5"

STANCHION

Made of 316 Stainless Steel



P/N	Tube
<u>B011725</u>	1"

RAIL MOUNT PENNANT STAFF

Made of 304 Stainless Steel



P/N	Dia	Length	Rail	Description
<u>B220100Q</u>	1/2"	18"	1"	Flagpole + flag
<u>B220100</u>	1/2"	18"	1"	Flagpole
<u>B240100</u>	1/2"	18"	1"	Independent of the rod

FLAG POLE & BASE REMOVABLE

Made of 304 Stainless Steel



P/N	Dia	Length	Description
<u>B250100Q</u>	7/8"	24"	Flagpole + flag
<u>B250100</u>	7/8"	24"	Flagpole

FLAG POLE

STAINLESS STEEL FLAG POLE

Made of 304 Stainless Steel

P/N	Dia	Length
<u>B330205</u>	1"	19.7"
<u>B330205</u>	1"	23.6"
<u>B330110</u>	1"	39.4"



ROUND FLAG POLE BASE W/ SECURING

Made of 316 Stainless Steel

P/N	Tube OD	Length	Angle
<u>B330190</u>	1"	17.7"	90°
<u>B330245</u>	1"	17.7"	45°



RECTANGULAR FLAG POLE BASE W/ SECURING

Made of 316 Stainless Steel


P/N	Tube OD	Length	Angle	Base
<u>B330390</u>	1"	17.7"	90°	3.2"*1.7"
<u>B330445</u>	1"	17.7"	90°	3.2"*1.7"



FLAG POLE BASE

Made of 316 Stainless Steel

P/N	Dia	A	B	C	D
<u>B260100</u>	0.7"	0.7"	1.2"	3.3"	2"



FLAG POLE

FLAG

Waterproof material ,The embroidery



P/N	Length	Width
<u>B180100</u>	20"	13"
<u>B180200</u>	19"	12"

ADJUSTABLE BASE FOR LIGHT POLE

Made of 316 Stainless Steel

P/N	Dia	Base
<u>B190100</u>	7/8"	2.6"*1.25"

FLAG POLE BASE 45°

Made of 316 Stainless Steel

P/N	Dia	Base
<u>B200100</u>	7/8"	3"*1.7"

FLAG POLE BASE 10°

Made of 316 Stainless Steel

P/N	Dia	Base
<u>B260200</u>	1"	φ2.6"

BASE RAIL FITTING

ROUND BASE RAIL FITTING

Made of 316 Stainless Steel

P/N	Tube OD	Angle
<u>B020130</u>	7/8"	30°
<u>B020245</u>	7/8"	45°
<u>B020360</u>	7/8"	60°
<u>B020490</u>	7/8"	90°
<u>B020530</u>	1"	30°
<u>B020645</u>	1"	45°
<u>B020760</u>	1"	60°
<u>B020890</u>	1"	90°



RECTANGULAR BASE RAIL FITTING

Made of 316 Stainless Steel

P/N	Tube OD	Angle
<u>B030130</u>	7/8"	30°
<u>B030145</u>	7/8"	45°
<u>B030160</u>	7/8"	60°
<u>B030290</u>	7/8"	90°
<u>B030330</u>	1"	30°
<u>B030345</u>	1"	45°
<u>B030360</u>	1"	60°
<u>B030490</u>	1"	90°



UNIVERSAL TEE

Made of 316 Stainless Steel

P/N	Tube OD	Angle
<u>B040160</u>	7/8"	60°
<u>B040290</u>	7/8"	90°
<u>B040360</u>	1"	60°
<u>B040490</u>	1"	90°



FLAG POLE BASE

Made of 316 Stainless Steel

P/N	Tube ID	Angle
<u>B340145</u>	1"	45°
<u>B340245</u>	0.78"	45°



BASE RAIL FITTING

HANDRAIL STANCHION

Made of 316 Stainless Steel



P/N	Tube OD	Type
<u>B050160</u>	7/8"	Center 60°
<u>B050260</u>	7/8"	After 60°
<u>B050360</u>	7/8"	Forward 60°
<u>B050460</u>	1"	Center 60°
<u>B050650</u>	1"	After 60°
<u>B050660</u>	1"	Forward 60°

ELBOW

Made of 316 Stainless Steel

90 degree (includes set screws)



P/N	Tube Inch
<u>B060190</u>	7/8"
<u>B060290</u>	1"

RAIL END-IN

Made of 316 Stainless Steel



P/N	Chief	Tube Inch
<u>B070100</u>	5-1/2"	7/8

Awning accessories

TOP CAP



Made of 316 Stainless Steel

P/N	Tube OD
<u>B080178</u>	7/8"
<u>B080201</u>	1"

JAW SLIDE



Made of 316 Stainless Steel

P/N	Tube OD
<u>B090178</u>	7/8"
<u>B090201</u>	1"

DECK HINGE



Made of 316 Stainless Steel

P/N	Base Size	Bolt Size	Description
<u>B100190</u>	3/4*2-1/4"	1/4	90 Degree

DECK HINGE

Made of 316 Stainless Steel

P/N	Base Size	PIN	Description
<u>B100290</u>	3/4*2-1/4"	1/4	90 Degree

Awning accessories

DECK HINGE SIDE MOUNT



Made of 316 Stainless Steel

P/N	Base Size	Bolt Size
<u>B110100</u>	7/8" * 2"	1/4"

DECK HINGE HEAVY DUTY



Made of 316 Stainless Steel

P/N	Base Size	Screw Size
<u>B120100</u>	1" * 2-1/8"	5/16"

INSERT EYE



Made of 316 Stainless Steel

P/N	TUBE SIZE
<u>B280178</u>	7/8"
<u>B280201</u>	1"

HINGE JAW SLIDE



Made of 316 Stainless Steel

P/N	TUBE SIZE	Bolt Size
<u>B290100</u>	7/8"	1/4"
<u>B290200</u>	1"	1/4"
<u>B290300</u>	1.25"	1/4"

Awning accessories

DECK HINGE BALL STYLE TOP CAP

Made of 316 Stainless Steel

P/N	TUBE SIZE
<u>B300178</u>	7/8"
<u>B300201</u>	1"

JAW SLIDE BALL STYLE TOP CAP

Made of 316 Stainless Steel

P/N	TUBE SIZE
<u>B310178</u>	7/8"
<u>B310201</u>	1"

REMOVABLE DECK HINGE

Made of 316 Stainless Steel

P/N	Base Size	Bolt Size
<u>B320100</u>	3" * 1.4"	1/4"

PIN

QUICK DISCONNECT RELEASE PIN

Made of 304 Stainless Steel



P/N	Dia	Length	Plate
<u>B140100</u>	0.05"	6"	Round
<u>B140200</u>	0.05"	6"	Oblong
<u>B140300</u>	0.05"	6"	Round

QUICK DISCONNECT PIN

Made of 304 Stainless Steel



P/N	Dia	Grip
<u>B150100</u>	3/16"	1/2"
<u>B150200</u>	1/4"	7/8"
<u>B150300</u>	1/4"	1-1/4"
<u>B150400</u>	1/4"	2-1/4"
<u>B150500</u>	1/4"	1"
<u>B150600</u>	5/16"	1-1/2"
<u>B150700</u>	3/8"	1-1/2"

QUICK DISCONNECT PIN

Made of 304 Stainless Steel



P/N	Dia	Grip	Describe whole
<u>B160200</u>	1/4"	1"	whole
<u>B160300</u>	1/4"	1"	Single Pin
<u>B160400</u>	1/4"	1"	Single Ring

QUICK DISCONNECT RELEASE PIN

Made of 304 Stainless Steel



P/N	SIZE
<u>B130110</u>	1/4"*1"
<u>B130215</u>	1/4"*5/8"
<u>B130310</u>	5/16"*1-1/2"
<u>B130565</u>	5/16"*2-7/16"

STEERING WHEEL

STEERING WHEEL W/KNOB



Made of 304 Stainless Steel

5-spoke 25 degree Fits standard 3/4" tapered shaft Comes with standard black center cap

Highly Polished

P/N	Diameter
<u>C050111</u>	11"
<u>C050213</u>	13-1/2"
<u>C050315</u>	15-1/2"

STEERING WHEEL w/black foam coating



Made of 304 Stainless Steel

5-spoke 25 degree Fits standard 3/4" tapered shaft Comes with standard black center cap

Highly Polished

P/N	Diameter
<u>C060111</u>	11"
<u>C060213</u>	13-1/2"
<u>C060315</u>	15-1/2"

STEERING WHEEL



Made of 304 Stainless Steel

5-spoke 25 degree Fits standard 3/4" tapered shaft Comes with standard black center cap

Highly Polished

P/N	Diameter
<u>C020213</u>	13-1/2"
<u>C020315</u>	15-1/2"
<u>C020111</u>	11"

STEERING WHEEL



Made of 304 Stainless Steel

5-spoke 25 degree Fits standard 3/4" tapered shaft Teak center cap is available

Highly Polished

P/N	Diameter
<u>C030213</u>	13-1/2"
<u>C030315</u>	15-1/2"
<u>C030111</u>	11"

STEERING WHEEL

STEERING WHEEL W/KNOB



Made of 304 Stainless Steel

5-spoke 25 degree Fits standard 3/4" tapered shaft Comes with standard black center cap

Highly Polished

P/N	Diameter
<u>C040111</u>	11"
<u>C040213</u>	13-1/2"
<u>C040315</u>	15-1/2"

SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of 304 Stainless Steel

Highly Polished

P/N	Diameter	Shaft
<u>C070115</u>	15-1/2"	3/4"
<u>C070213</u>	13-1/2"	3/4"

STEERING WHEEL



Made of 304 Stainless Steel

Highly Polished

P/N	Diameter	Shaft
<u>C080215</u>	15-1/2"	3/4"
<u>C080113</u>	13-1/2"	3/4"

SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of 304 Stainless Steel

Highly Polished

P/N	Diameter	Shaft
<u>C090115</u>	15-1/2"	3/4"
<u>C090213</u>	13-1/2"	3/4"

STEERING WHEEL

SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB

Made of 304 Stainless Steel

Highly Polished



P/N	Diameter	Shaft
<u>C100115</u>	15-1/2"	3/4"
<u>C100213</u>	13-1/2"	3/4"

SAIL-BOAT WHEEL

Made of 304 Stainless Steel

Hubs are made to fit 1" straight bore 2-5/16" length and 1/4" key stock

Highly Polished



P/N	Size	Hole	P/N	Size	Hole
<u>C110124</u>	24"	7/8"	<u>C110824</u>	24"	1"
<u>C110226</u>	26"	7/8"	<u>C110926</u>	26"	1"
<u>C110328</u>	28"	7/8"	<u>C111028</u>	28"	1"
<u>C110430</u>	30"	7/8"	<u>C111130</u>	30"	1"
<u>C110532</u>	32"	7/8"	<u>C111232</u>	32"	1"
<u>C110634</u>	34"	7/8"	<u>C111334</u>	34"	1"
<u>C110736</u>	36"	7/8"	<u>C111436</u>	36"	1"
			<u>C111538</u>	38"	1"

TURNING KNOB

Made of 304 Stainless Steel

Highly Polished



P/N	Fits Rim Size
<u>C010100</u>	3/4" * 1"
<u>C010200</u>	3/4" * 1"

CAP FOR WHEEL

Made of Bakelite/Teak/Investment Cast 316 Stainless Steel



P/N	Material
<u>C120100</u>	Bakelite
<u>C120200</u>	Teak
<u>C120300</u>	Investment Cast S. S. 316
<u>C120400</u>	PC
<u>C120500</u>	W/304 CAP

STEERING WHEEL

STEERING WHEEL

Made of 304 Stainless Steel
6-Spoke wheel with black polyurethane rim and grip
Including insert to adapt to no 2 different shaft cones

P/N	Diameter
<u>C130145</u>	450mm
<u>C130255</u>	550mm
<u>C130370</u>	700mm

STEERING WHEEL

4-Spoke Rim features rich leather grain, stitching and finger grips.
Fits all standard 3/4" tapered shafts.

P/N	Diameter
<u>C140113</u>	14-1/2"

Replacement Nut

Made of 316 Stainless Steel

P/N	Diameter
<u>C090112</u>	1/2" - 20 Replacement Nut
<u>C090258</u>	5/8" - 18 Replacement Nut
<u>C090312</u>	M12

LADDER

BOARDING LADDER

Made of 6063 Aluminum tube+PE

P/N	Step
<u>D010103</u>	3
<u>D010204</u>	4
<u>D010305</u>	5



OVER PLATFORM LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
<u>D020102</u>	2	23.5"	13.5"	10"
<u>D020203</u>	3	35"	14.5"	10"
<u>D020304</u>	4	45.5"	15.5"	10"



TELESCOPIC BATHING LADDER

Made of 304 Stainless Steel

P/N	Step	Extended	Stowed	Width
<u>D290102</u>	2	604mm	354mm	358mm
<u>D290203</u>	3	880mm	374mm	358mm
<u>D290304</u>	4	1156mm	394mm	358mm



SWIM LADDER

Made of 304 Stainless Steel and Plastic PP

P/N	Step	Length	Dia.
<u>D300104</u>	4	2055mm	25mm



LADDER

SWIM PLATFORM W/LADDER

Made of 304 Stainless Steel

Platform T 0.75" W 18" D 14"



P/N	STEP	Deployed	Stowed	Width
<u>D030102</u>	2	23.5"	13.5"	14"
<u>D030203</u>	3	35"	14.5"	14"
<u>D030304</u>	4	45.5"	15.5"	14"
<u>D030301</u>	1			14"

DELUXE UNIVERSAL SWIM PLATFORM W/SIDE MOUNT TELESCOPING LADDER

Made of 304 Stainless Steel

Platform T 0.75" W 18" D 14"



P/N	STEP	Deployed	Stowed	Width
<u>D040102</u>	2	23.5"	13.5"	12"
<u>D040203</u>	3	35"	14.5"	12"

UNIVERSAL SWIM PLATFORM W/UNDER MOUNT TELESCOPING LADDER

Made of 304 Stainless Steel

Platform T 0.75" W 18" D 14"



P/N	STEP	Deployed	Stowed	Width
<u>D050102</u>	2	23.5"	13.5"	12"
<u>D050203</u>	3	35"	14.5"	12"

TELESCOPING TRANSOM MOUNT LADDER

Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
<u>D060103</u>	2+1	23.5"	13.5"	10"
<u>D060204</u>	3+1	35"	14.5"	10"

LADDER

DELUXE SLIDE LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D070102</u>	2	23.5"	13.5"	10"
<u>D070203</u>	3	35"	14.5"	10"

UNDER PLATFORM LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D080102</u>	2	23.5"	13.5"	10"
<u>D080203</u>	3	35"	14.5"	10"

FOLDING LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D090102</u>	2+1	23.6"	12.6"	7.87"
<u>D090202</u>	2+2	34.6"	17.7"	9.25"
<u>D090303</u>	3+2	42.7"	28.7"	9.25"
<u>D090402</u>	2+3	42.7"	23.9"	10"
<u>D090503</u>	3+3	51.8"	28.7"	10"

FOLDING LADDER

Made of 304 Stainless Steel+Teak




P/N	STEP	Deployed	Stowed	Width
<u>D090102T</u>	2+1	23.6"	12.6"	7.87"
<u>D090202T</u>	2+2	34.6"	17.7"	9.25"
<u>D090303T</u>	3+2	42.7"	28.7"	9.25"
<u>D090402T</u>	2+3	42.7"	23.9"	10"
<u>D090503T</u>	3+3	51.8"	28.7"	10"

LADDER

BOARDING LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D100103</u>	3+2	51.2"	36.7"	10"
<u>D100202</u>	2+3	51.2"	27"	10"
<u>D100303</u>	3+3	60.2"	36.7"	10"

THE BOW HANGING LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D110100</u>	3	49.25"	37.25"	11.5"

ARTHROSIS LADDER


Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width	Height Stowed
<u>D120102</u>	2+2	42"	28"	14"	7.7"
<u>D120202</u>	2+2	33.5"	17"	10"	4.8"

DIVE LADDER

Made of 304 Stainless Steel



P/N	STEP	Length	Width
<u>D130103</u>	3	34"	14"
<u>D130204</u>	4	44-3/4"	14"

LADDER

TELESCOPING SWIM LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D140102</u>	2	23"	14-1/2"	13-1/2"
<u>D140203</u>	3	33-1/8"	33-5/8"	13-1/2"
<u>D140304</u>	4	44-1/8"	19-1/2"	13-1/2"

TELESCOPING SWIM LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D150103</u>	3	35"	15.5"	10"
<u>D150204</u>	4	45.5"	17"	10"

VERTICAL TRANSOM MOUNTING FOR SPORT DIVER LADDER

Made of 304 Stainless Steel



P/N	Width	Height	Depth
<u>D160100</u>	2.5"	8.5"	3.33"

CLAMP FOR LADDER

Made of Nylon



P/N	Tube	Color
<u>D170100</u>	7/8"	Black
<u>D170200</u>	1"	Black
<u>D170300</u>	1-1/4"	Black
<u>D170400</u>	1-1/2"	Black

LADDER

FOLDING LADDER



Made of 304 Stainless Steel

P/N	STEP	Length	Width	Color
<u>D180103</u>	3	26.7"	9.1"	White
<u>D180203</u>	3	26.7"	9.1"	Black

UNDER PLATFORM LADDER



Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
<u>D190102</u>	2	23.5"	13.5"	10"
<u>D190203</u>	3	35"	14.5"	10"

UNDER PLATFORM LADDER



Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width	Height Stowed
<u>D200102</u>	2	26"	17"	10"	5"
<u>D200203</u>	3	37"	18"	10"	6"

COMPACT TRANSOM LADDER

Made of 304 Stainless Steel

P/N	STEP	Length	Width
<u>D210102</u>	2	6.5"	15.5"



LADDER

BOX LADDERS

Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Box Dimension
<u>D220103</u>	3	35"	14.5"	18"*16"*3.5"
<u>D220204</u>	4	4.5"	15.5"	19"*16"*3.5"

TRANSOM GUDGEON

Made of 304 Stainless Steel

P/N	Width	Length	Tab
<u>D230100</u>	1.06"	4.5"	A
<u>D230200</u>	1.14"	5.75"	B
<u>D230300</u>	1.06"	4.5"	C
<u>D230400</u>	1.4"	5.75"	A
<u>D230500</u>	1.38"	5.75"	B
<u>D230600</u>	1.4"	5.5"	C
<u>D230700</u>	1.73"	6.5"	A
<u>D230800</u>	1.73"	6.5"	B
<u>D230900</u>	1.73"	6.5"	C

TELESCOPING LADDER

Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
<u>D240103</u>	3	27.5"	12"	11.5"
<u>D240204</u>	4	36.5"	12.4"	11.7"

TELESCOPING DROP LADDER

Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
<u>D250103</u>	3	35"	15"	17"
<u>D250202</u>	2	23.5"	14"	17"

LADDER

UNDER PLATFORM LADDER

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D270102</u>	2	23.5"	13.5"	10"
<u>D270203</u>	3	35"	14.5"	10"
<u>D270304</u>	4	45.5"	15.5"	10"

TELESCOPING DROP LADDER W/HANDLE

Made of 304 Stainless Steel



P/N	STEP	Deployed	Stowed	Width
<u>D280102</u>	2	35"	13-1/2"	10"
<u>D280203</u>	3	34-3/16"	14-7/8"	10"
<u>D280304</u>	4	45-5/8"	15-5/8"	10"

MOUNTING KITS FOR FOLDING LADDER

Made of 304 Stainless Steel



P/N	Length	Width	Thickness
<u>D260100</u>	2.5"	1"	5/32" (Plate only)
<u>D260200</u>	2.5"	1"	5/32" (Two Sets)

TELESCOPING DROP LADDER

Made of 304 Stainless Steel




P/N	STEP	Width	Height
<u>D290101</u>	1	11"	13.5"

HANDRAIL

OVAl HANDRAIL


Made of 304 Stainless Steel



P/N	Length	Stud	Oval Tube
<u>E010112</u>	12"	5/16"*2"	1"*3/4"
<u>E010116</u>	16"	5/16"*2"	1"*3/4"
<u>E010218</u>	18"	5/16"*2"	1"*3/4"
<u>E010120</u>	20"	5/16"*2"	1"*3/4"
<u>E010324</u>	24"	5/16"*2"	1"*3/4"

OVAl HANDRAIL

Made of 304 Stainless Steel



P/N	Length	screw thread	Oval Tube
<u>E020112</u>	12"	5/16"	1"*3/4"
<u>E020116</u>	16"	5/16"	1"*3/4"
<u>E020218</u>	18"	5/16"	1"*3/4"
<u>E020324</u>	24"	5/16"	1"*3/4"

ROUND HANDRAIL


Made of 304 Stainless Steel



P/N	Length	Stud	Tube
<u>E030112</u>	12"	5/16"*2"	7/8"
<u>E030116</u>	16"	5/16"*2"	7/8"
<u>E030218</u>	18"	5/16"*2"	7/8"
<u>E030324</u>	24"	5/16"*2"	7/8"

ROUND HANDRAIL

Made of 304 Stainless Steel



P/N	Length	screw thread	Tube
<u>E030412</u>	12"	1/4"	7/8"
<u>E030416</u>	16"	1/4"	7/8"
<u>E030518</u>	18"	1/4"	7/8"
<u>E030624</u>	24"	1/4"	7/8"

HANDRAIL

ROUND HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Stud	Round Tube
<u>E040108</u>	8"	5/16"*3-1/4"	7/8"
<u>E040208</u>	8"	5/16"*2"	7/8"
<u>E040313</u>	13"	5/16"*1-1/2"	7/8"

HANDRAIL+SKI TOW w/stud

Made of 304 Stainless Steel

P/N	Length	Stud	Oval Tube
<u>E050124</u>	24"	5/16"*1-1/4"	1"*7/8"

HANDRAIL w/stud & finger grip

Made of 304 Stainless Steel

P/N	Length	Stud	Round Tube
<u>E060108</u>	8-5/8"	5/16"*2"	1"
<u>E060212</u>	12"	5/16"*2"	1"
<u>E060324</u>	24"	5/16"*2"	1"
<u>E060416</u>	16"	5/16"*2"	1"
<u>E060518</u>	18"	5/16"*2"	1"

CAST HANDRAIL

Made of 316 Stainless Steel

P/N	Length	Height
<u>E070100</u>	6.7"	1.6"

HANDRAIL

OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Screw Thread	Oval Tube
<u>E110109</u>	9"	1/4"	1" * 7/8"
<u>E110212</u>	12"	1/4"	1" * 7/8"
<u>E110316</u>	16"	1/4"	1" * 7/8"
<u>E110418</u>	18"	1/4"	1" * 7/8"
<u>E110524</u>	24"	1/4"	1" * 7/8"

ROUND HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Hole	Round Tube
<u>E090112</u>	12"	1/4"	7/8"
<u>E090216</u>	16"	1/4"	7/8"
<u>E090318</u>	18"	1/4"	7/8"
<u>E090424</u>	24"	1/4"	7/8"

OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Stud	Round Tube
<u>E100110</u>	10"	5/16*2"	7/8"
<u>E100212</u>	12"	5/16*2"	7/8"
<u>E100316</u>	16"	5/16*2"	7/8"
<u>E100418</u>	18"	5/16*2"	7/8"
<u>E100524</u>	24"	5/16*2"	7/8"

CAST HANDRAIL

Made of 316 Stainless Steel

P/N	Length	Height
<u>E080100</u>	11.8"	2"

DRINK HOLDER

FLUSH CUP HOLDER

Made of 304 Stainless Steel

P/N	Height	W/Pad Gasket	Flange	Nipple
<u>F010114</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	1/4"
<u>F010238</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	3/8"

LED FLUSH CUP HOLDER

Made of 304 Stainless Steel

P/N	Height	W/Pad Gasket	Flange	Nipple	LED Color
<u>F020114</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	1/4"	Blue
<u>F020214</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	1/4"	Red
<u>F020338</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	3/8"	Blue
<u>F020438</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	3/8"	Red
<u>F020514</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	1/4"	Green
<u>F020638</u>	3-3/4"	ϕ2-13/16" ϕ3-1/4"	4-1/4"	3/8"	Green

FOLD-UP DRINK HOLDERS

Adjustable and made of ABS

P/N	Length	Depth	Width	Color
<u>F030100</u>	4"	13/16"	3-7/8"	Chrome
<u>F040100</u>	4"	13/16"	3-7/8"	White
<u>F040200</u>	4"	13/16"	3-7/8"	Black
<u>F040300</u>	4"	13/16"	3-7/8"	Gray

FOLD-UP DRINK HOLDER

Made of 304 Stainless Steel

Adjustable and made

P/N	Length	Depth	Width
<u>F050100</u>	4"	13/16"	3-7/8"

DRINK HOLDER

DRINK HOLDERS

Made of 316 Stainless Steel

5/16" 4-1/8" O.D. solid rings 5/16" 2" thread studs

2" above deck when installed

P/N	Rings
<u>F060100</u>	1
<u>F060200</u>	2
<u>F060300</u>	3



DRINK HOLDERS

Made of 316 Stainless Steel

3-1/2" I. D. Solid Rings 1/4" Thread Holes

P/N	Rings
<u>F070100</u>	1
<u>F070200</u>	2



DRINK HOLDERS

Made of 304 Stainless Steel

5/16" 4-1/8" O.D. Solid Rings 5/16" 2" Thread Studs

2" Above Deck When Installed

P/N	Rings
<u>F080100</u>	1



FOLD-UP DRINK HOLDER

Made of Plastic PP+S.S.304

P/N	Length	Width	Height
<u>F090100</u>	3-3/4"	3-3/4"	3-3/4"



DRINK HOLDER

DRINK HOLDER

Made of 316 Stainless Steel

1/4" x 4" O.D. solid rings 1/4" x 7/8" thread studs

2-1/2" above deck when installed

P/N	Rings	Total Length
<u>F080200</u>	2	16-3/4"



DRINK HOLDER

Made of 304 Stainless Steel

P/N	Height	Hole OD	Hole	Nipple
<u>F010383</u>	3-3/4"	1"	3-3/4"	3/8"



DRINK HOLDER

Made of plastic PP

P/N	Height	Hole OD	Hole	Nipple	Color
<u>F100100</u>	3-3/4"	3-5/16"	3"	3/8"	White
<u>F100200</u>	3-3/4"	3-5/16"	3"	3/8"	Black



THRU-HULL/VENTILATION/EXHAUST

10 degree Thru-Hull w/SS Trim Cover



Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion

P/N	Hose	Flange	Install Hole
<u>H460101</u>	1-1/2"	3-1/4"	2-1/3"

Thru-Hull w/SS Trim Cover



Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion

P/N	Hose	Flange	Install Hole
<u>H460202</u>	2"	3-1/4"	2-1/3"

Thru-Hull w/SS Trim Cover



Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion

P/N	Flange	Install Hole
<u>H460302</u>	3-1/4"	2-1/3"

THRU-HULL TRIM COVER



Nylon #66 compound with 30% fiber glass body
 W/Stainless steel 316 trim cover
 Black, white, gray, can choose

straight

90 degree

P/N	Hose	Flange	Install, Hole	P/N	Hose	Flange	Install, Hole
<u>H010154</u>	3/4"	1-7/8"	1-3/8"	<u>H030234</u>	3/4"	1-7/8"	1-3/8"
<u>H010258</u>	5/8"	1-7/8"	1-3/8"	<u>H030158</u>	5/8"	1-7/8"	1-3/8"
<u>H010310</u>	1"	1-7/8"	1-3/8"	<u>H030310</u>	1"	1-7/8"	1-3/8"
<u>H010418</u>	1-1/8"	1-7/8"	1-3/8"	<u>H030418</u>	1-1/8"	1-7/8"	1-3/8"
<u>H010514</u>	1-1/4"	2-3/8"	1-5/8"	<u>H030514</u>	1-1/4"	2-3/8"	1-5/8"
<u>H010612</u>	1-1/2"	2-3/8"	1-5/8"	<u>H030612</u>	1-1/2"	2-3/8"	1-5/8"
<u>H010720</u>	2"	3-1/4"	2-1/3"	<u>H030234</u>	3/4" (short)	1-7/8"	1-3/8"


THRU-HULL/VENTILATION/EXHAUST

DISCHARGE 90° W/ GRID

Made of 316 Stainless Steel



P/N	A	B	C	D
<u>H480100</u>	16mm	15mm	36mm	42mm
<u>H480200</u>	19mm	15mm	36mm	42mm
<u>H480300</u>	25mm	15mm	36mm	42mm
<u>H480400</u>	38mm	33mm	63mm	90mm (Plastic Elbow)



DECK DRAIN SCUPPER


Made of 316 Stainless Steel; Connection: 38mm

With removable cover (Key supplied).

The integrated ball prevents water from flowing back.



P/N	A	B	C	D
<u>H480500</u>	38mm	58mm	115mm	91mm



STAINLESS STEEL MIDGET VENTILATOR

Made of 316 Stainless Steel



P/N	Length	Width	Height
<u>H470300</u>	118mm	120mm	45mm

THRU-HULL/VENTILATION/EXHAUST

VENTILATOR

Made of 304 Stainless Steel



P/N	Width	Length	Height	Finish
<u>H040140</u>	3-7/8"	4-1/3"	1-3/4"	Polish
<u>H040240</u>	3-7/8"	4-1/3"	1-3/4"	Coating

CLAMSHELL VENT

Made of 304 Stainless Steel



P/N	Width	Length	Height	Thk
<u>H040313</u>	1-5/8"	1-3/4"	1/2"	0.022"
<u>H040418</u>	2-1/8"	2-1/4"	5/8"	0.023"
<u>H040534</u>	1-1/4"	1-1/2"	1/2"	0.047"
<u>H040612</u>	1-1/2"	1-1/2"	1/2"	0.078"

HAND OIL PUMP

Made of solid brass with removable tubing for ease of operation and cleaning



P/N	Pump Body Length	Pump Body Diameter
<u>H050100</u>	6-1/4"	φ1-1/4"

MANUAL OPERATED BILGE PUMP

1-1/8 I. D. hose six strokes pump out one gallon of water

ABS plastic pump with flexible polyethylene hose

Bottom cap is removable for easy cleaning



P/N	Pump Body Length	Pump Body Diameter	Color
<u>H060124</u>	24"	φ1/3/4"	yellow
<u>H060224</u>	24"	φ1/3/4"	blue

THRU-HULL/VENTILATION/EXHAUST

GEAR LUBE PUMP

For use with 32 oz. gear lube bottles, metric adapter included

Apply to each brand outboard engine

P/N H180100

BILGE HOSE

Made of PE plastic

P/N	Description	Color
<u>H070134</u>	3/4"x200 Feet	Black
<u>H070234</u>	3/4"x200 Feet	White
<u>H070318</u>	1-1/8"x200 Feet	Black
<u>H070418</u>	1-1/8"x200 Feet	White
<u>H070514</u>	1-1/4"x100 Feet	Black
<u>H070614</u>	1-1/4"x100 Feet	White
<u>H070712</u>	1-1/2"x100 Feet	Black
<u>H070812</u>	1-1/2"x100 Feet	White
<u>H070920</u>	Eddy 2"x25 Feet	Black
<u>H071020</u>	Eddy 2"x25 Feet	White

GARBOARD DRAIN LUG

Made of 316 Stainless Steel

P/N	Diameter	Description
<u>H080112</u>	φ2"	Complete Set 2"x1/2"NPT
<u>H080212</u>	1/2"	Replacement Plug 1/2"NPT

VENTILATOR

Made of 304 Stainless Steel+Plastic Base

2-1/4" above deck when installed

P/N	Diameter
<u>H090100</u>	φ7-5/8"

THRU-HULL/VENTILATION/EXHAUST

DECK FILL CAST

Made of 316 Stainless Steel



P/N	Hose	Flange	Install Hole	Description
<u>H100100</u>	1-1/2"	3"	1-3/4"	GAS
<u>H100200</u>	1-1/2"	3"	1-3/4"	DIESEL
<u>H100300</u>	1-1/2"	3"	1-3/4"	WATER
<u>H100400</u>	1-1/2"	3"	1-3/4"	WASTE
<u>H100500</u>				Key only
<u>H100600</u>				Replacement Cap

30° DECK FILL CAST

Made of 316 Stainless Steel



P/N	Hose	Flange	Install Hole	Description
<u>H450100</u>	1-1/2"	3"	1-3/4"	GAS
<u>H450200</u>	1-1/2"	3"	1-3/4"	DIESEL
<u>H450300</u>	1-1/2"	3"	1-3/4"	WATER
<u>H450400</u>	1-1/2"	3"	1-3/4"	WASTE

DECK FILL CAST

Made of 316 Stainless Steel. Key Supplied. Cap Diameter: 1-1/4"



P/N	Hose Dia.	Flange	Angle	Description
<u>H100101</u>	38mm	76mm	0°	Gas
<u>H100102</u>	38mm	76mm	0°	Diesel
<u>H100103</u>	38mm	76mm	0°	Water
<u>H100104</u>	38mm	76mm	0°	Waste
<u>H100105</u>	38mm	76mm	0°	Fuel
<u>H100106</u>	38mm	76mm	0°	Oil
<u>H100107</u>	38mm	76mm	0°	Petrol

SNAP DRAIN PLUG

Made of Brass & S.S.304



P/N	Diameter	Material
<u>H110110</u>	1"	Brass
<u>H110214</u>	1-1/4"	Brass
<u>H110325</u>	1"	S. S. 304
<u>H110414</u>	1-1/4"	S. S. 304

THRU-HULL/VENTILATION/EXHAUST

T-HANDLE DRAIN PLUG

Made of Brass & S.S.304



P/N	Diameter	Material
<u>H110525</u>	1"	Brass
<u>H110632</u>	1-1/4"	Brass
<u>H110725</u>	1"	S. S. 304
<u>H110832</u>	1-1/4"	S. S. 304

DRAIN TUBE

Made of Brass/s.s.304



P/N	Sleeve	Material
<u>H110932</u>	1-1/4"*3"	Brass
<u>H111032</u>	1-1/4"*3-7/8"	Brass
<u>H111125</u>	1"*3"	Brass
<u>H111225</u>	1"*3-1/2"	Brass
<u>H111325</u>	1"*3-7/8"	Brass
<u>H111425</u>	1"*1-7/8"	Brass
<u>H111525</u>	1"*3-7/8"	S. S. 304

DRAIN PLUG

Made of Nylon plastic



P/N	Description	Flange Size
<u>H120110</u>	Drain plug	1"
<u>H120200</u>	plug and gasket	

FUEL FILTER



P/N	Size
<u>H130141</u>	1/4"
<u>H130265</u>	5/16"
<u>H130383</u>	3/8"

THRU-HULL/VENTILATION/EXHAUST

WATER SEPARATING KIT



P/N	Description
<u>H140100</u>	FUEL/WATER SEPARATING FILTER
<u>H140200</u>	WATER SEPARATING KIT-METAL
<u>H140300</u>	WATER SEPARATING KIT-PLASTIC

UNIVERSAL FUEL/WATER SEPARATOR KIT



P/N	Description
<u>H150100</u>	Fuel/Water Separator Canister
<u>H150200</u>	Fuel/Water Separator Kit

MERCURY VERADO FILTER ELEMENT

Fits the Verado outboard replaceable cartridge fuel filter

P/N H160100



FUEL FILTER

1/4 to 3/8 inch universal in-line filter

P/N	Description
<u>H17100</u>	Fuel Filter complete Set
<u>H17101</u>	Replacement Filter elements



THRU-HULL/VENTILATION/EXHAUST

SUZUKI FEMALE FITTING

Made of 304 Stainless Steel



P/N	Description
<u>H200141</u>	1/4 Barb
<u>H200265</u>	5/16 Barb
<u>H200338</u>	3/8 Barb

NISSAN FITTING

Made of 304 Stainless Steel



P/N	Description
<u>H210141</u>	Male 1/4 NPT
<u>H210265</u>	Female 5/16 Barb
<u>H210383</u>	Female 3/8 Barb

HONDA FITTING

Made of 304 Stainless Steel



P/N	Description
<u>H210141</u>	Male 1/4 NPT
<u>H210583</u>	Female 3/8 Barb

CHRYSLER/FORCE CONNECTOR

Made of 304 Stainless Steel



P/N	Description
<u>H190141</u>	Male 1/4 NPT
<u>H190265</u>	Female 5/8 Barb
<u>H190385</u>	Female 3/8 Barb

THRU-HULL/VENTILATION/EXHAUST

UNIVERSAL FUEL LINE ASSEMBLY

Primer bulb with hose



P/N	Hose Length	Hose Dia.
<u>H210941</u>	118"	1/4"
<u>H211065</u>	118"	5/16"
<u>H211183</u>	118"	3/8"

PRIMER BULB



P/N	Description
<u>H210641</u>	1/4 Hose
<u>H210765</u>	5/16 Hose
<u>H210883</u>	3/8 Hose

WATER PUMPING HOSE

Made of Plastic PP



P/N	Hose Dia.	Length
<u>H460113</u>	13mm	1700mm
<u>H460222</u>	22mm	1700mm

MOTOR FLUSHER

Universal motor flusher allows the cooling system to be flushed out using a garden hose shunting with the SS. 304 hose. Quickly flushes away salt, sand, silt and alkali to prevent clogging and corrosion.

P/N	Description
<u>H220410</u>	Rectangular Cap
<u>H220410</u>	Round Cap



THRU-HULL/VENTILATION/EXHAUST

MOTOR FLUSHER

Universal motor flusher allows the cooling system to be flushed out using a garden hose. Quickly flushes away salt, sand, silt, and alkali to prevent clogging and corrosion.



P/N	Description
<u>H220100</u>	Round Cap
<u>H220200</u>	Rectangular Cap

MOTOR FLUSHER

Universal motor flusher allows the cooling system to be flushed out using a garden hose. Quickly flushes away salt, sand, silt, and alkali to prevent clogging and corrosion.



P/N	Description
<u>H220300</u>	Round Cap
<u>H220400</u>	Rectangular Cap
<u>H220400R</u>	Rectangular Cap (Rubber)

DRAIN COVER

Made of 304 Stainless Steel



P/N	Size
<u>H230100</u>	3-1/4"

BUTTERFLY VENT-CENTER KNOB

Made of 304 Stainless Steel



P/N	Diameter	Thickness
<u>H240100</u>	4"	0.05"
<u>H240200</u>	5"	0.05"

THRU-HULL/VENTILATION/EXHAUST

BUTTERFLY VENT-SIDE KNOB VENT

Made of 304 Stainless Steel

P/N	Diameter	Thickness
<u>H250100</u>	4"	0.05"
<u>H250200</u>	5"	0.05"

ROUND LOUVERED VENT

Made of 304 Stainless Steel

P/N	Diameter	Thickness
<u>H260100</u>	4"	0.04"
<u>H260200</u>	5"	0.04"
<u>H260300</u>	6"	0.04"

THRU VENT

Made of 304 Stainless Steel

P/N	Size	Thickness
<u>H270100</u>	4"*4"	0.04"
<u>H270200</u>	5"*5"	0.04"

HOSE VENT

Made of 304 Stainless Steel

P/N	Hose Dia	Flange Size	Height
<u>H280100</u>	4"	5"*5"	3"
<u>H280200</u>	3"	4"*4"	2-7/16"

THRU-HULL/VENTILATION/EXHAUST

STAMPED LOUVERED VENT

Made of 304 Stainless Steel

P/N	Width	Length	Thickness
<u>H290100</u>	5"	9"	0.03"
<u>H290200</u>	2.56"	5"	0.03"
<u>H290300</u>	4.53"	5"	0.03"
<u>H290400</u>	4.53"	9.13"	0.03"

LOUVERED VENT

Made of 304 Stainless Steel

P/N	Width	Length
<u>H300100</u>	6-1/3"	9-1/2"

LOUVERED VENT

Made of 304 Stainless Steel

P/N	Slots	Length	Width	Height
<u>H310100</u>	3	8-1/4"	4-3/8"	1-1/2"
<u>H310200</u>	4	10"	4-3/8"	1-1/2"
<u>H310300</u>	5	12-7/8"	4-3/8"	1-1/2"

LOUVERED VENT

Made of 304 Stainless Steel

P/N	Slots	Length	Width	Height
<u>H320100</u>	6	12-7/8"	3"	1-1/4"
<u>H320200</u>	7	14-7/8"	3"	1-1/4"
<u>H320300</u>	8	16-13/16"	3"	1-1/4"
<u>H320400</u>	10	20-3/4"	3"	1-1/4"
<u>H320500</u>	4	8-1/8"	4-7/16"	1-1/2"
<u>H320600</u>	6	12-7/8"	4-7/16"	1-1/2"
<u>H320700</u>	10	20-13/16"	4-7/16"	1-1/2"

THRU-HULL/VENTILATION/EXHAUST

EXHAUST OUTLET



Made of 304 Stainless Steel

P/N	Hose Dia	Fastener
<u>H330100</u>	3"	1/4FH
<u>H330200</u>	3-1/2"	1/4FH
<u>H330300</u>	4"	1/4FH

EXHAUST OUTLET



Made of 304 Stainless Steel

P/N	Hose Dia	Fastener
<u>H340100</u>	3"	1/4FH
<u>H340200</u>	3-1/2"	1/4FH
<u>H340300</u>	4"	1/4FH

TRANSOM EXHAUST PIPE



Made of 304 Stainless Steel

P/N	Hose Dia	Fastener	Length
<u>H350100</u>	1-1/2"	3-1/4"	4-9/16"
<u>H350200</u>	1-7/8"	3-5/8"	5-9/16"
<u>H350300</u>	2-1/2"	4-1/8"	5-9/16"
<u>H350400</u>	3"	4-3/4"	4-15/16"

DECK PLATE



Made of 316 Stainless Steel

P/N	Flange	Plate ID
<u>H360100</u>	4-11/16"	3"
<u>H360200</u>	4-9/16"	4"
<u>H360300</u>	(Key Only)	

THRU-HULL/VENTILATION/EXHAUST

DECK PLATE KEY

Made of 304 Stainless Steel

P/N	Length
<u>H370100</u>	7"



OVAL DRAIN PLUG

Made of 316 Stainless Steel

P/N	Flange	Install Hole
<u>H430100</u>	2-1/5" * 1-1/2"	1-1/8"



OVAL DRAIN PLUG w/plastic cap

Made of 316 Stainless Steel

P/N	Flange	Install Hole
<u>H430200</u>	2-1/5" * 1-1/2"	1-1/8"



EXHAUST FITTING

Made of 316 Stainless Steel

P/N	Hose	Flange	Install Hole	Total Length
<u>H440100</u>	1-1/2"	3-1/8"	2-1/4"	5-1/2"
<u>H440200</u>	2"	3-1/8"	2-1/4"	4-1/2"
<u>H440300</u>	3"	4-5/8"	3-1/2"	5-3/4"



THRU-HULL/VENTILATION/EXHAUST

FUEL TANK VENT ROUND HEAD

Made of 304 Stainless Steel

P/N	Hose	Length Thread	Height
<u>H480185</u>	5/8"	1-2/5"	3"



FUEL TANK VENT ROUND HEAD,90 Degree

Made of 304 Stainless Steel

P/N	Hose	Length Thread	Flange
<u>H470134</u>	3/4"	1-1/8"	2"
<u>H470285</u>	5/8"	1-1/8"	1-3/4"



FUEL TANK VENT ROUND HEAD,90 Degree

Made of 304 Stainless Steel

P/N	Hose	Length Thread
<u>H460134</u>	3/4"	1-1/8"
<u>H460285</u>	5/8"	1-1/8"



SKIN FITTINGS STRAIGHT

Made of 316 Stainless Steel

P/N	Hose	Flange	Install Hole	Total Length
<u>H410200</u>	3/4"	1-1/4"	7/8"	2-5/8"



Lamp Series

LED UNDERWATER LIGHT STRIP



P/N	Size	LEDs	Color
<u>G010104</u>	4"	6	White
<u>G010206</u>	6"	10	White
<u>G010308</u>	8"	12	White
<u>G010404</u>	4"	6	Blue
<u>G010506</u>	6"	10	Blue
<u>G010608</u>	8"	12	Blue
<u>G010704</u>	4"	6	Red
<u>G010806</u>	6"	10	Red
<u>G010908</u>	8"	12	Red
<u>G011004</u>	4"	6	Green
<u>G011106</u>	6"	10	Green
<u>G011208</u>	8"	12	Green

DOME LIGHT Brass w/teak base



P/N	Diameter	Height	Base Dia.	Bulb
<u>G110100</u>	4"	1-5/8"	5-1/2"	12V 15W
<u>G110200</u>	5"	2"	6-3/4"	12V 15W

DOME LIGHT

Made of 304 Stainless Steel



P/N	Diameter	Height	Base Dia	Bulb
<u>G020103</u>	3"	1-1/2"	4-1/2"	LED
<u>G020104</u>	4"	1-5/8"	5-1/2"	LED
<u>G020205</u>	5"	2"	6-3/4"	LED
<u>G020303</u>	3"	1-1/2"	4-1/2"	12V, 8W
<u>G020304</u>	4"	1-5/8"	5-1/2"	12V, 15W
<u>G020405</u>	5"	2"	6-3/4"	12V, 15W
<u>G020504</u>	4"	1-5/8"	5-1/2"	Red/White
<u>G020605</u>	5"	2"	6-3/4"	Red/White

VENTED DOME LIGHT

Made of 304 Stainless Steel



P/N	Diameter	Height	Base Dia	Bulb
<u>G020705</u>	5"	2"	6-3/4"	12V, 15W
<u>G020804</u>	4"	1-5/8"	5-1/2"	12V, 15W
<u>G020903</u>	3"	1-1/2"	4-1/2"	12V, 8W
<u>G021005</u>	5"	2"	6-3/4"	LED
<u>G021004</u>	4"	1-5/8"	5-1/2"	LED
<u>G021003</u>	3"	1-1/2"	4-1/2"	LED
<u>G021104</u>	4"	1-5/8"	5-1/2"	Red/White
<u>G021105</u>	5"	2"	6-3/4"	Red/White

Lamp Series

DOME LIGHT

Made of 304 stainless steel plating titanium

P/N	Diameter	Height	Base Dia	Bulb
G021303	3"	1-1/2"	4-1/2"	12V, 8W
G021304	4"	1-5/8"	5-1/2"	12V, 15W
G021305	5"	2"	6-3/4"	12V, 15W
G021403	3"	1-1/2"	4-1/2"	LED
G021404	4"	1-5/8"	5-1/2"	LED
G021405	5"	2"	6-3/4"	LED
G021504	4"	1-5/8"	5-1/2"	Red/White
G021505	5"	2"	6-3/4"	Red/White



VENTED DOME LIGHT

Made of 304 stainless steel plating titanium

P/N	Diameter	Height	Base Dia	Bulb
G021603	3"	1-1/2"	4-1/2"	12V, 8W
G021604	4"	1-5/8"	5-1/2"	12V, 15W
G021605	5"	2"	6-3/4"	12V, 15W
G021703	3"	1-1/2"	4-1/2"	LED
G021704	4"	1-5/8"	5-1/2"	LED
G021705	5"	2"	6-3/4"	LED
G021804	4"	1-5/8"	5-1/2"	Red/White
G021805	5"	2"	6-3/4"	Red/White



DOME LIGHT

Made of 304 Stainless Steel and White Powder Coating

P/N	Diameter	Height	Base Dia	Bulb
G021904	3"	1-1/2"	4-1/2"	12V, 8W
G022005	4"	1-5/8"	5-1/2"	12V, 15W
G022105	5"	2"	6-3/4"	12V, 15W



REPLACEMENT BULB

Made of 304 Stainless Steel

P/N	Description	Color
G031015	12V 15W	Red
G031025	12V 15W	White



Lamp Series

REPLACEMENT LED BULB

E10 lamp holder 3V 0.6W

P/N G030300



PORTABLE BATTERY OPERATED Light-Bow Light

Using 2Pcs 3# batteries

P/N	Description
-----	-------------

<u>G040100</u>	Bulb
----------------	------

<u>G040500</u>	LED
----------------	-----



PORTABLE BATTERY OPERATED Light-Bow Light

Using 2Pcs 3# batteries

P/N	Description
-----	-------------

<u>G040200</u>	Bulb
----------------	------

<u>G040600</u>	LED
----------------	-----



PORTABLE BATTERY Light- Stern Light 24"

Using 2Pcs 3# batteries

P/N	Description
-----	-------------

<u>G040300</u>	Bulb
----------------	------

<u>G040700</u>	LED
----------------	-----



Lamp Series

PORTABLE BATTERY Light-Bow Suction

Using 2Pcs 3# batteries

G040400 Bulb

G040800 LED



LED Courtesy Interior Light

optional white and chrome decorative cover

P/N	Diameter	Color
<u>G050104</u>	3"	White

<u>G050204</u>	3"	Red
----------------	----	-----

<u>G050304</u>	3"	Blue
----------------	----	------



NAVIGATION LIGHT BI-COLOUR

Made of 304 Stainless Steel

P/N	Width	Length	Bulb
<u>G060100</u>	2-1/2"	3-1/4"	12V 8W

<u>G060200</u>	2-1/2"	3-1/4"	LED
----------------	--------	--------	-----



LED SPOT LIGHT

Made of cast aluminum

8 super LED's maximum illumination 12V 8W

P/N	Width	Length
<u>G070100</u>	4-1/3"	4"



Lamp Series

TRANSOM LIGHT

Made of 304 Stainless Steel



P/N	Lens	Base Dia.	Bulb
<u>G080206</u>	White	3"	12V 8W
<u>G080207</u>	Red	3"	12V 8W
<u>G080208</u>	White	3"	LED
<u>G080209</u>	Red	3"	LED

NAVIGATION LIGHT

Made of 304 Stainless Steel



P/N	Description	Bulb
<u>G090100</u>	Stem Light (Transparent)	12V 8W
<u>G090200</u>	Bow Light (Red/green)	12V 8W
<u>G090300</u>	Side Light (Green)	12V 8W
<u>G090400</u>	Side Light (Red)	12V 8W
<u>G090500</u>	Stem Light (Transparent)	LED
<u>G090600</u>	Bow Light (Red/green)	LED
<u>G090700</u>	Side Light (Green)	LED
<u>G090800</u>	Side Light (Red)	LED

LED NAVIGATION LIGHT

Made of 304 Stainless Steel



P/N	Description	Color
<u>G100101</u>	1.2w, 8-30v	Red
<u>G100102</u>	1.2w, 8-30v	Green

ELECTRICAL ACCESSORIES

BATTERY TERMINALS



Clamp type wing nut terminal made of lead alloy,
Brass plated wing nuts.
3/8" positive stud and 5/16" negative stud

P/N I010100

BATTERY TERMINALS



Clamp type wing nut terminal made of lead alloy

P/N I010101

BATTERY DISCONNECT SWITCH



Poly housing is rust and corrosion proof.
Key and cover prevent corrosion.


P/N	Mount	Stud	Description
<u>I230200</u>	2 Holes	M8	100A Continuous
<u>I230100</u>	4 Holes	M8	100A Continuous
<u>I230110A</u>	4 Holes	M10	100A Continuous
<u>I230101</u>			Key Only

CABLE CONNECTOR

Connector and plastic cover



P/N	Amps	Volt	A	B
<u>I210100</u>	20A	12V	46mm	30mm



ELECTRICAL ACCESSORIES

BATTERY TERMINAL

Made of Bakelite and Brass



P/N	Length	Width	Height
<u>I100100</u>	2-1/2"	1-3/4"	1"

FUSE & TERMINAL BLOCK

Made of Bakelite and Brass



P/N	Base size	Gang
<u>I010110</u>	3-1/4"*3"	4
<u>I010200</u>	3-1/4"*4-1/2"	4
<u>I010300</u>	3-1/4"*6"	4

TERMINAL BLOCK



P/N	Base size	Dimension	Gang
<u>I020100</u>	5-3/4"*1-1/4"	w/Nickel Plated Steel Bolts	10
<u>I020200</u>	5-3/4"*1-1/4"	w/Brass Bolts	10

TERMINAL BLOCK

Made of Bakelite and Brass




P/N	Base size	Gang
<u>I030100</u>	3"*1-1/2"	4
<u>I030200</u>	4-1/2"*1-1/2"	8

ELECTRICAL ACCESSORIES

FUSE BLOCK

Made of Bakelite and Brass

P/N	Base size	Gang
<u>I040402</u>	1-1/2" * 2-3/4"	2
<u>I040504</u>	3" * 2-3/4"	4
<u>I040606</u>	4-1/2" * 2-3/4"	6



PUSH PULL SWITCH

5A, 2 Position ON-OFF, chromed brass

P/N	Mounting holes	Shaft length
<u>I090100</u>	5/16"	1/4"
<u>I090200</u>	5/16"	7/8"



TOGGLE SWITCH

16A, 3 Position ON-OFF-ON

P/N	Length	width	Description
<u>I090300</u>	0.78"	1.4"	Red lighted switch (12V)
<u>I090400</u>	0.78"	1.4"	Without lighting



TOGGLE SWITCH

10A, 2 Position ON-OFF

P/N	Length	width
<u>I130100</u>	1.15"	0.62"



ELECTRICAL ACCESSORIES

DUAL POWER OUTLET



Converts 12 volt cigarette lighter socket to dual power outlet.

LED light indicates power. Fuse included

P/N 1020110

12 V SWITCH PANEL



Black coated aluminum panel Complete with 5A Gas fuses. Lighted switches and function legends printed on adhesives.

P/N	Length	Width	Positions
<u>1050104</u>	5"	4-1/2"	4
<u>1050306</u>	6-1/2"	4-1/2"	6

12 V SWITCH PANEL



Black coated aluminum panel Complete.

Lighted switches and function legends printed on adhesives.

P/N	Length	Width	Positions
<u>1050404</u>	5"	4-1/2"	4
<u>1050206</u>	6-1/2"	4-1/2"	6

12 V SWITCH PANEL



Black coated aluminum panel Complete.

Weatherproof With 5A glass fuses and indicator lights.

P/N	Length	Width	Positions
<u>1110100</u>	4"	4"	3
<u>1110200</u>	5"	4"	4
<u>1110300</u>	6-3/4"	4"	6

ELECTRICAL ACCESSORIES

12V CIGARETTE LIGHTER w/light

Made of 304 Stainless Steel

RVS. Compleet met verlichting plug, aansteker en kabels.

P/N I120100



INLINE-BLOWER

Inline-blower 12v 4.5A

Capacity 90-120m³/h.

P/N	Diameter	Length
<u>I140100</u>	3"	5"



INLINE-BLOWER

Inline-blower 12v 4.5A

Capacity 207m³/h.

P/N	Diameter	Length
<u>I190100</u>	3"	8-3/8"



WATERPROOF MARINE SPEAKER

Waterproof two-way speakers , available 60 or 100 watt, Set of two.

P/N	Diameter	Install depth	Model	Bore	Color
<u>I150100</u>	6"	2"	60W	4-3/4"	White
<u>I150101</u>	6"	2"	60W	4-3/4"	Black
<u>I150200</u>	7"	2-1/2"	100W	6"	White



ELECTRICAL ACCESSORIES

WATERPROOF MARINE SPEAKER

Waterproof two-way speakers, set of two



P/N	Diameter	Depth	Model	Color
<u>I156013W</u>	180mmx65mm	61.5mm	100W	White
<u>I156013B</u>	180mmx65mm	61.5mm	100W	Black

ELECTRO-MAGNETIC BOAT HORN--SINGLE

Made of 316 Stainless Steel



P/N	Diameter	Length	Height	Volt
<u>I220201</u>	120mm	400mm	127mm	12V
<u>I220401</u>	120mm	400mm	127mm	24V

ELECTRO-MAGNETIC BOAT HORN--DUAL

Made of 316 Stainless Steel



P/N	Diameter	Length	Height	Volt
<u>I220102</u>	120mm	470mm	127mm	12V
<u>I220102</u>	120mm	470mm	127mm	24V

ELECTRIC INFLATOR

Made of Electrical Part and ABS Plastic



P/N	Amps	Volt	Power	Frequency
<u>I170100</u>	6A	220-230V	1200W	50-60HZ

Electrical accessories

MINI COMPACT HORN - twin

Made of 304 Stainless Steel



P/N	Model	Volt	Diameter
<u>1160100</u>	Twin	12V 4A	3/1/4"
<u>1160200</u>	Single	12V 2A	3/1/4"

LIFT HANDLE

SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel



P/N	Height	Width	Length
<u>1030100</u>	5/16"	2-3/16"	3"

SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel



P/N	Height	Width	Length	Spring
<u>1050100</u>	7/16"	2-3/16"	2-9/16"	Yes
<u>1050200</u>	7/16"	1-1/2"	1-3/4"	Yes
<u>1050300</u>	3/8"	2-3/16"	2-9/16"	No

SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel



P/N	Height	Width	Length
<u>1080100</u>	5/16"	2-3/16"	3"

LIFT HANDLE

HATCH COVER Pull

Made of 304 Stainless Steel



P/N	Dia.	Length	Base Dia.	Washer
<u>I020100</u>	1/4"	3-3/16"	1-1/4"	Optional
<u>I020200</u>	1/4"	4-1/2"	1-1/4"	Optional

FLUSH LIFT RING

Made of 316 Stainless Steel



P/N	Width	Length
<u>I370100</u>	1-1/2"	1-15/16"
<u>I370200</u>	1-7/8"	2-1/2"

LIFTING RING

Made of 316 Stainless Steel




P/N	Width	Length
<u>I380100</u>	3"	2-1/4"

GRAND COMPRESSION LATCH WATERTIGHT

Made of 316 Stainless Steel



P/N	A	B	
<u>I510200</u>	8-25mm	22-76mm	
C	D	E	F
60mm	50mm	71mm	54mm




LIFT HANDLE

WATERTIGHT ROUND GRAND COMPRESSION LATCH

Made of chrome T-handle and black polymer body



P/N	A	B	C
<u>1610100</u>	3-19mm	19-60mm	75mm
	D	E	F
	63.5mm	58mm	60mm



ROUND HATCH HANDLE

Made of 316 stainless steel




P/N	Face Size	Length	Hole
<u>1510400</u>	2-3/8"	3-3/4"	2"

FLUSH HATCH PULL RING

Made of 316 stainless steel



P/N	A	B	C	D
<u>1620100</u>	83mm	21m	12+16 (ring)mm	19mm




LIFT HANDLE

SPRING LOADED FLUSH LIFT HANDLE / Lock

Made of 316 Stainless Steel

P/N	A	B
<u>1510300</u>	8-25mm	22-76mm


C	D	E	F
60mm	50mm	71mm	54mm



HATCH LOCK

Made of 316 Stainless Steel

P/N	A	B	D
<u>1510100</u>	9-22mm	19-25mm	45mm



HINGES

UTILITY HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Fastener
<u>1300314</u>	1-1/2"	3"	#8



DOOR HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Fastener
<u>1520200</u>	3"	4"	#8



HINGES

BUTT HINGE



Made of 304 Stainless Steel

P/N	Width	Length	Thickness
<u>1250132</u>	2"	3"	1.5mm
<u>1250232</u>	1-7/8"	2"	1.5mm

BUTT HINGE



Made of 304 Stainless Steel

P/N	Width	Length	Thickness
<u>1270100</u>	1-5/8"	2-3/4"	2mm

STRAP HINGE

Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
<u>1280104</u>	1"	4"	0.177"
<u>1280305</u>	1"	5-3/16"	0.177"
<u>1280206</u>	1"	6-1/3"	0.177"

DOOR HINGE

Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
<u>1290115</u>	1-1/2"	1-1/2"	0.177"
<u>1290220</u>	2"	2"	0.177"



HINGES

DOOR HINGE

Precision cast 316 stainless steel polished



P/N	Width	Length	Thickness
<u>I300113</u>	1-1/2"	3"	0.177"
<u>I300123</u>	1-1/2"	3-1/2"	0.177"
<u>I300214</u>	1-1/2"	4"	0.177"

BUTT HINGE

Made of 304 Stainless Steel



P/N	Width	Length	Thickness
<u>I320100</u>	1-1/2"	2-1/4"	2mm

COVERED BUTT HINGE FLUSH TYPE

Made of 316 Stainless Steel



P/N	Width	Length	Thickness
<u>I500100</u>	2-15/16"	2-7/8"	3mm

DOOR HINGE

Made of 304 Stainless Steel



P/N	Width	Length	Thickness
<u>I540100</u>	1-1/16"	4-1/2"	1.5mm
<u>I540200</u>	1-1/16"	5-1/5"	1.5mm
<u>I540300</u>	1-1/16"	6-1/2"	1.5mm

HINGES

DOOR HINGE

Precision cast 316 stainless steel polished



P/N	Width	Length	Thickness
<u>J520100</u>	5"	5"	4mm

Lid buckle, door bolt, door lock

HATCH FASTENER

Made of 304 Stainless Steel



P/N	Width	Length
<u>J100100</u>	1"	2.6-3"
<u>J100200</u>	1.57"	1.5-4.9"
<u>J100300</u>	2.4"	6.25-7.1"

HEAVY DUTY BARREL BOLT

Made of 316 Stainless Steel



P/N	Width	Length	Bolt Length
<u>J110100</u>	1-1/2"	3-1/2"	3
<u>J110200</u>	1-1/2"	4-1/4"	4
<u>J110300</u>	1-1/2"	5-1/4"	5

HEAVY DUTY DOOR BOLT

Made of 316 Stainless Steel



P/N	Width	Length
<u>J160100</u>	1-1/4"	5-1/2"

Lid buckle, door bolt, door lock

SWIVEL HASP

Precision cast 316 stainless steel polished

P/N	Width	Length
<u>I310130</u>	1"	3"



SWIVEL HASP

Made of 304 Stainless Steel

P/N	Width	Length	Description
<u>I310230</u>	1"	2-3/4"	Swivel
<u>I310330</u>	1"	2-3/4"	Fixed



MAG. LATCH

Made of 316 Stainless Steel


P/N	Width	Length	Door thickness	Description
<u>I150100</u>	2-1/4"	4"	5/8"	Left
<u>I150200</u>	2-1/4"	4"	5/8"	Right



MAG DOOR LATCH

Made of 316 Stainless Steel

P/N	A	B	C	D	Door thickness
<u>I530100</u>	2.5"	3"	3.6"	2.75"	0.875"-1"
<u>I530200</u>	2.5"	3"	3.6"	2.75"	1.1"-1.38"



Lid buckle, door bolt, door lock

MARINE PADLOCK

Made of Brass



P/N	Width
<u>I440100</u>	1-1/5"

HATCH LOCK FASTENER

Made of 304 Stainless Steel



P/N	Length	Cut Hole
<u>I350100</u>	2-1/4"	7/8"
<u>I350200</u>	Plate Only	2-1/4"

CAM OVER LATCH

Made of 316 Stainless Steel.

Elongated wire loop is tensioned when latched.




P/N	Length	Width	Height
<u>I490200</u>	94mm	28mm	13mm

STAINLESS STEEL ANTI-RATTLE DOOR FASTENER

Made of 316 Stainless Steel.



P/N	A	B	C
<u>I100400</u>	100mm	46mm	75mm



BOAT HOOK & PADDLE

TELESCOPING BOAT HOOK

Made of Aluminum / Injected Molded Nylon

Length can be custom-made according to customer requirements



P/N	Open L	Close L	Section
<u>K010103</u>	96"	41"	3
<u>K010202</u>	70"	40"	2
<u>K010003</u>	144"	54"	3

TELESCOPING BOAT HOOK

Made of Aluminum / Injected Molded Nylon

Length can be custom-made according to customer requirements



P/N	Open L	Close L	Section
<u>K020147</u>	84"	48"	2

BOAT HOOK AND PADDLE

Made of Aluminum / Injected Molded ABS



P/N	Open L	Close L	Section
<u>K110100</u>	72"	48"	2

TELESCOPIC PADDLE

Made of Aluminum / Injected Molded PP



P/N	Open L	Close L	Section
<u>K060233</u>	33"	20"	3

BOAT HOOK & PADDLE

BOAT HOOK AND PADDLE

Made of Aluminum / Injected Molded ABS



P/N	Open L	Close L	Section
<u>K030146</u>	72"	48"	2

BRUSHES AND HOOK

Made of Aluminum / Injected Molded Nylon
w/2 brushes 1 plastic hook



P/N	Open L	Close L	Section
<u>K040147</u>	50"	28"	2

DELUXE TELESCOPIC BOAT HOOK

Made of Aluminum



P/N	Open L	Close L	Section
<u>K050159</u>	96"	54"	3

TELESCOPIC PADDLE WITH BOAT HOOK

Made of Aluminum / Injected Molded PP



P/N	Open L	Close L	Section
<u>K060126</u>	66"	22"	3

BOAT HOOK & PADDLE

BOAT HOOK AND PADDLE

Made of Aluminum / Injected Molded PP

P/N Length

K070100 59"



KAYAK PADDLE

Made of Aluminum / Injected Molded PP

P/N Length

K080100 82"



TELESCOPIC PADDLE

Made of Aluminum / Injected Molded PP

P/N Open L Close L Section

K090102 42" 30" 2



TELESCOPIC BOAT COVER SUPPORT

Made of Aluminum / Injected Molded PP

Length can be custom-made according to customer requirements

P/N Open L Close L Section

K100129 52" 29" 2

K100235 64" 35" 2



Anchor accessories

ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
<u>M010100</u>	7-3/4"	3-3/4"*2-1/4"	3"
<u>M010200</u>	8-7/8"	5"*2-1/4"	3"
<u>M010300</u>	9-7/8"	5-13/16"*2-1/4"	3"



ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
<u>M020100</u>	12-7/8"	3-3/4"*2-1/4"	4-1/3"
<u>M020200</u>	14"	5"*2-1/4"	4-1/3"
<u>M020300</u>	15"	5-13/16"*2-1/4"	4-1/3"



ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
<u>M030100</u>	12-7/8"	3-3/4"*2-1/4"	4-1/3"
<u>M030200</u>	14"	5"*2-1/4"	4-1/3"
<u>M030300</u>	15"	5-13/16"*2-1/4"	4-1/3"



STAINLESS STEEL CHAIN STOPPER

Made of 316 Stainless Steel

No chain tension on windlass with foot pedal for easy and safe release of the anchor chain.

P/N	A	B	C	D
<u>M380100</u>	68mm	79mm	40mm	14mm



Anchor accessories

ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
<u>M040100</u>	12-7/8"	3-3/4"*2-1/4"	4-1/3"
<u>M040200</u>	14"	5"*2-1/4"	4-1/3"
<u>M040300</u>	15"	5-13/16"*2-1/4"	4-1/3"



ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M050115</u>	15"	2"	φ2-1/2"*1-3/4"
<u>M050223</u>	23-1/4"	3-1/2"	φ4"*3-3/8"



BOW ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk	Color
<u>M060100</u>	6-1/4"	1-3/4"	φ2-1/2"*1-3/4"	2mm	Black
<u>M060200</u>	6-1/4"	1-3/4"	φ2-1/2"*1-3/4"	4mm	Black
<u>M060300</u>	6-1/4"	1-3/4"	φ2-1/2"*1-3/4"	4mm	White



ANCHOR ROLLER W/PU ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M070109</u>	9"	1-3/4"	φ2-1/2"*1-3/4"



Anchor accessories

ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk
<u>M080111</u>	11"	2"	$\phi 2-1/2" * 1-3/4"$	3mm
<u>M080211</u>	11"	2"	$\phi 2-1/2" * 1-3/4"$	4mm

ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M090100</u>	8-3/4"	2-5/8"	$\phi 2" * 2"$
<u>M090200</u>	8-3/4"	2"	$\phi 2-1/2" * 1-5/8"$

POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M100100</u>	10-1/2"	2"	$\phi 1-7/8" * 1-5/8"$

ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk
<u>M110100</u>	15-1/4"	2-1/16"	$\phi 2-1/2" * 1-3/4"$	3mm
<u>M110200</u>	15-1/4"	2-1/16"	$\phi 2-1/2" * 1-3/4"$	4mm

Anchor accessories



ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M120119</u>	19"	3-1/2"	φ3"×3"



ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M130119</u>	19-7/8"	2-7/8"	φ2-11/16"×2-3/8"



POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
<u>M140123</u>	23"	3-3/4"	φ3"×3-3/8"



ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width
<u>M150122</u>	22-3/4"	3-1/4"

Anchor accessories

PLATFORM BOW ROLLER

Made of 304 Stainless Steel



P/N	Length	Width	Roller size
<u>M160106</u>	6"	1-3/4"	φ2-1/2"×1-3/4"
<u>M160206</u>	6"	3-1/2"	φ3"×3-3/8"

PLATFORM BOW ROLLER

Made of 304 Stainless Steel



P/N	Length	Width	Roller size
<u>M170100</u>	3-7/8"	3-1/2"	φ3"×3-3/8"

STERN FAIRLEAD ANCHOR ROLLER

Made of 304 Stainless Steel



P/N	Length	Height	Roller size
<u>M180100</u>	6-1/4"	3-5/8"	φ2-1/2"×1-3/4"

REPLACEMENT ROLLER

Made of nylon



P/N	Dia	Width	Bushing
<u>M190100</u>	2"	2"	3/8"
<u>M190200</u>	2-11/16"	2-3/8"	1/2"
<u>M190300</u>	2-1/2"	1-3/4"	3/8"
<u>M190400</u>	3"	3"	1/2"
<u>M190500</u>	3"	3-3/8"	1/2"
<u>M190600</u>	4"	4"	1/2"
<u>M190700</u>	4"	3-3/8"	1/2"

Anchor accessories

REPLACEMENT ROLLER

Made of nylon



P/N	Dia	Width
<u>M200100</u>	3"	2.375"
<u>M200200</u>	2.36"	2.81"
<u>M200300</u>	2"	2.64"
<u>M200400</u>	2.25"	2.31"

ANCHOR CHAIN TENSIONER

Made of 316 Stainless Steel



P/N	Length	Width
<u>M210100</u>	8-1/4"	3-3/4"

ANCHOR LOCK

Made of 316 Stainless Steel



P/N	Length	Width	Height	Pin
<u>M220104</u>	4"	1.5"	1.5"	5/16"

FORGED BOW SHACKLE SS w/captive pin

Made of 304 Stainless Steel



P/N	Size
<u>M300104</u>	D=4mm
<u>M300205</u>	D=5mm
<u>M300306</u>	D=6mm
<u>M300408</u>	D=8mm
<u>M300510</u>	D=10mm

Anchor accessories

FORGED D SHACKLE w/captive pin

Made of 316 Stainless Steel

P/N	Size
<u>M310105</u>	D=5mm
<u>M310206</u>	D=6mm
<u>M310308</u>	D=8mm
<u>M310410</u>	D=10mm



FORGED LONG SHACKLE w/captive pin

Made of 316 Stainless Steel

P/N	Size
<u>M380106</u>	D=6mm
<u>M380208</u>	D=8mm
<u>M380310</u>	D=10mm



CHAIN STOPPER casting

Made of 316 Stainless Steel

P/N	for chain
<u>M320100</u>	3/8" - 1/2"



CHAIN LINK, FIXED

Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
<u>M350100</u>	3"	3/8"	850KG
<u>M350200</u>	3-1/2"	1/2"	1350KG



Anchor accessories

CHAIN LINK, SWIVELLING

Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
<u>M350300</u>	3-1/3"	3/8"	850KG
<u>M350400</u>	4-1/2"	1/2"	1350KG
<u>M350500</u>	6"	11/16"	1700KG

CHAIN LINK, SWIVELLING

Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
<u>M350600</u>	5-1/4"	3/8"	850KG

CHAIN LINK, SWIVELLING

Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
<u>M1001M1</u>	3-1/2"	1/4"	850KG
<u>M100283</u>	4-7/10"	3/8"	1350KG
<u>M100385</u>	5-1/2"	1/2"	1700KG

DANFORTH ANCHOR

Made of galvanize

P/N	Weight	Length
<u>M360102</u>	2.5KG	17.1"
<u>M360204</u>	4KG	18.9"
<u>M360306</u>	6KG	19.5"
<u>M360408</u>	8KG	22.8"
<u>M360510</u>	10KG	23.2"
<u>M360612</u>	12KG	26.4"
<u>M360615</u>	15KG	30.2"
<u>M360720</u>	20KG	34.3"
<u>M360825</u>	25KG	35.2"

Anchor accessories

BRUCE ANCHOR

Made of galvanize

P/N	Weight	Length
<u>M370105</u>	5KG	16.5"
<u>M370107</u>	7.5KG	18.5"
<u>M370210</u>	10KG	20.8"
<u>M370315</u>	15KG	24"
<u>M370420</u>	20KG	26.8"
<u>M370540</u>	40KG	32.7"

GALVANIZED PLOW ANCHOR

Made of 316 stainless steel

Galvanized anchor with great holding power, easy to use

P/N	Weight	Material
<u>M380104A</u>	4KG	Verzinkt
<u>M380206A</u>	6KG	Verzinkt
<u>M380310A</u>	10KG	Verzinkt

STAINLESS STEEL ANCHOR CHAIN

Made of 316 stainless steel

P/N	Dia	Working Load	Weight(kg/m)	length(per/kg)	supplied per
<u>M380106A</u>	6mm	1400KG	0.80KG	1.25m	50m
<u>M380108A</u>	8mm	2500KG	1.40KG	0.68m	50m
<u>M380110A</u>	10mm	3400KG	2.20KG	0.46m	50m

STAINLESS STEEL SHACKLE KEY

Made of 304 stainless steel

Designed to fit all deck plate caps

P/N	Length	Width
<u>N660100</u>	98mm	57mm

CLEAT/U-BOLT/SKI-TOW

PULL UP CLEAT WITH STUDS

Made of 316 Stainless Steel



P/N	Length	Height
<u>N010145</u>	4.5"	3/4"
<u>N010206</u>	6"	1"

POP-OUT CLEAT

Made of 316 Stainless Steel



P/N	Length	Height
<u>N350104</u>	4"	7/8"
<u>N350206</u>	6"	1"
<u>N350308</u>	8"	1-1/4"
<u>N350410</u>	10"	1-1/2"

POP-OUT CLEAT w/ drain tube

Made of 316 Stainless Steel



P/N	Length	Height
<u>N330104</u>	4.5"	15/16"
<u>N330206</u>	6"	1-1/8"
<u>N330308</u>	8"	1-1/3"

STAINLESS STEEL X-FOLDING CLEAT

Made of 316 Stainless Steel



P/N	Length	Width	H1	H2	Mounting
<u>N360106</u>	156	25	20	38	3x M8x50 (mm)
<u>N360208</u>	202	34	27	57	3xM10x55 (mm)
<u>N360310</u>	256	43	35	69	3xM12x60 (mm)

CLEAT/U·BOLT/SKI·TOW

HELLOW BASE CLEAT

Made of 316 Stainless Steel



P/N	Length	Height
<u>N020106</u>	6"	1-1/4"
<u>N020208</u>	8"	1-1/2"
<u>N020310</u>	10"	1-3/4"
<u>N020404</u>	4"	1"
<u>N020512</u>	12"	2-1/8"

BOW CHOCK by pair

Made of 316 Stainless Steel



P/N	Length	Line size
<u>N030104L/R</u>	4-1/2"	1/2"

HORN BOLLARD

Made of 316 Stainless Steel



P/N	Length	Height	Base
<u>N110100</u>	9-1/2"	3-1/6"	7-2/5"*2-3/4"
<u>N110200</u>	11-4/5"	4"	10"*3-1/6"
<u>N110300</u>	13-4/5"	4-1/3"	11-3/4"*3-1/2"

HEAVY DUTY CLEAT

Made of 304 Stainless Steel



P/N	Length	Height	Base
<u>N120100</u>	6"	1-3/4"	3-1/2*1-1/4"
<u>N120200</u>	8"	2-1/8"	4-3/4*1-1/4"
<u>N120300</u>	10"	2-3/4"	6"*1-1/2"
<u>N120400</u>	13"	3-1/8"	6-1/4"*1-1/2"

CLEAT/U-BOLT/SKI-TOW

HEAVY DUTY CLEAT

Made of 304 Stainless Steel



P/N	Length	Height	Base
<u>N130106</u>	6"	1-3/4"	3-1/2"*1-1/4"
<u>N130208</u>	8"	2-1/8"	4-3/4"*1-1/4"
<u>N130310</u>	10"	2-3/4"	6"*1-1/2"
<u>N130412</u>	12"	3-1/8"	6-1/4"*1-1/2"

HEAVY DUTY CLEAT

Made of 304 Stainless Steel



P/N	Length	Height	Base
<u>N140106</u>	6"	1-3/4"	3-1/2"*1-1/4"
<u>N140208</u>	8"	2-1/8"	4-3/4"*1-1/4"
<u>N140310</u>	10"	2-3/4"	6"*1-1/2"
<u>N140412</u>	12"	3-1/8"	6-1/4"*1-1/2"

PULL UP FOLDING CLEAT

Made of 316 Stainless Steel



P/N	Length
<u>N340106</u>	6"
<u>N340208</u>	8"

LIFTING ADAPTER PLATE

Made of 304 Stainless Steel



P/N	Length	Height	Rod	Threads
<u>N050100</u>	5-1/4"	1-5/8"	1-1/4"	5/8"-11

CLEAT/U-BOLT/SKI-TOW

THREAD ROD

Made of 304 Stainless Steel

P/N	Length
<u>N060185</u>	5/8-11"*36"



LIFT RING

Made of 316 Stainless Steel

P/N	Height	Thread
<u>N070124</u>	3-1/4"	5/8-11"



PULL UP FOLDING CLEAT

Made of 316 Stainless Steel

P/N	Length	Eye Dia	Thread
<u>N080106</u>	6"	1-1/16"	5/8-11"



SKI TOW

Made of 304 Stainless Steel

P/N	Ring OD	Stock	Thread
<u>N040183</u>	2-1/2"	3/8"	2"
<u>N040283</u>	2-1/2"	3/8"	1-1/2"
<u>N040383</u>	3"	3/8"	2"
<u>N040421</u>	3-1/2"	1/2"	2-1/2"



CLEAT/U-BOLT/SKI-TOW

SKITOW

Made of 316 Stainless Steel. Nut and washer included. Transom mount.



P/N	Ring OD	Size	Thread	Wire Dia
<u>N040583</u>	1/2"	2-3/8"	3"	3/8"

STAINLESS STEEL FAIRLEAD--BY PAIRS

Made of 316 Stainless Steel.



P/N	Length	Hole(Max)
<u>N030206</u>	150mm	19mm

STAINLESS STEEL FENDER SNAP HOOK

Made of 316 Stainless Steel.



P/N	Bore Dia.	Length	Outside Dimension
<u>N380100</u>	35mm	60mm	47mm

CLEAT/U-BOLT/SKI-TOW

BOW/ STERN EYE

Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length	Description
<u>N090183</u>	3/8"	3"	Bow Eye
<u>N090783</u>	3/8"	2-1/2"	Bow Eye
<u>N090283</u>	3/8"	3-7/16"	Bow Eye
<u>N090885</u>	5/8"	5"	Bow Eye
<u>N090985</u>	5/8"	6"	Bow Eye
<u>N090321</u>	1/2"	3-7/16"	Bow Eye
<u>N090421</u>	1/2"	4-3/4"	Bow Eye
<u>N090583</u>	3/8"	3-7/16"	Stern Eye
<u>N090621</u>	1/2"	3-7/16"	Stern Eye



STERN EYE WITH WELDING PLATE

Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length
<u>N260100</u>	3/8"	3-1/8"
<u>N260200</u>	3/8"	2-1/8"
<u>N260300</u>	3/8"	2-3/8"
<u>N260400</u>	1/2"	2-7/8"
<u>N260500</u>	1/2"	2-1/8"
<u>N260600</u>	1/2"	3-3/8"
<u>N260700</u>	1/2"	4-1/8"
<u>N260800</u>	5/8"	5-1/2"
<u>N260900</u>	5/8"	3-1/2"



BOW EYE

Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length
<u>N270100</u>	M5	13.8
<u>N270200</u>	M6	13.8
<u>N270300</u>	3/16"	1/2"
<u>N270400</u>	1/4"	1/2"



BOW EYE WITH PLATE

Made of 304 Stainless Steel

P/N	Plate Angle	U-BOLT
<u>N280100</u>	According to Customer's Request	According to Customer's Request



CLEAT/U-BOLT/SKI-TOW

MOORING SPRING

Made of 304 Stainless Steel



P/N	Dia	Length
<u>N150100</u>	3/16"	10-5/8"
<u>N150200</u>	1/4"	13-3/16"
<u>N150300</u>	1/4"	14-9/16"

HOOKS FOR SHOCK CORD

Made of 304 Stainless Steel



P/N	Wire	Dia
<u>N160100</u>	0.05"	0.24"
<u>N160200</u>	0.078"	0.31"
<u>N160300</u>	0.1"	0.39"
<u>N160400</u>	0.12"	0.47"
<u>N160500</u>	0.063"	0.24"

BOLLARDS WITH BASEPLATE

Made of 316 Stainless Steel



P/N	Dia	Height	Width
<u>M230150</u>	2"	3.74"	5.12"
<u>M230260</u>	2.4"	4.72"	6.3"
<u>M230370</u>	2.75"	5.95"	7.1"
<u>M230380</u>	3.15"	6.77"	7.87"

BOLLARDS FOR DIRECT WELDING

Made of 316 Stainless Steel



P/N	Dia	Height	Width
<u>M240150</u>	2"	3.74"	5.12"
<u>M240260</u>	2.4"	4.72"	6.3"
<u>M240370</u>	2.75"	5.95"	7.1"
<u>M240380</u>	3.15"	6.77"	7.87"

CLEAT/U-BOLT/SKI-TOW

MOORING BITT

Made of 304 Stainless Steel

P/N	Base	Height
-----	------	--------

<u>M250108</u>	8"*4-1/2"	7-1/4"
----------------	-----------	--------



MOORING BITT

Made of 304 Stainless Steel

P/N	Base	Height
-----	------	--------

<u>M260100</u>	4-3/4"*10-1/4"	6-5/16"
----------------	----------------	---------



Jessica@xmooceangate.com

HATCH HOLDER/BRACKET

HATCH HOLDER

Made of 304 Stainless Steel

P/N	Dia	Length	Description
<u>P010122</u>	7/8"	12-1/2"	Internal Cable



HATCH SPRING HOLDER

Made of 304 Stainless Steel

P/N	Dia	Length	Description
<u>P020114</u>	9/16"	10-1/4"	Internal Cable
<u>P020211</u>	7/16"	8-1/4"	
<u>P020314</u>	9/16"	10-1/4"	
<u>P020411</u>	7/16"	8-1/4"	Internal Cable



STAINLESS STEEL GAS SPRING

Made of 316 Stainless Steel. Cylinder Diameter: 18mm; Rod Diameter: 8mm.

P/N	Length	Capacity	Connected Way
<u>P080100</u>	290-500mm	20kg	Eye Nut
<u>P080200</u>	290-500mm	20kg	Ball Joint
<u>P080300</u>	320-550mm	35kg	Eye Nut
<u>P080400</u>	320-550mm	35kg	Ball Joint
<u>P080500</u>	320-550mm	64kg	Eye Nut
<u>P080600</u>	320-550mm	64kg	Ball Joint
<u>P080700</u>	290-500mm	40kg	Eye Nut
<u>P080800</u>	290-500mm	40kg	Ball Joint
<u>P080900</u>	350-600mm	50kg	Eye Nut
<u>P081000</u>	350-600mm	50kg	Ball Joint
<u>P081100</u>	170-250mm	18kg	Eye Nut
<u>P081200</u>	170-250mm	18kg	Ball Joint
<u>P081300</u>	225-355mm	18kg	Eye Nut
<u>P081400</u>	225-355mm	18kg	Ball Joint
<u>P081500</u>	350-600mm	30kg	Eye Nut
<u>P081600</u>	350-600mm	30kg	Ball Joint



HATCH HOLDER/BRACKET

HATCH SPRING ADJUSTER

Made of 304 Stainless Steel



P/N	Dia	Length	Description
<u>P030111</u>	7/16"	10-1/4"	
<u>P030211</u>	7/16"	8-1/4"	Internal Cable
<u>P030314</u>	9/16"	10-1/4"	
<u>P030414</u>	7/16"	8-1/4"	Internal Cable

HATCH ADJUSTER

Made of 304 Stainless Steel



P/N	Width	Length
<u>P030500</u>	0.59"	6.2"
<u>P030600</u>	0.59"	8"
<u>P030700</u>	0.59"	10.25"

SWIM PLATFORM MOUNTING BRACKET

Made of 304 Stainless Steel



P/N	Length	Height	Width	Degree
<u>P050100</u>	6"	12"	1-1/2"	12° *
<u>P060100</u>	7"	14"	1-1/2"	12° *
<u>P060200</u>	9"	17"	1-1/2"	12° *
<u>P060300</u>	14"	21"	1-1/2"	12° *

TABLE BRACKET

Made of 304 Stainless Steel



P/N	Length	Height	Max Load
<u>P070100</u>	12"	6-1/2"	150kg

HATCH HOLDER/BRACKET

TABLE BRACKET

Made of 304 Stainless Steel



P/N	Length	Height	Max Load
<u>P070200</u>	12"	6-1/2"	150kg

TABLE BRACKET

Made of 304 Stainless Steel



P/N	Length	Height	Max Load
<u>P070300</u>	12"	6-1/2"	250kg

TABLE BRACKETS

Made of 304 Stainless Steel

One Set Includes Two Wall Brackets And Two Table Brackets



P/N	Wall Bracket	Table Bracket
<u>P140100</u>	2-1/8"*3-3/8"	1-3/4"*2-3/4"

ANGLE BRACKET

Made of 304 Stainless Steel



P/N	Length	Height
<u>P120100</u>	11-4/5"	7-7/8"

HATCH HOLDER/BRACKET

GAS SPRING MOUNTING BRACKET

Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
<u>P082001</u>	10mm	90°	2" * 1.2"



GAS SPRING MOUNTING BRACKET

Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
<u>P082002</u>	10mm	90°	2" * 0.65"



GAS SPRING MOUNTING BRACKET

Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
<u>P082003</u>	10mm	0°	2.25" (W)



CONNECTOR FOR GAS SPRING--SET OF 2

Made of 316 Stainless Steel

P/N	Diameter	Connected Stud	Connected Way
<u>S080100</u>	10mm	M8	Ball Joint
<u>S080200</u>		M8	Eye Nut



ROD HOLDER

ROD HOLDER

Made of 304 Stainless Steel

P/N	Length	ID	Flange
<u>Q030100</u>	9"	1-1/2"	30°



ROD HOLDER w/Cap

Made of 304 Stainless Steel

P/N	Length	ID	Flange	Direction
<u>Q040100</u>	9"	1-1/2"	30°	top-down
<u>Q040200</u>	9"	1-1/2"	30°	down-top
<u>Q040300</u>	9"	1-1/2"	90°	



CLAMP-ON ROD HOLDER

Made of 304 Stainless Steel
Adjustable For 7/8"-1" Tube

P/N	Length	ID
<u>Q050100</u>	9"	1-5/8"



CLAMP-ON ROD HOLDER

Made of 304 Stainless Steel
Adjustable For 1" Tube

P/N	Length	ID
<u>Q050300</u>	8"	1-5/8"



ROD HOLDER

SIDE MOUNT ROD HOLDER

Made of 304 Stainless Steel



P/N	Length	ID	Direction
<u>Q060100</u>	10"	1-1/2"	Comes with Black Collar
<u>Q060200</u>	10"	1-1/2"	Comes with White Collar

OUTRIGGER ROD HOLDERS

Made of 304 Stainless Steel with rubber mounting pad



P/N	Base Flange	ID	Direction
<u>Q070100</u>	2-1/2"*5"	1-1/2"	Outrigger Pole Holders
<u>Q070200</u>			Tube Only
<u>Q070300</u>			Base only

VERTICAL MOUNT FISHING HOLDER

Made of 304 Stainless Steel



P/N	Length	ID	Flange
<u>Q080100</u>	9"	1-3/4"	45°

PLASTIC ROD HOLDER W/SS COVER

Made of Injection Molded Nylon W/CAT#304 PVC Cover



P/N	Length	ID	Color
<u>Q090100</u>	9-1/2"	1-3/4"	Black
<u>Q090200</u>	9-1/2"	1-3/4"	White
<u>Q090300</u>	9-1/2"	1-3/4"	Black+lid
<u>Q090400</u>	9-1/2"	1-3/4"	White+lid

ROD HOLDER

RACK ROD HOLDER 2 tubes - UV stabilized plastic

Made of Plastic pp

P/N	Length	ID	Height	Depth
<u>Q100102</u>	8-3/4"	1-5/8"	12"	2-5/8"



RACK ROD HOLDER 3 tubes - UV stabilized plastic

Made of Plastic pp

P/N	Length	ID	Height	Depth
<u>Q110103</u>	12-7/8"	1-5/8"	12"	2-5/8"



ROD HOLDER SIDE MOUNT - UV stabilized plastic

Made of Plastic pp W/SS Mounting Clamps

P/N	ID	Height	Description
<u>Q120101</u>	1-5/8"	12"	With 2 clamps & screws
<u>Q120201</u>	1-5/8"	12"	



BRACKET LAUNCHER 4 ROD

Made of 304 Stainless Steel

P/N	Length	ID
<u>Q130100</u>	36-1/2"	1-1/2"



ROD HOLDER

OUTRIGGER ROD HOLDER

Made of 304 Stainless Steel



P/N	Rod holder ID	Rod holder Length	Length
<u>Q140100</u>	1-1/2"	11-1/2"	19-1/2"

MULTIPLE ROD HOLDER

Made of 6061 AL/304 Stainless Steel



P/N	M' L	Rod holder Length	Length
<u>Q150100</u>	6061 AL	1-3/4"	24-7/8"
<u>Q150200</u>	S. S. 304	1-3/4"	24-7/8"

REMOVABLE ROD HOLDER

Made of 304 Stainless Steel



P/N	Mount bracket	ID	Tube L
<u>Q160100</u>	4"*3-11/16"	1-1/2"	8-1/2"

ROD HOLDER

FISHING ROD HOLDER

Made of 316 Stainless Steel



P/N	Length	Diameter	Installed Way
<u>Q170100</u>	260mm	45mm (Max)	Side Mount

FISHING ROD HOLDER-INTEGRATED

Made of Plastic PP



P/N	Length	ID	Height	Depth	Hole
<u>Q110113</u>	12-7/8"	1-5/8"	12"	2-5/8"	3
<u>Q100112</u>	8-3/4"	1-5/8"	12"	2-5/8"	2

FENDER HOLDER

SINGLE FENDER HOLDER

Made of 304 Stainless Steel



P/N	Fender Dia	Dia	Height
<u>N170100</u>	5.6"	7.13"	13.85"
<u>N170200</u>	8.5"	9.5"	15.2"
<u>N170300</u>	10.5"	11.13"	18.9"

LIFEBUOY BRACKET

Made of 316 Stainless Steel and Nylon Rope for lifebuoy light



P/N

N360100

FENDER HOLDER

DOUBLE FENDER HOLDER

Made of 304 Stainless Steel



P/N	Fender Dia	Dia	Height
<u>N180100</u>	6.5"	7.13"*14.26"	13.3"
<u>N180200</u>	8.5"	9.5"*19"	14.6"
<u>N180300</u>	10.5"	11.3"*22.26"	17.5"

DOUBLE FENDER HOLDER

Made of 304 Stainless Steel



P/N	Size	Fender	Height
<u>N210100</u>	7.5*15"	7"	11.5"
<u>N210200</u>	9.5*19"	9"	14.67"
<u>N210300</u>	11.5*23"	11"	17.5"

THRICE FENDER HOLDER

Made of 304 Stainless Steel



P/N	Size	Fender	Height
<u>N220100</u>	9.5"*2"	9"	14.67"
<u>N220200</u>	11.5"*34"	11"	17.5"

SINGLE FENDER BRACKET

Made of 304 Stainless Steel



P/N	Rail	Fender
<u>N190100</u>	7/8" or 1"	7.5"
<u>N190200</u>	7/8" or 1"	9.8"
<u>N190300</u>	7/8" or 1"	11.5"

MISCELLANEOUS

EYESTRAPS

Made of 304/ Stainless Steel

P/N	Rod.	Length	Height
<u>I010100</u>	3/16"	2"	1/2"
<u>I010200</u>	3/16"	2"	11/16"
<u>I010300</u>	1/4"	2"	7/8"
<u>I010400</u>	5/16"	2"	15/16"

BOAT HOOK HOLDER

Made of 304 Stainless Steel

P/N	Length	Hook Dia
<u>I130100</u>	4"	1"

RING BUOY HOLDER

Made of 304 Stainless Steel

P/N	Length	Hook Dia
<u>I140100</u>	7"	4"

WIND-PROOF ASHTRAY

Made of 304 Stainless Steel
non-slip bean bag

P/N	Dia	Color
<u>I150100</u>	4-1/2"	Blue
<u>I150100</u>	4-1/2"	Red

MISCELLANEOUS

EMERGENCY PLUGS


Made of Wood



P/N	Size	Set
<u>I170106</u>	$\phi 2'' * \phi 1.5''$	2pcs
	$\phi 1.5'' * \phi 1.1''$	1pcs
	$\phi 1.1'' * \phi 0.75''$	1pcs
	$\phi 0.85'' * \phi 0.5''$	2pcs

EMERGENCY PLUGS


Made of Wood



P/N	Size	Set
<u>I180140</u>	$\phi 1.57'' * \phi 1.97''$	3pcs
	$\phi 1.14'' * \phi 1.51''$	3pcs
	$\phi 0.75'' * \phi 1.14''$	3pcs

EMERGENCY PLUGS


Made of Wood



P/N	Size	Set
<u>I190135</u>	$\phi 1.37'' * \phi 1''$	1pcs
	$\phi 1.18'' * \phi 0.7''$	2pcs
	$\phi 0.86'' * \phi 0.55''$	2pcs
	$\phi 0.62'' * \phi 0.27''$	2pcs
	$\phi 0.37'' * \phi 0.17''$	2pcs

EMERGENCY PLUGS

Made of Wood



P/N	Size	Set
<u>I200138</u>	$\phi 1.5'' * \phi 1.1''$	1pcs
	$\phi 1.3'' * \phi 0.87''$	1pcs
	$\phi 1.1'' * \phi 0.71''$	1pcs
	$\phi 0.87'' * \phi 0.55''$	2pcs
	$\phi 0.58'' * \phi 0.25''$	1pcs
	$\phi 0.58'' * \phi 0.31''$	2pcs
	$\phi 0.43'' * \phi 0.16''$	2pcs

MISCELLANEOUS

SP LICING SPIKE

Made of 304 Stainless Steel & Wood

P/N	Thk	Width	Length
<u>1210110</u>	1"	13/16"	6-11/16"
<u>1210215</u>	1.5"	1-1/4"	11"
<u>1210320</u>	2"	1-7/8"	15-3/8"



TILLER ROPE PULLEY

Made of 304 Stainless Steel & Nylon

P/N	Rope Size	Wheel Dia.
<u>1220104</u>	ϕ1/4"	ϕ2-5/16"



FENDER LOCK EYE

Made of 316 Stainless Steel

P/N	Base	Eye
<u>1400100</u>	ϕ1-9/16"	ϕ3/5"



FENDER HOOK

Made of 316 Stainless Steel

P/N	Base	Eye	Height
<u>1420100</u>	1-1/3" * 1-1/8"	2/5"	7/8"



MISCELLANEOUS

SNAP HOOK

Made of 316 Stainless Steel




P/N	Base	Height
<u>I410100</u>	1-5/8" * 1-1/8"	1-1/3"

FOLDING STEP

Made of 316 Stainless Steel



P/N	A	B	C	D
<u>I430100</u>	4.5"	5"	1"	2"



SWIVEL WEBBING BUCKLE KIT for sun top

Stainless Steel A316 Buckle, pad Eye, Swivel Pin and Snap hook with 1" * 90" nylon webbing. Breaking load 400 kg



P/N
I460100

WEBBING WITH BUCKLE

Stainless Steel A316 Buckle with 1" * 90" nylon webbing.

Breaking load 400 kg

P/N
I460200



MISCELLANEOUS

STAINLESS STEEL FENDER EYE

Made of 316 Stainless Steel



P/N	A	B	C	Rope Dia.
<u>I420100</u>	33mm	29mm	21mm	10mm (Max)



MOORING ROPE--DOUBLE BRAIDED

Twisted Polypropylene Rope with Splice



P/N	Rope Dia.	Length	Color
<u>S010180</u>	8mm	2000mm	Black
<u>S010280</u>	8mm	2000mm	Blue
<u>S010380</u>	8mm	4500mm	Black
<u>S010480</u>	8mm	4500mm	Blue
<u>S010510</u>	10mm	4500mm	Black
<u>S010610</u>	10mm	4500mm	Blue
<u>S010712</u>	12mm	6500mm	Black
<u>S010812</u>	12mm	6500mm	Blue
<u>S010914</u>	14mm	10000mm	Black
<u>S011014</u>	14mm	10000mm	Blue

TRAILER WINCH WEBBING W/HOOK

Stainless steel 316 bolt and nut, nylon webbing.



P/N	Breaking Force	Rope Width	Length
<u>I470245</u>	2200kg	50mm	4500mm
<u>I470260</u>	2200kg	50mm	6000mm
<u>I470275</u>	2200kg	50mm	7500mm

ZINC PLATED TRAILER WINCH

Trailer winch: 1 speed with handle; 2 speed with removable handle

P/N	Pull	Speed
<u>I480180</u>	360kg	1
<u>I480255</u>	635kg	1
<u>I480382</u>	820kg	2



MISCELLANEOUS



BATTERY BOX or FUEL TANK HOLD DOWN STRAP KIT

Stainless Steel A316 Buckle and Strap Holder with 1" x 90" nylon webbing. Breaking load 400 kg

P/N

1460300



ADJUSTABLE BELT W/ZINC ALLOY BUCKLE

Zinc alloy Buckle and Strap Holder with 1" x 90" nylon webbing. Breaking load 400 kg

P/N

1460400



WEBBING WITH HOOK

Webbing with hook and Tie Down Ratchet 20' x 2". 2000 kg

P/N

1470100

SPRING LOADED CAM LATCH

Made of 316 Stainless Steel

P/N

Total Length

Width

1490100

3-1/5"

1"

MISCELLANEOUS

GIMBALS



Made of 304 Stainless Steel
Flat surface type

P/N

I600100

POLE HOLDER RUBBER

Made of Rubber



P/N

Length

Width

Fits tubing

I460400

1-7/8"

2"

7/8"-1"

PREMIUM OUTRIGGER KIT



P/N

Q030100

OUTRIGGER CLIP STANDARD

P/N

Q010100



MISCELLANEOUS

FOLDING DECK CHAIR



Made of 304 Stainless Steel / Aluminum

Folding deck chair is made with a combination of quality, strength and comfort- for fishing or just relaxing in the cockpit

Stainless hardware

Safety catch prevents accidental folding

UV resistant vinyl

P/N

R010100

R010200

TUBE MATERIAL

aluminum

304 stainless steel

CANVAS FOLDING CHAIR



Made of Aluminum tube

P/N

R020100

COOLER CUSHION



P/N

R030100

R030200

R030300

R030400

R030500

R030600

Size

22.6" * 13.3" * 2.8"

22.6" * 10.5" * 2.8"

26.5" * 10.5" * 2.8"

31.3" * 15.3" * 2.8"

38.9" * 16.5" * 2.8"

39.4" * 17.2" * 2.8"

RUB STRAKE

Made of 316 Stainless Steel

P/N

Width

Length

M270100

3/4"

8"

M270200

3/4"

12"

M270300

3/4"

18"

M270400

3/4"

24"

MISCELLANEOUS

RUB STRAKE

Made of 316 Stainless Steel



P/N	Width	Length
<u>M280100</u>	1"	8"
<u>M280200</u>	1"	12"
<u>M280300</u>	1"	18"
<u>M280400</u>	1"	24"

HOLLOW BACK RUBRAIL


Made of 316 Stainless Steel



P/N	Width	Length
<u>M280500</u>	3/4"	20'

RUB STRAKE

Made of 316 Stainless Steel



P/N	Width	Length
<u>M290100</u>	1"	12"

MOTOR CARRIERS

Made of Aluminum (Anodized)



P/N	Motors	Max. Weight
<u>N250100</u>	1-15hp	851b

MISCELLANEOUS

BAILER KIT



The bailer kit includes bailer scoop, 50ft rope and float, LED torch and whistle. O-ring sealed lid to waterproof whole container. Whistle consists of signal mirror, compass and waterproof chamber which can be for matches or keys.

P/N

S090100

GEAR BAG



Large capacity.
Made of heavy duty nylon.
Non-corrosive zippered top closure and carrying handles.
Keep contents dry and clean.

P/N

Description

Size

R040100

Rectangular

26"Lx12"Wx17"H

R040200

Square

20"Lx20"Wx12"H

MISCELLANEOUS

JET BOARD TRAILER

Made of Aluminum tube

P/N

N260100



MOORING SNUBBER

Made of Rubber

P/N

Size

Rope ϕ

N320143

17"

1/4" - 1/2"

N320249

19-1/3"

3/5" - 3/4"



ALUMINUM OUTBOARD MOTOR BRACKET

Made of Aluminum

P/N

Hp Rating

Broad Size

Mounting size

Base M' TL

S040100

7-1/2 To 20

8-1/4" * 10-3/8"

5-1/4" * 9"

Plastic

S040200

7-1/2 To 20

8-1/4" * 10-3/8"

5-1/4" * 9"

Wood



OUTBOARD MOTOR BRACKET

Made of Stamped 304 Stainless Steel

P/N

Hp Rating

Broad Size

Mounting size

Base M' TL

S030100

To 10

8-1/4" * 10-3/8"

4-7/16" * 5-11/16"

Plastic

S030200

To 10

8-1/4" * 10-3/8"

4-7/16" * 5-11/16"

Wood



MISCELLANEOUS

OUTBOARD MOTOR BRACKET

Made of Stamped 304 Stainless Steel

P/N	Hp Rating	Broad Size	Mounting size	Base M' TL
<u>S050100</u>	To 20	8-1/4" * 10-3/8"	8" * 8-5/8"	Plastic
<u>S050200</u>	To 20	8-1/4" * 10-3/8"	8" * 8-5/8"	Wood

BEARING PROTECTORS WITH COVER

Triple chrome plated housing All stainless steel internal

P/N	Size
<u>N650100</u>	1.98"

ACCESSORY SOCKET WITH BATTERY CLIP

Brass and plastic construction accessory plug for use directly with the battery. Accepts most cigarette lighter plugs 12V

Wire length can be according to the different need not custom-made

P/N	Wire Length	Amps
<u>I200100</u>	12"	50
<u>I200200</u>	36"	50

SEAT SWIVEL

surface of the lacquer that bake

P/N	Length	Width	Height
<u>N650200</u>	6"	6"	7/8"



Please Scan The QR Code To Add My Wechat To Get More Information.

jessica@xmoceangate.com