

CB (**RoHS SASO G-MARK ((() ISO9001 ISO14000** OHSAS18000

SHANGHAI SOYEA ELECTRICAL CO.,LTD.

Add:No.31Xishe First Road, Wushe Model Zone,

Songjiang,Shanghai,China Tel:0086 21 57877842 Postal code:201606

Fax:0086 21 57878188 E-mail:shsoyea@china-soyea.com

LU'AN SOYEA ELECTRICAL MANUFACTURING CO.,LTD.

Add:East Gaocheng Road, Economic & Technological
Development Zone, Lu'an City, Anhui Province, China
Tel:0086 564 3393723
Fax:0086 564 3393723
Postal code:237000
E-mail:soyeasales@china-soyea.com

E-CATALOGUE



REFRIGERATOR
CHEST FREEZER
SHOWCASE
COLD CHAIN



2018-2019 SOYEA PRODUCTS MANUAL

COMPANY PROFILE

We believe Soyea will be your best choice as your business partner. All in a word: Choose us, choose the future!

Soyea Corporation is a professional home appliances manufacturer with two famous brands "Soyea" and "Boshua" ever since 2002, which is also the biggest OEM&ODM supplier for home appliances in east China.

After decade unremitting efforts we have built two factories located in Shanghai and Lu'an city with 12 advanced refrigerators/freezers production linesand the annual capacity reached 5 million sets. Soyea 2nd phase project which covers an area of 2.4 million square meters for cold chain products is being built.

Soyea corporation has obtained system certificate such as ISO9001, ISO14001, GB/T19001 which ensure production, operation, and the excellent product quality. With professional testing room soyea refrigerator and freezer undergo a rigorous test with international standards and norms, such as voltage regulators, LCD-screen electronics tensile testing machines, electric cardboard bursting tester.

Moreover compressor detection, noise testing, four welding spot testing and other inspection processes play an important role in Soyea quality control.



Most of products were approved with CE,ROHS,GS,CB, ETL, JET, SAA/MEPS,SASO,GCC/G-MARK,SONCAP certificates, also can reach A+\A++ energyclass.On thebasic of good quality, over 50% products were exported to oversea market i.e Europe, South America, Middle East, Africa, Asia etc.

According to different market demand we are constantly expanding product series, for example the roll bond evaporator for mid-east market and the brand new designed no frost series.

So "Abundant product series/Flexible redemption period of payment/Accurate delivery time" is our core competitivenessin global market.

SALES NETWORK

Asia: Iraq, Bangladesh, Philippines, Turkey, Saudi Arabia, Afghanistan,

Pakistan ,India ,Myanmar,Thailand,Singapore,Malaysia,Korea,Yemen ,Jordan ,Iran etc

Africa:Nigeria ,Angola,Ghana ,Libya,Algeria,Kenya ,South Africa,Botswana,Morocco ,Egypt ,Sudan etc

Europe: Germany, Russia, England, France, Spain, Italy etc

North America: America Canada Dominican Mexico etc

South America: Brazil, Argentina, Bolivia, Chile, Uruguay, Paraguay, Venezuela etc

Oceania: Australia, New Zealand, Papua New Guniea etc





New Good Ideas

Different family has different lifestyle, fortunately, we create you the harmonious storage space for your requirement. Open the appliance, you will see how we have designed the best way to make the most of internal space and offer you the maximum storage flexibility and convenience.



Energy Efficiency

Our group is constantly improving our appliances to bring you optimum efficiency design. Now the group has more and more that are rated class A+&A++



Freezer Drawer

Easy and convenient to catch and get the frozen foods. You can close the drawer completely with the self-locking slide rail



No Frost

Applying to the no frost system, it does not exist any frost inside of refrigerator and provides better freezing. Even air flow distribution allows foods to keep fresh longer in the no frost environment.

.....

.....

.....



Lower Noise

Silence is lifelong keeping theory of our group. We don't want the appliance to disturb you, no matter where you put it: kitchen, bedroom or living room. With our considerate design, the appliance always brings you satisfactory silence.



Lighting System with 3D LED

By applying to the cutting edge lighting design to the fridge. The multi-flow column with integrate 3D lighting to ensure greater visibility everywhere in the fridge.



Twist Ice-Maker Design

Provide the quick ice making and the controlling with a simple turn of a knob.



Elegant glass shelf, spill-proof, anti slide-out, with plastic lining and easy-clean smooth surface.



Sealed internal cooling room and compartment, prevent your food from odor and humidity loosing



All transparent drawers, easy to locate food



Bottle rack, perfect for storing different beverage bottles.

Stylish Design

Our group is dedicated to the updated fashion design. So, we can provide you the best style as much as you like, silver finish and stainless steel finish. You will clearly find what you right need together with our stylish look and modern shape.



Glass door, special and elegant door side finish ending, with gradient parallel figures



Imitated stainless steel with our high technology and stylish design, will bring you the family harmony wherever you put it in your house.

.....



The four bent corners continuously connect with front side of the fridge, so create a good family atmosphere by biological harmonious features.



LED Display Electronic Temperature Control

The temperature of different compartments can be accurately displayed and precisely controlled by the invisible frame touchable LED screen.



Anti-Bacteria and Deodorization

Using Nano-silver ion technology purifies the air and preserve the original favor and fragrance of foods.

CONTENTS -



01-06 /Single Door

07–21 /Top Freezer

23-27 /No Frost

28–31 /Bottom Freezer


32-35 /Multi-Doors

36-44 /Chest Freezer

45-46 /Showcase

47-48 /Cold Chain

REFRIGERATOR STRUCTURE SHOW ▼







BC-50



















Model No.	BC-50	BC-90
Validity capacity	50L	90L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	70W	80W
Net/Gross weight	14/16kg	20/22kg
Product size(W*D*H)	451*447*498mm(condenser in)	451*447*833mm(condenser in)
Product size(W*D*H)	451*462*498mm(condenser out)	451*462*833mm(condenser out)
Packing size(W*D*H)	460*470*525mm(condenser in)	460*470*860mm(condenser in)
Packing size(W*D*H)	460*485*525mm(condenser out)	460*485*860mm(condenser out)
Loading(40'HQ)Condenser In./Out	625/600Pcs	375/360Pcs

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer, first class insulation technology
- *Anti-bacterial inner for the prevention of bacteria growth
- *Optimal door seal design for better coldness storage























einicia a L



Model No.	BC-116	BC-136	
Validity capacity	116L	136L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	80W	50W	
Net/Gross weight	29/32kg	27/30kg	
Product size(W*D*H)	545*570*845mm	545*570*845mm	
Packing size(W*D*H)	575*595*880mm	575*595*880mm	
Loading(40'HQ)	238Pcs	238Pcs	

SPECIAL FEATURES

- *Energy efficiency with A+ and A options strong for loading
- *Reversible door with magnetic door seal
- *Famous international brand compressor
- *Super fast cooling speed

Model No.	BC-250	BC-318
Validity capacity	250L	318L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	52W	80W
Net/Gross weight	38/42kg	47/51kg
Product size(W*D*H)	545*570*1420mm	595*552*1720mm
Packing size(W*D*H)	575*595*1455mm	635*600*1780mm
Loading(40'HQ)	144Pcs	80Pcs

- *Energy efficiency with A++ and A+ options strong for loading
- *Reversible door with magnetic door seal
- *Famous international brand compressor
- *Super fast cooling speed









Model No.	BD-85	BD-165	
Validity capacity	85L	165L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	90W	100W	
Net/Gross weight	31/34kg	46/50kg	
Product size(W*D*H)	545*570*845mm(W*D*H)	545*570*1430mm	
Packing size(W*D*H)	575*595*880mm(W*D*H)	575*595*1455mm	
Loading(40'HQ)	238Pcs	144Pcs	

- *Energy efficiency with A+ and A options strong for loading
- *Reversible door with magnetic door seal
- *Famous international brand compressor
- *Super fast cooling speed









Model No.	BD-230C	BD-226F
Validity capacity	230L	226L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	80W	80W
Net/Gross weight	55/59kg	58/62kg
Product size(W*D*H)	595*552*1720mm	595*552*1745mm
Packing size(W*D*H)	635*600*1780mm	635*600*1810mm
Loading(40'HQ)	80Pcs	80Pcs

- *Energy efficiency with A+ and A options strong for loading
- *Reversible door with magnetic door seal
- *Famous international brand compressor
- *Super fast cooling speed



TOP FREEZER REFRIGERATOR





















Model No.	BCD-86	BCD-132
Validity capacity	86L	132L
Fridge/Freezer	64/22L	88/44L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	95W	95W
Net/Gross weight	24/27kg	31/34kg
Product size(W*D*H)	475*443*851mm(condenser in)	475*491*1188mm
	475*458*851mm(condenser out)	
Packing size(W*D*H)	500*465*870mm(condenser in)	510*577*1245mm
	500*480*870mm(condenser out)	
Loading(40'HQ)Condenser In./Out	352/306Pcs	184Pcs

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth











Model No.	BCD-198	BCD-208	
Validity capacity	198L	208L	
Fridge/Freezer	138/60L	128/80L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	100W	120W	
Net/Gross weight	43/47kg	43/47kg	
Product size(W*D*H)	501*605*1470mm	557*547*1426mm	
Packing size(W*D*H)	520*620*1480mm(handle not install)	575*595*1480mm(handle not install)	
	555*645*1515mm(handle install)	575*625*1480mm(handle install)	
Loading(40'HQ)	146Pcs(handle not install)	142Pcs(handle not install)	
	125Pcs(handle install)	130Pcs(handle install)	

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth







Model No.









BCD-238







BCD-225






COCC

-

Validity capacity	238L	225L
Fridge/Freezer	128/110L	180/45L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	130W	100W
Net/Gross weight	45/49kg	41/45kg
Product size(W*D*H)	557*547*1566mm	557*547*1426mm
Packing size(W*D*H)	575*595*1620mm(handle not install)	575*595*1480mm
	575*625*1620mm(handle install)	
Loading(40'HQ)	109Pcs(handle not install)	142Pcs(handle not install)
***************************************	105Pcs(handle install)	136Pcs(handle install)

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth















BCD-212G



Model No.	BCD-212M	BCD-212G	
Validity capacity:	212L	212L	
Fridge/Freezer:	172/40L	172/40L	
Refrigerant:	R600a	R600a	
Rated power:	43/47kg	43/47kg	
Net/Gross weight:	80W	80W	
Product size(W*D*H)	557*547*1426mm	557*547*1426mm	
Packing size(W*D*H)	575*595*1480mm	575*595*1480mm	***************************************
Loading(40'HO)	142Pcs	142Pcs	***************************************

- *Freezer foam layer thickness: refrigeration-50mm, freezer-85mm for BCD-212M & BCD-212G
- *Brand name and high efficiency compressor
- *Multilayer piping and super thick frozen foam layer design, high efficiency freezing
- *Multi-purpose doors shelf design, convenient for your life
- *Fashion door handle design
- *Flexible way of left and right interchange open door











Model No.	BCD-270	BCD-328	
Validity capacity	270L	328L	
Fridge/Freezer	190/80L	220/108L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	120W	180W	
Net/Gross weight	45/49kg	48/54kg	
Product size(W*D*H)	557*547*1676mm	604*620*1545mm	
Packing size(W*D*H)	575*595*1730mm	660*690*1600mm	
Loading(40'HQ)	106Pcs	79Pcs	

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth











Model No.	BCD-358	BCD-398	
Validity capacity	358L	398L	
Fridge/Freezer	250/108L	250/148L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	180W	180W	
Net/Gross weight	51/57kg	57/63kg	
Product size(W*D*H)	604*620*1645mm	604*620*1755mm	
Packing size(W*D*H)	660*690*1700mm	0mm 660*690*1810mm	
Loading(40'HO)	75Pcs	73Pcs	

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth







BCD-328T

BCD-358T

BCD-398T









BCD-328T	BCD-358T	BCD-398T
328L	358L	398L
220/108L	250/108L	250/148L
R134a/R600a	R134a/R600a	R134a/R600a
180W	180W	180W
48/54kg	51/57kg	57/63kg
604*620*1545mm	604*620*1645mm	604*620*1755mm
660*690*1600mm	660*690*1700mm	660*690*1810mm
79Pcs	75Pcs	73Pcs
	R134a/R600a 180W 48/54kg 604*620*1545mm	220/108L 250/108L R134a/R600a R134a/R600a 180W 180W 48/54kg 51/57kg 604*620*1545mm 604*620*1645mm

- *Elegant and colorful lighting design, bring you perfect enjoyment
- *Large volume,multilayer shelf design,the international first-class technology
- *Fashionable handle ,a variety of panel design
- *High quality compressor,high efficiency and energy saving







BCD-472/472S

BCD-492/492S

BCD-518/518S








Model No.	BCD-472/472S	BCD-492/492S	BCD-518/518S
Validity capacity	472L	492L	518L
Fridge/Freezer	330/142L	330/162L	356/162L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a
Rated power	195W	195W	195W
Net/Gross weight	60/66kg	62/68kg	65/71kg
Product size(W*D*H)	705*597*1770mm	705*597*1850mm	705*597*1950mm
Packing size(W*D*H)	772*692*1844mm	772*692*1924mm	772*692*2024mm
Loading(40'HQ)	70Pcs	69Pcs	51Pcs

- *Elegant and colorful lighting design, bring you perfect enjoyment
- *Large volume, multilayer shelf design, the international first-class technology
- *Fashionable handle ,a variety of panel design
- *High quality compressor, high efficiency and energy saving









Model No.	BCD-198GD	BCD-208G	
Validity capacity	198L	208L	
Fridge/Freezer	138/60L	128/80L	
Refrigerant	R134a/R600a	R134a/R600a	************
Rated power	100W	120W	
Net/Gross weight	46/50kg	42/46kg	
Product size(W*D*H)	535*605*1470mm	555*554*1438mm	
Packing size(W*D*H)	590*645*1505mm	575*595*1480mm	
Loading(40'HQ)	121Pcs	142Pcs	*******

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth
- *Glass door of good quality in elegant design











Model No.	BCD-238G	BCD-328G
Validity capacity	238L	328L
Fridge/Freezer	128/110L	220/108L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	46/50kg	54/60kg
Net/Gross weight	130W	180W
Product size(W*D*H)	555*554*1578mm	610*620*1557mm
Packing size(W*D*H)	575*595*1620mm	660*690*1600mm
Loading(40'HO)	109Pcs	79Pcs

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth
- *Glass door of good quality in elegant design









Model No.	BCD-358G	BCD-398G	
Validity capacity	358L	398L	
Fridge/Freezer	250/108L	250/148L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	180W	180W	
Net/Gross weight	57/63kg	60/66kg	
Product size(W*D*H)	610*620*1657mm	610*620*1767mm	
Packing size(W*D*H)	660*690*1700mm	660*690*1810mm	
Loading(40'HQ)	75Pcs	73Pcs	

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth
- *Glass door of good quality in elegant design













BCD-472G/472GS

BCD-492G/492GS

BCD-518G/518GS

Model No.	BCD-472G/472GS	BCD-492G/492GS	BCD-518G/518GS	
Validity capacity	472L	492L	518L	
Fridge/Freezer	330/142L	330/162L	356/162L	
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a	
Rated power	195W	195W	195W	200500
Net/Gross weight	68/74kg	70/76kg	72/78kg	200.000
Product size(W*D*H)	710*595*1783mm	710*595*1863mm	710*595*1963mm	
Packing size(W*D*H)	772*692*1844mm	772*692*1924mm	772*692*2024mm	
Loading(40'HQ)	70Pcs	69Pcs	51Pcs	

BCD-328GX

BCD-358GX

BCD-398GX

Model No.	BCD-328GX	BCD-358GX	BCD-398GX
Validity capacity	328L	358L	398L
Fridge/Freezer	220/108L	250/108L	250/148L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a
Rated power	180W	180W	180W
Net/Gross weight	56/62kg	59/65kg	62/68kg
Product size(W*D*H)	610*630*1557mm	610*630*1657mm	610*630*1767mm
Packing size(W*D*H)	660*690*1600mm	660*690*1700mm	660*690*1810mm
Loading(40'HQ)	79Pcs	75Pcs	73Pcs

^{*}Glass door of good quality in elegant design















- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth
- *Glass door of good quality in elegant design

















^{*}Energy saving compressor with efficiency

^{*}Super micro-hole foaming layer,first class insulation technology

^{*}Optimal door seal design for better coldness storage

^{*}Anti-bacterial inner for the prevention of bacteria growth

GLASS DOOR TOP FREEZER REFRIGERATOR







BCD-472GX

BCD-492GX

BCD-518GX

Model No.	BCD-472GX	BCD-492GX	BCD-518GX
Validity capacity	472L	492L	518L
Fridge/Freezer	330/142L	330/162L	356/162L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a
Rated power	195W	195W	195W
Net/Gross weight	68/74kg	70/76kg	72/78kg
Product size(W*D*H)	706*610*1783mm	706*610*1863mm	706*610*1963mm
Packing size(W*D*H)	772*692*1844mm	772*692*1924mm	772*692*2024mm
Loading(40'HQ)	70Pcs	69Pcs	51Pcs

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth
- *Glass door of good quality in elegant design

























BD-212WFE

BD-212WE

Model No.	BD-212WFE	BD-212WE	
Validity capacity	212L	212L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	160W	160W	
Net/Gross weight	54/58kg	54/58kg	
Product size(W*D*H)	595*610*1752mm	595*610*1727mm	
Packing size(W*D*H)	635*655*1810mm	635*655*1780mm	
Loading(40'HQ)	76Pcs	77Pcs	











- *Energy efficiency with A class saving
- *Strong for loading
- *Reversible door with magnetic door seal
- *Famous international brand compressor
- *Effective air fan system, Super fast freezing speed











Model No.	BCD-250W	BCD-270W	
Validity capacity	250L	270L	
Fridge/Freezer	190/60L	210/60L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	140W	140W	
Net/Gross weight	43/47kg	44/48kg	
Product size(W*D*H)	555*625*1550mm	555*625*1650mm	
Packing size(W*D*H)	585*680*1600mm	585*680*1700mm	
Loading(40'HQ)	97Pcs	96Pcs	

- *No frost technology, high efficient cooling
- *Energy-saving LED cool light, bring you perfect enjoyment
- ${}^\star\!\text{Environmentally}$ friendly materials, keeping fresh and healthy
- *Fashionable handle and panel, international first-classtechnology
- *High quality compressor, high efficiency and energy saving







BCD-338W




















Model No.	BCD-338W	BCD-368W	
Validity capacity	338L	368L	
Fridge/Freezer	252/86L	282/86L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	145W	145W	
Net/Gross weight	47/53kg	49/55kg	
Product size(W*D*H)	600*645*1640mm	600*645*1750mm	
Packing size(W*D*H)	650*715*1702mm	650*715*1812mm	
Loading(40'HQ)	75Pcs	73Pcs	

SPECIAL FEATURES

- *No frost technology, high efficient cooling
- *Energy-saving LED cool light, bring you perfect enjoyment
- *Environmentally friendly materials, keeping fresh and healthy
- *Fashionable handle and panel, international first-classtechnology
- *High quality compressor, high efficiency and energy saving













BCD-450WE







Model No.	BCD-420WE	BCD-450WE	*************************
Validity capacity	420L	450L	
Fridge/Freezer	325/95L	355/95L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	160W	160W	
Net/Gross weight	76/84kg	81/89kg	
Product size(W*D*H)	750*725*1733mm	750*725*1813mm	
Packing size(W*D*H)	790*776*1790mm	790*776*1870mm	
Loading(40'HO)	64Pcs	60Pcs	

- *Elegant and colorful lighting design, bring you perfect enjoyment
- *Large volume, multilayer shelf design, the international first-class technology
- *Fashionable handle and panel, international first-classtechnology
- *High quality compressor, high efficiency and energy saving









Model No.	BCD-530WDE	BCD-568WDE	
Validity capacity	530.5L	568L	
Fridge/Freezer	341.7/188.8L	366/202L	
Refrigerant	R134a/R600a	R134a/R600a	
Rated power	240W	210W	
Net/Gross weight	90-100/100-110kg	100/110kg	
Product size(W*D*H)	907*695*1782mm	907*744*1783mm	
Packing size(W*D*H)	970*730*1865mm	967*780*1865mm	
Loading(40'HQ)	48Pcs	48Pcs	













- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth





Model No.	BCD-256W
Validity capacity	256L
Fridge/Freezer	156/100L
Refrigerant	R134a/R600a
Rated power	160W
Net/Gross weight	50/55kg
Product size(W*D*H)	985*610*860mm
Packing size(W*D*H)	1045*670*940mm
Loading(40'HQ)	92Pcs















- *No frost technology, high efficient cooling
- *Energy-saving LED cool light, bring you perfect enjoyment
- *Environmentally friendly materials, keeping fresh and healthy
- *Fashionable handle and panel, international first-classtechnology
- *High quality compressor, high efficiency and energy saving





BOTTOM FREEZER REFRIGERATOR





BCD-206











BCD-236









Model No.	BCD-206	BCD-236
Validity capacity	206L	236L
Fridge/Freezer	131/75L	131/105L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	120W	130W
Net/Gross weight	42/46kg	46/50kg
Product size(W*D*H)	557*547*1426mm	557*547*1566mm
Packing size(W*D*H)	575*595*1480mm(handle not install)	575*595*1620mm(handle not install)
	575*625*1480mm (handle install)	575*625*1620mm (handle install)
Loading(40'HQ)	142Pcs (handle not install)	109Pcs (handle not install)
	130Pcs (handle install)	105Pcs (handle install)

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer, first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth











Model No.	BCD-206G	BCD-236G	
Validity capacity	206L	236L	
Fridge/Freezer	131/75L	131/105L	
Refrigerant	R134a/R600a	R134a/R600a	*****************
Rated power	120W	130W	
Net/Gross weight	46/50kg	50/54kg	
Product size(W*D*H)	555*554*1438mm	555*554*1578mm	
Packing size(W*D*H)	575*595*1480mm	575*595*1620mm	
Loading(40'HQ)	142Pcs	109Pcs	

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer, first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth





Model No.	BCD-288GX
Validity capacity	288L
Fridge/Freezer	175/113L
Refrigerant	R134a/R600a
Rated power	180W
Net/Gross weight	62/68kg
Product size(W*D*H)	610*630*1767mm
Packing size(W*D*H)	660*690*1810mm
Loading(40'HQ)	73Pcs

















- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth

MULTI-DOORS REFRIGERATOR









Model No.	BCD-332DL3	BCD-358GD
Validity capacity	332L	358L
Fridge/Freezer	202/40/90L	228/130L
Refrigerant	R134a/R600a	R134a/R600a
Rated power	115W	125W
Net/Gross weight	83/93kg	83/93kg
Product size(W*D*H)	712*667*1660mm	792*667*1755mm
Packing size(W*D*H)	760*690*1745mm	850*690*1845mm
Loading(40'HQ)	71Pcs	59Pcs









SPECIAL FEATURES

- *No frost technology, high efficient cooling
- *Energy-saving LED cool light, bring you perfect enjoyment
- *Environmentally friendly materials, keeping fresh and healthy
- *Fashionable handle and panel, international first-classtechnology



MULTI-DOORS

REFRIGERATOR

MULTI-DOORS REFRIGERATOR





Model No.	BCD-608G
Validity capacity	608L
Fridge/Freezer	413/195L
Refrigerant	R134a/R600a
Rated power	230W
Net/Gross weight	92/98kg
Product size(W*D*H)	792*667*1870mm
Packing size(W*D*H)	850*690*1960mm
Loading(40'HQ)	58Pcs












- *No frost technology, high efficient cooling
- *Energy-saving LED cool light, bring you perfect enjoyment
- *Environmentally friendly materials, keeping fresh and healthy
- *Fashionable handle and panel, international first-classtechnology
- *High quality compressor, high efficiency and energy saving





CHEST FREEZER



Model No.	BD-100	BD-150	BD-200	BD-250
Validity capacity	100L	150L	200L	250L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
Rated power	115W	115W	120W	130W
Net/Gross weight	26/28kg	31/33kg	34/36kg	42/44kg
Product size(W*D*H)	573*532*857mm	704*609*857mm	865*609*857mm	995*609*857mm
Packing size(W*D*H)	621*571*885mm	752*647*885mm	913*647*885mm	1043*647*885mm
Loading(40'HQ)	229Pcs	162Pcs	131Pcs	120Pcs

SPECIAL FEATURES

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth



















Model No.	BD-300	BD-350	BD-400
Validity capacity	300L	350L	400L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a
Rated power	140W	140W	140W
Net/Gross weight	43/45kg	50/52kg	49/51kg
Product size(W*D*H)	1124*679*857mm	1264*679*857mm	1310*700*830mm
Packing size(W*D*H)	1172*717*885mm	1312*717*885mm	1357*737*885mm
Loading(40'HQ)	96Pcs	81Pcs	75Pcs

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer, first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth





















Model No.	BD-100E	BD-150E	BD-200E	
Validity capacity	98L	150L	200L	
Refrigerant	R600a	R600a	R600a	
Rated power	90W	90W	95W	
Net/Gross weight	27/29kg	32/34kg	40/42kg	
Product size(W*D*H)	564*558*847mm	764*558*847mm(W*D*H)	969*558*847mm	
Packing size(W*D*H)	590*580*885mm	790*580*885mm(W*D*H)	995*580*885mm	
Loading(40'HQ)	240Pcs	180Pcs	142Pcs	

*European standard,famous Brand and high efficiency compressor

*Multilayer piping and super thick frozen foam layer design,

high efficiency freezing

*Inner glass door,high-level configuration

*Fashion door handle design



















Model No.	BC/BD-480	BC/BD-580	BC/BD-780	BC/BD-1080
Validity capacity	480L	580L	780L	1080L
Refrigerant	R290	R290	R290	R290
Net/Gross weight	59/69kg	67/78kg	78/90kg	94/110kg
Product size(W*D*H)	1455*750*940mm	1715*750*940mm	1905*875*940mm	2585*870*940mm
Packing size(W*D*H)	1510*770*940mm	1770*770*940mm	1960*880*940mm	2640*880*940mm
Loading(40'HQ)	59Pcs	51Pcs	26Pcs	16Pcs

SPECIAL FEATURES

*Mechanical temperature control with adjustable thermostat Interior inner easy-sliding glass door

*Fashion handle with different options

*Fast freeze

















DOUBLE-LAYER HOLLOW CHEST FREEZER



Model No.	BCD-198SM	BCD-228SM	BCD-356SM
Validity capacity	198L	228L	356L
Fridge/Freezer	68/130L	7\$/150L	78/150L
Refrigerant	R600a	R600a	R600a
Rated power	90W	90W	90W
Net/Gross weight	30/34kg	3\$/40kg	43/50kg
Product size(W*D*H)	945*560*845mm	1165*590*820mm	1389*647*840mm
Packing size(W*D*H)	998*603*915mm	1226*633*875mm	1435*685*885mm
Loading(40'HQ)	112Pcs	84Pcs	75Pcs

SPECIAL FEATURES

- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer,first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth







FLAT GLASS DOOR CHEST FREEZER



SPECIAL FEATURES

- *Easy to adjust the temperature.
- *Long-term storage for highly perishable food
- *Heat reflection tempered coated glass door is light and with goods heat preservation effect
- *Low noise bring you silent and sweet environment







Model No.	SC/SD-350PZ	SC/SD-420PZ	SCD-408PZ
Validity capacity	350L	1 420L	408L
Refrigerant	R600a	R600a	R290
Net/Gross weight	60/68ka	65/73kg	73/81kg
Product size(W*D*H)	1250*685*840mm	1450*685*840mm	1450*685*840mm
Packing size(W*D*H)	1300*760*870mm	1500*760*870mm	1500*735*870mm
Loading(40'HQ)	81Pcs	71Pcs	71Pcs

CURVED GLASS DOOR CHEST FREEZER



- *Energy saving compressor with efficiency
- *Super micro-hole foaming layer, first class insulation technology
- *Optimal door seal design for better coldness storage
- *Anti-bacterial inner for the prevention of bacteria growth







Model No.	SC/SD-169	SC/SD-289	SC/SD-359	SC/SD-419	SC/SD-519
Validity capacity	169L	289L	359L	419L	519L
Refrigerant	R600a/R134a	R134a/R290	R134a/R290	R290/R404	R290/R404
Net/Gross weight	47/53kg	66/76kg	72/83kg	76/88kg	80/94kg
Product size(W*D*H)	735*685*835mm	1080*685*835mm	1260*685*835mm	1455*685*835mm	1715*685*835mm
Packing size(W*D*H)	795*745*890mm	1140*745*890mm	1320*745*890mm	1515*745*890mm	1575*745*890mm
Loading(40'HQ)	130Pcs	94Pcs	79Pcs	69Pcs	57Pcs

SHOWCASE







Model No.	SC-218L	SC-268L	SC-298L	SC-318L
Validity capacity	218L	268L	298L	318L
Refrigerant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
Net/Gross weight	50/58kg	52/60kg	55/64kg	58/67kg
Product size(W*D*H)	525*540*1730mm	525*540*1880mm	570*540*1880mm	570*540*2030mm
Packing size(W*D*H)	580*600*1810mm	580*600*1960mm	625*620*1960mm	625*620*2110mm
Loading(40'HO)	105Pcs	100Pcs	100Pcs	57Pcs

SPECIAL FEATURES

- *Thickened box, beautiful and durable
- *Digital micro display, clear temperature inside the box
- *High efficiency LED lights, enhance the display effect in the box
- *High-quality double-layer hollow tempered glass, good insulation effect and display effect
- *Multiple air bag type removable door seal, good sealing performance, easy to clean
- *High-strength steel wire shelf, can be adjusted inside the box at will













Model No.	SC-378C	SC-558L	SC-708LP	SC-1158W
Validity capacity	378L	558L	708L	1158L
Refrigerant	R134a/R600a	R134a/R290	R134a/R290	R290
Net/Gross weight	64/75kg	80/94kg	92/107kg	162/190kg
Product size(W*D*H)	620*610*1965mm	945*56 0 *1965mm	1100*610*1965mm	1350*715*1980mm
Packing size(W*D*H)	660*660*2005mm	995*61Q*2005mm	1150*660*2005mm	1410*760*2080mm
Loading(40'HQ)	71Pcs	54Pcs	47Pcs	24Pcs

- *Thickened box, beautiful and durable
- *Digital micro display, clear temperature inside the box
- *High efficiency LED lights, enhance the display effect in the box
- *High-quality double-layer hollow tempered glass, good insulation effect and display effect
- *Multiple air bag type removable door seal, good sealing performance, easy to clean
- *High-strength steel wire shelf, can be adjusted inside the box at will













SCD-880

SCD-880B

Model No.	SCD-880	SCD-880B	
Validity capacity	880L	880L	
Refrigerant	R290	R290	
Rated power	375W	375W	
Net/Gross weight	93/102kg	93/102kg	
Product size(W*D*H)	1200*710*1980mm	1200*710*1980mm	
Packing size(W*D*H)	1295*835*2050mm	1295*835*2050mm	
Loading(40'HQ)	23Pcs	23Pcs	

- *Inside the box adopts high quality stainless steel, easy to clean,
- *The whole machine adopts environmental protection polyurethane and super micro hole foaming technology
- *Environmental protection and energy saving, strong and durable, seamless interior process,
- *One-piece handle design, strong and beautiful and easy, sealed performance is good,
- *Frozen under refrigerated cabinet structure for large space, large capacity



SPECIAL FEATURES

- *Three kinds of specifications size box, free
- *configuration, convenient combination
- *Perfect space with full baskets of configuration, convenient of all kinds of goods classification
- *The straight line drain, convenient for drainage, not easy jam, The seamless interior process, health clean, easy to clean
- *Automatic defrost design, no ice in the box, convenience stores, business, etc

Model No.	HD-1860D	HD-2100L	HD-2500L
Validity capacity	750L	855L	980L
Refrigerant	R290	R290	R290
Net/Gross weight	78/90kg	94/110kg	115/130kg
Product size(W*D*H)	1865x860x860mm	2095x860x925mm	2495x860x925mm

ISLAND FREEZER



- *1.28 meters super wide box, convenient storage of frozen products,
- *Quick freezing, high efficiency and energy saving,
- *Left and right push-pull door, guide slider design, push-pull is light some,
- *White alloy interior, health clean and easy to clean
- *The box body adopts the design of super large area dense heat sink

Model No.	HD-1850	HD-2100	HD-2000	HD-2500	HD-2500K
Validity capacity	522L	583L	600L	760L	960L
Refrigerant	R290	R290	R290	R290	R290
Net/Gross weight	85/95kg	91/105kg	95/110kg	110/125kg	115/130kg
Product size(W*D*H)	1883x823x934mm	2083x823x934mm	2044x1094x966mm	2544x1094x966mm	2544x1324x966mm
Packing size(W*D*H)	1940x880x1045mm	2140x880x1045mm	2090x1170x1033mm	2590x1170x1033mm	2590x1400x1033mm
Loading(40'HQ)	26	26	20	16	8