



Hk Smartmak Industrial Co., LTD

Add: Unit 01, 10/F, Carnival Comm. BLDG., 18, Java RD, North Point, HK

Fax: +86-4008875666-015200

Atten:Summer +86-13156659690

www.smd.en.alibaba.com www.smartmak.com

Email:smartmak1@smartmak.cn

Specification & Quotation Sheet

New Model: Pellet Boiler



Type: SMT-33F4

Output Power	20kw	24kw	29kw
Hopper volume	20KGS	30KGS	40KGS
Stove Size(mm)	490*480*990	550*550*950	650*590*1100
Heating Area	120m ²	160m ²	200m ²
Exhaust Outlet External Diameter	80/75mm	80/75mm	80/75mm
FOB(USD)	\$1,060.00	\$1,150.00	\$1,200.00
Export carton size(mm)	W550*D560*H1140	W640*D630*H1100	W730*D640*H1250
Water Tank	30 liters	50 liters	80 liters
20'FT	80pcs	54pcs	39pcs
40'FT	1600pcs	108pcs	78pcs
N.W(kg)/G.W(kg)	105/122kg	135/155kg	158/185kg
Hopper Capacity(kg)	20	30	40
Feeding Speed(kg/h)	0.7-3.8	0.7-4.6	0.7-5.6
Efficiency	90%		
TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)		
Optional Color (20pcs for each color)			



Type: SMT-33F5


Output Power	20kw	24kw	29kw
Hopper volume	20KGS	30KGS	40KGS
Stove Size(mm)	490*480*990	550*550*950	650*590*1100
Heating Area	120m ²	160m ²	200m ²
Exhaust Outlet External Diameter	80/75mm	80/75mm	80/75mm
FOB(USD)	\$1,060.00	\$1,150.00	\$1,200.00
Export carton size(mm)	W550*D560*H1140	W640*D630*H1100	W730*D640*H1250
Water Tank	30 liters	50 liters	80 liters
20'FT	80pcs	54pcs	39pcs
40'FT	1600pcs	108pcs	78pcs
N.W(kg)/G.W(kg)	105/122kg	135/155kg	158/185kg
Hopper Capacity(kg)	20	30	40
Feeding Speed(kg/h)	0.7-3.8	0.7-4.6	0.7-5.6
Efficiency	90%		
TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)		
Optional Color (20pcs for each color)			




Type: SMT-33F6

Output Power	20kw	24kw	29kw
Hopper volume	20KGS	30KGS	40KGS
Stove Size(mm)	490*480*990	550*550*950	650*590*1100
Heating Area	120m ²	160m ²	200m ²
Exhaust Outlet External Diameter	80/75mm	80/75mm	80/75mm
FOB(USD)	\$1,060.00	\$1,150.00	\$1,200.00
Export carton size(mm)	W550*D560*H1140	W640*D630*H1100	W730*D640*H1250
Water Tank	30 liters	50 liters	80 liters
20'FT	80pcs	54pcs	39pcs
40'FT	1600pcs	108pcs	78pcs
N.W(kg)/G.W(kg)	105/122kg	135/155kg	158/185kg
Hopper Capacity(kg)	20	30	40
Feeding Speed(kg/h)	0.7-3.8	0.7-4.6	0.7-5.6
Efficiency	90%		
TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)		
Optional Color (20pcs for each color)			


Model: Pellet Stove

Picture	Description			
	Output Power	9kw	11kw	14kw
	Hopper volume	22KGS	22KGS	22KGS
	Stove Size(mm)	490*480*940	490*480*940	490*480*940
	Heating Area	60m ²	80m ²	100m ²
	Exhaust Outlet External Diameter	80/75mm	80/75mm	80/75mm
	FOB(USD)	\$580.00	\$630.00	\$705.00
	20'FT	80pcs	80pcs	80pcs
	40'FT	160pcs	160pcs	160pcs
	Export carton size(mm)	W550*D560*H1100	W550*D560*H1100	W550*D560*H1100
	N.W(kg)/G.W(kg)	105/120kg	105/120kg	105/120kg
	Hopper Capacity(kg)	22	22	22
	Feeding Speed(kg/h)	0.7-1.8	0.7-2.2	0.7-2.7
	Efficiency	82%		
	TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)		
	Optional Color (20pcs for each color)			


Type:SMT-33B

	Output Power	9kw	11kw	14kw
	Hopper volume	22KGS	22KGS	22KGS
	Stove Size(mm)	490*480*940	490*480*940	490*480*940
	Heating Area	60m ²	80m ²	100m ²
	Exhaust Outlet External Diameter	80/75mm	80/75mm	80/75mm
	FOB(USD)	\$580.00	\$630.00	\$705.00
	20'FT	80pcs	80pcs	80pcs
	40'FT	160pcs	160pcs	160pcs
	Export carton size(mm)	W550*D560*H1100	W550*D560*H1100	W550*D560*H1100
	N.W(kg)/G.W(kg)	105/120kg	105/120kg	105/120kg
	Hopper Capacity(kg)	22	22	22
	Feeding Speed(kg/h)	0.7-1.8	0.7-2.2	0.7-2.7
	Efficiency	82%		
	TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)		
Optional Color (20pcs for each color)				

Type:SMT-33C

	Output Power	9kw	14kw
	Hopper volume	28KGS	28KGS
	Stove Size(mm)	400*450*1100	400*450*1100
	Heating Area	60m ²	100m ²
	Exhaust Outlet External Diameter	80/75mm	80/75mm
	FOB(USD)	\$650.00	\$755.00
	20'FT	70pcs	56pcs
	40'FT	140pcs	135pcs
	Export carton size(mm)	W510*D510*H1250	W510*D570*H1250
	N.W(kg)/G.W(kg)	75/90kg	80/95kg
	Hopper Capacity(kg)	28	28
	Feeding Speed(kg/h)	0.7-1.8	0.7-2.7
	Efficiency	87%	
	TYPE OF PACKING	CARTON WITH PALLET(one carton for one stove)	
Optional Color (20pcs for each color)			

Type:SMT-33G(with oven)

	Output Power	9kw	14kw
	Hopper volume	23KGS	25KGS
	Stove Size(mm)	400*450*940	400*510*940
	Export carton size(mm)	510*510*1090	510*570*1090
	Heating Area	60m ²	120m ²
	FOB(USD)	\$620.00	\$725.00
	20'FT	80pcs	80pcs
	N.W/G.W(kg)	80/95kg	90/105kg
	Input Power(w)	120-470	120-470
	Fuel Consumption(kg/h)	0.7-1.8	0.7-2.7
	Efficiency	92%	
	TYPE OF PACKING	wood case with pallet	
	Outside: steel-powder coating.		
	Inside: monobloc steel structure, hand welded, heat-resistant up to 1200°C with high temperature paint.		
Door: carbon steel, high temperature resistant, with ceramic-glass.			

Type:SMT-33 Mini G(with oven)

1. TERMS OF PAYMENT: T/T 30% DEPOSIT+THE BALANCE AGAINST COPY B/L.
2. INSURANCE: —TO BE EFFECTED BY THE BUYER.
3. PACKING: STANDARD EXPORTATION MODE
4. MODE OF TRANSPORTATION: BY SEA
5. PORT OF LOADING: SHANGHAI/Ningbo, CHINA
6. TIME OF DELIVERY: WITHIN 10-20 DAYS AFTER RECEIVED PAYMENT
ORDER QUANTITY≤5PCS,SAMPLES FEE=15% FOB PRICE;
6~10PCS,SAMPLES FEE=10% FOB PRICE;
11~20PCS,SAMPLE FEE=5%FOB PRICE.
MOQ:20PCS.