

JSTOOLS

JIESHENG TOOLS



JSTOOLS

JIESHENG TOOLS

PROFESSIONAL TOOLS
MANUFACTURER
JIESHENG TOOLS & HARDWARES

杰胜工具

PROFESSIONAL TOOLS

www.jieshengtools.com



张家港市杰胜五金工具有限公司
ZHANGJIAGANG JIESHENG TOOLS & HARDWARES CO.,LTD
Add: XinLe Road DaXin Town ZhangJiaGang City JiangSu
Province, 215600 P.R.China
地址: 江苏省张家港市大新镇新乐路
Tel: 0086-512-58952066
Fax: 0086-512-58952099
www.jieshengtools.com
E-mail: jieshengtools@163.com



张家港市杰胜五金工具有限公司
ZHANGJIAGANG JIESHENG TOOLS & HARDWARES CO.,LTD



Trust us for Professional
因为专业 • 所以信赖

■ 公司简介

本公司是一家专业生产高档五金工具的企业，拥有 300T，400T 锻压流水线两条，均采用数控雕刻模具加工毛坯；同行业最早拥有数控机床进行刃口加工。主要产品有高档德式工具钳，美式工具钳，各类胡桃钳、扎线钳、顶切钳、水泵钳、迷你钳和系列剪刀；工厂占地面积 12000 平方，月产各类五金工具 30 万支；选用优质 55# 碳素钢、铬钒钢、铬镍钢等为原材料。公司拥有自营进出口权，产品全部出口欧美市场，产品通过德国 TUV/GS 认证，品质达到欧洲标准、美国联邦标准等要求。

公司位于新兴的外贸港口城市 -- 张家港市，座落于五金之镇 --- 大新镇，紧靠苏、锡、沪、宁，沿江高速、204 国道贯穿于张家港境内，交通便利，地理经济条件得天独厚。

公司自 2005 年成立至今，始终坚持“乐观、自信、求实、奋进”的创业发展理念，对产品质量控制始终坚持“没有最好，只有更好”的质量管理要求，理性地发展生产、重视管理，感性地扩大销售，服务好每一个关心、支持杰胜创业、发展的各方领导朋友！真诚地期待新老客户对杰胜一如既往的关心与厚爱！让我们携手并肩，共同创造美好的明天！

■ Brief Introduction

Zhangjiagang Jiesheng Tools & Hardwares Co.,Ltd. is a professional handle tools company' producing high quality pliers for customers. We have 300T and 400T forging production lines and the forgings are produced by CNC mould processing equipment. We are one of the first factories in China which uses CNC machinery to produce the pliers. Our main products are professional German Type Pliers, American Type Pliers, all kinds of Carpenter' s Pincer, Tower' s Pincer, Crimping pliers, End Cutters, Groove Joint Pliers, Mini pliers and a series of scissors.


We have a floor space of 12000M², producing 300,000pcs monthly of different tools with different raw material like 55# carbon steel, Chrome Vanadium and Chrome Nickel Steel . We can do the import-export by ourselves and all the products are exported to European and American Market. The quality can attain DIN standard and ASME. We are certified by TUV/GS.

The company is located in Zhangjiagang city, a new sea-port for export and import. We have many economic ways and very convenient for the transportation.

We are established in the year 2005 and adhere to development concept of the "Optimistic, Confident, Practical and Aggressive" . Our goal is to make the best quality products and providing the excellent service to our customers and letting our customers enjoy the fruit of our development. Welcome our friends from all over the world to Zhangjiagang Jiesheng Hardwares & Tools Company Ltd.



THE BASIC SHAPE OF THE PLIERS



扁嘴钳口
flat

半圆钳口
halfround

圆钳口
round

straight
bent


钳子的生产流程

每一道工序都是我们高品质产品的保障。

ENSURING QUALITY AT EVERY STEP
FOR EXAMPLE MANUFACTURING
PROCESS FOR PLIERS

- 1 Cutting suitable for workpiece for high quality CRV.
- 2 Hot forged, move away the unnecessary material under high pressure
- 3 Make the workpiece "Normal" with high density and structure conformity with high strength, Then remove the dirt to prepare for the next process.
- 4 Machining the head with CNC machining centre, drill the rivet holes on both sides, grinding the contour and the gap between the two joints.
- 5 Fine grinding of the joints and finalize the shape of the head.
- 6 Riveting the fixed handle and movable handle, ensure the joint smooth and not loose, guaranteeing single hand operation safely.
- 7 In the hardening cellar under protective gas to harden the pliers and quench in the oil, finally anneal, the cellar design to guarantee the protective gas disperse evenly and enabling to reach the ideal material property.
- 8 Again make the induction hardening treatment for the pliers cutting edge, in this process the pliers can get extra hardness which can guarantee the nice cutting ability and long life.
- 9 Fine grinding the head of pliers.
- 10 Shot blasting of the surface, move dirt and oil to prepare for the electroplating.
- 11 Nickel plating and chrome plating to increase the performance of the anti-corrosion, getting outlook nicer, polishing effect better.
- 8 Assembling double material grip.

CUTTING WAYS UP TO DIN ISO 5742 STANDARD



- Cut without oblique angle.**
 - Use to cut plastic
- Cut with slight oblique angle**
 - Specially suitable for the electric field
- Cut with oblique angle**
 - Specially suitable for the steel wire, piano wire and spring
 - Bigger oblique angle, the longer life of the cutting edge

PLIERS BRIEF

- ★ Used for cutting (including side cutter, Centre of End Cutter, Carpentry)
- ★ Flat pliers, Long nose pliers and Water pump(groove joint) pliers.
- ★ Used for clamping, cutting and bending wire, tube and metal.
- ★ Used for special purpose e.g. cut different material, punching(metal plate cutting, tile cutter etc.)

CUTTING EDGE HARDNESS UP TO DIN ISO 5742 STANDARD

- Cutting edge-embossment**
Can be leveled with reference object.
- Cutter edge-internal**
Can not be leveled with reference object
- Side cutting edge**
Multi-cutting easily, can be leveled with reference object
- End cutting edge**
Multi-easy cutting, move fence wire etc, can be leveled with reference object.

CONNECTING WAYS

- Different Connecting Ways Including:**
Mutual Connecting: Connecting at the end assembling, not necessary fine machinery
- One way connecting**
Fine machining the joining point on the handle, milling half of thickness enabling two pieces inserting together
- Go-through Connecting**
One handle with slot with other handle going-through this slot and connecting at the joint point. Bolt can go-through both handle at the jointing point to fix both handle. This connecting can endure higher Exterior stress.

RIVET DESIGNING

DIFFERENT WAYS TO CONNECTING

- Forged Connecting Axe**
As a part of the handle, rivet(forged from one part) can:
-Guarantee higher stability when cutting articles.
-Prolong working life
- Inserting Riveting Connecting**
-Precision, monitoring rivet connecting suitable for all the pliers after testing.
- Thread Connecting**
-Suitable for professional pliers which need precision operation e.g. Circlip pliers and Cable pliers

CATEGORY OF THE CUTTING MATERIAL

MATERIAL	CLASIFICATION	TENSILE STRENGTH N/mm ²	Kp/mm ²
Copper Wire, Plastic	Soft Wire	220	22
Steel Pin, Inserting Pin	Medium, hard Wire	750	75
Multi Stranded Wire	Hard Wire	1800	180
Spring Wire	Piano Wire	2300	230

SAFETY INSTRUCTIONS



- When cutting, be careful to prevent wire debris from cutting to hurt users.
- Please wear protective glass.
- All the pliers can only be used for special purposes.
- Pay attention to the marks on the handle whether it is insulated.





目录
CONTENT

一, 高档德式偏心钳系列 High Leverage German Type Pliers		07-08
二, 高档德式钳系列 Professional German Type Pliers		09-11
三, 耐压钳系列 Voltage Pliers		12-16
四, 胡桃钳, 扎线钳, 顶切钳系列 Carpenter's Pincer, Towers Pincer, End Cutting Pliers		17-18
五, 美式钳系列 American Type Pliers		19-21
六, 迷你钳, 电子剪系列 Mini Pliers, Scissors		22-23
七, 维修工具 Repair Tools		24-26
八, 铁皮剪系列 Tin Sinps		27-30
九, 其他工具 Other Pliers		31-33
十, 各种套柄、包装、表面处理方式 Handles/Package/Finish		34-35



HIGH LEVERAGE GERMAN TYPE PLIERS 高档德式偏心钳系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



Hardened and tempered CrV steel for strength and durability.

钳体采用优质铬钒钢整体锻造

Fine polished, cutting edges induction hardened

表面砂带精抛, 刃口高频感应淬火 (58-64HRC), 可连续高强度使用


Wavy and course teeth can clamp screws and tubes

波状粗糙的钳齿可安全夹取螺丝和管子等

Wavy surface is specially suitable for picking up thin workpiece.
波纹夹取表面有效夹取, 特别适用于较薄的工件

Using new environmentally safe grip ergonomical design

无毒环保、人机工程优化的TPR手柄设计, 握起来更加舒适



+ More Power
- Reduced Handforce

LABOR 省力35%

35% less effort required than with normal combination pliers. easier work due to advanced leverage design
由于采用新式改进型杠杆力矩设计, 省力35%, 轻松剪切, 牢固夹持、弯曲和拉拔



- Cutting Copper & Soft Wires & Hard Wires
剪切铜线, 软线, 硬钢丝等
- Holding & Bending
夹持和折弯
- Maximum Efficiency
最大效率


High Leverage Combination Plier

省力钢丝钳

JS11001

With cutting edges for soft and hard wire. Long cutting edges for thicker cables
剪切刃口适合剪切软线和硬线, 长剪切刃口适于剪切较粗缆线

符合DIN ISO 5746



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS11001-6	6" / 160mm	3.4	1.8	33x20x23	6/60	14/13
JS11001-7	7" / 180mm	3.8	2.0	34x22x24	6/60	18/17
JS11001-8	8" / 200mm	3.8	2.2	36x24x25	6/60	23/22

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度
A<B 35%

高档德式偏心钳系列

HIGH LEVERAGE GERMAN TYPE PLIERS

High Leverage Diagonal Cutting Plier

省力斜嘴钳

JS11002



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度
A<B 35%

符合DIN ISO 5749

The indispensable diagonal cutter for multi-purpose use. Precision cutting edges for soft and hard wire
必不可少的剪切工具, 用途广泛, 精密剪切刃口加硬处理, 可剪切软线和硬线

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS11002-6	6" / 160mm	3.4	1.8	34x22x24	6/60	11/10
JS11002-7	7" / 180mm	3.8	2.0	36x24x25	6/60	17/16



A<B 35%

The indispensable diagonal cutter for multi-purpose use. Precision cutting edges for soft and hard wire
必不可少的剪切工具, 用途广泛, 精密剪切刃口加硬处理, 可剪切软线和硬线

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS11002-7H	7" / 180mm	3.8	2.2	36x24x25	6/60	17/16

High Leverage Heavy-duty Diagonal Cutting Plier

省力大头斜嘴钳

JS11002-7H



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

符合DIN ISO 5749

High Leverage Long Nose Plier

省力尖嘴钳

JS11003


60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

A<B 35%

Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire

适于电子元件的夹持和剪切, 剪切刃口适于剪切软线, 中硬线和硬线

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS11003-6	6" / 160mm	3.4	1.6	30x20x21	6/60	11/10
JS11003-8	8" / 200mm	3.8	1.8	30x24x21	6/60	15/14



符合DIN ISO 5745

High Leverage Bent Nose Plier

省力弯嘴钳

JS11004

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

A<B 35%

Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire


适于电子元件的夹持和剪切, 剪切刃口适于剪切软线, 中硬线和硬线

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS11004-6	6" / 160mm	3.4	1.6	30x20x21	6/60	11/10
JS11004-8	8" / 200mm	3.8	1.8	30x24x21	6/60	15/14



符合DIN ISO 5745

**HIGH QUALITY
GERMANY TYPE PLIERS**
高档德式钳系列



Fully fine polished by sand belt, to make the plier's outline more clearly. 整体采用砂带精磨处理, 轮廓更分明;

The cutting edge undergoes CNC machining and special heat treatment, to ensure the precision of the cutting edge and durability.

刃口部位经数控机床加工及特殊热处理, 以保证刃口的精密性和耐用度;

The whole is made of industrial steel of high strength, it can improve using function effectively.

整体采用高强度工业钢制造, 有效提高使用功能;

The handle grips are according to human ergonomic, it can transmit the maximum power. 符合人体工程学设计的手柄, 能最大限度传送力量。



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

- Wavy and coarse teeth can clamp screws and tubes. 波状粗糙的锯齿可安全夹取螺丝和管子等
- Wavy surface is specially suitable for picking up thin workpiece. 波纹夹取表面有效夹取, 特别适用于较薄的工作件



**PROFESSIONAL TOOLS
MANUFACTURER
JIESHENG TOOLS & HARDWARES**

Germany Type Combination Plier

德式钢丝钳 JS21001

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度


With cutting edges for soft and hard wire. Long cutting edges for thicker cables.

剪切刃口适合剪切软线和硬线, 长剪切刃口适于剪切较粗缆线

符合DIN ISO 5746



编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS21001-5.5	5.5" / 140mm	3.0	1.4	33x19x23	6/60	10/9
JS21001-6	6" / 160mm	3.4	1.6	33x20x23	6/60	14/13
JS21001-7	7" / 180mm	3.8	1.8	33x22x25	6/60	18/17
JS21001-8	8" / 200mm	3.8	2.0	35x24x27	6/60	23/22



Germany Type Diagonal Cutting Plier

德式斜嘴钳 JS21002

符合DIN ISO 5749



The indispensable diagonal cutter for multi-purpose use. Precision cutting edges for soft and hard wire. 必不可少可的剪切工具, 用途广泛, 精密剪切刃口加硬处理, 可剪切软线和硬线

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS21002-5.5	5.5" / 140mm	3.4	1.4	33x19x23	6/60	10/9
JS21002-6	6" / 160mm	3.8	1.6	33x22x25	6/60	12/11
JS21002-7	7" / 180mm	3.8	1.8	35x24x27	6/60	17/16

**HIGH QUALITY
GERMANY TYPE PLIERS**
高档德式钳系列

用途及特长

1. 本产品是机械电子、电气安装、维修及金属线材剪切、夹扭、夹持作业的主要工具。
2. 专门剪切钢筋、销钉、铁线及中硬钢丝。
3. 也是家庭使用的必备工具。

Features:

1. It's the main tool for mechanical-electronic, electrical installation, maintenance and metal wire shearing, clamp and twist operation.
2. Specialized in cutting steel, pin, iron wire and hard wire;
3. It's an essential tool for home use.



The whole is made of industrial steel of high strength, it can improve using function effectively.

整体采用高强度工业钢制造, 有效提高使用功能;

Germany Type Heavy-duty Diagonal Cutting Plier

德式大头斜嘴钳 JS21002-7H



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度




符合DIN ISO 5749

编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS21002-7H	7" / 180mm	3.4	2.0	33x22x25	6/60	17/16

Germany Type Long Nose Plier

德式尖嘴钳 JS21003



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



符合DIN ISO 5745

Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire

适于电子元件的夹持和剪切, 剪切刃口适于剪切软线, 中硬线和硬线

编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS21003-5.5	5.5" / 140mm	2.8	1.4	33x19x19	6/60	9/8
JS21003-6	6" / 160mm	3.0	1.6	33x20x21	6/60	11/10
JS21003-8	8" / 200mm	3.4	1.8	33x24x21	6/60	14/13

Germany Type Bent Nose Plier

德式弯嘴钳 JS21004



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



符合DIN ISO 5745

Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire

适于电子元件的夹持和剪切, 剪切刃口适于剪切软线, 中硬线和硬线

编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS21004-6	6" / 160mm	3.0	1.6	33x20x21	6/60	11/10
JS21004-8	8" / 200mm	3.4	1.8	33x24x21	6/60	14/13



HIGH QUALITY GERMANY TYPE PLIERS
高档德式钳系列



Germany Type End Cutting Plier
德式顶切钳

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



符合DIN ISO 5748

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS21005-6	6" / 160mm	3.4	1.8	33x21x23	6/60	16/15

Germany Type Flat Nose Plier

德式扁嘴钳

JS21006

60 CrV 材料
HRC BODY 44-48 钳体硬度



符合DIN ISO 5745

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS21006	6" / 160mm	/	/	33x20x21	6/60	11/10

Germany Type Round Nose Plier

德式圆嘴钳

JS21007

60 CrV 材料
HRC BODY 44-48 钳体硬度



符合DIN ISO 5745

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS21007	6" / 160mm	/	/	33x20x21	6/60	11/10

Germany Type Wire Stripper

德式剥线钳

JS21008

60 CrV 材料
HRC BODY 44-48 钳体硬度



符合DIN ISO 5745


编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS21008	6" / 160mm	/	/	33x22x25	6/60	12/11



It's easy to adjust jaws of pliers according to diameter of wire by using copper knurled screw and lock nut.
采用全铜滚花螺丝钉和锁紧螺母设计，方便根据导线直径调整钳口。

VOLTAGE PLIERS
耐高压钳系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度






Special finish of cutting-edge, strong cutting force
刃口特殊处理，剪切力强

CrV steel with high strength and flexibility
CrV钢锻造高韧性高强度。

High oil resistance and anti-corrosion plastic
高耐油耐腐蚀塑料。

2 colors injection insulated grip
双色注塑手柄。


Fully fine polished by sand belt, to make the plier's outline more clearly.
整体采用砂带精磨处理，轮廓更分明；



Voltage Combination Plier

耐高压钢丝钳

JS31001



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



- 能夹持薄片和圆柱型物体，适合各种工况使用。
- 可剪切软硬线，具体规格见下表。
- 长刃口设计，可剪切较大规格的线缆。
- 刃口经特殊高频热处理，硬度达到HRC 58-64。
- 特殊工具钢制造，整体浸油热处理。

符合DIN ISO 5746

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31001-6	6" / 160mm	3.4	1.6	35x20x27	6/60	14/13
JS31001-7	7" / 180mm	3.8	1.8	35x22x29	6/60	18/17
JS31001-8	8" / 200mm	3.8	2.0	38x24x29	6/60	24/23

Voltage Diagonal Cutting Plier

耐高压斜嘴钳

JS31002



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



- 作为电气安装工作必不可少的钳子。
- 适用于横截面积为1.5-2.5mm²的单股导线的精确剥线。
- 经过感应淬火的精密刀片适于剪切直径达4.0mm的软线，刀口硬度约为洛氏硬度60HRC。
- 采用高级特殊工具钢材料，经特殊淬油和退火处理。

符合DIN ISO 5749

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31002-6	6" / 160mm	3.4	1.6	35x20x29	6/60	12/11
JS31002-7	7" / 180mm	3.8	1.8	38x24x32	6/60	17/16

VOLTAGE PLIERS
耐高压钳系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



Special finish of cutting-edge, strong cutting force

刃口特殊处理, 剪切力强

CrV steel with high strength and flexibility

CrV钢锻造高韧性高强度。

High oil resistance and anti-corrosion plastic
高耐油耐腐蚀塑料。

2 colors injection insulated grip
双色注塑手柄。

PROFESSIONAL TOOLS



- 适用于电子元件的夹持和剪切。
- 尖型半圆钳口, 钳口表面带齿。
- 头部弯曲, 方便边缘角落操作。
- Suitable for holding and cutting of electric components.
- Sharp half round cutting edge with teeth.
- Bent head easy for the operation in the corners



Voltage Heavy-Duty Diagonal Cutting Plier

耐高压大头斜嘴钳 **JS31002-7H**



Size: 7"

- 采用锻造铰接轴, 适合重型剪切作业。
- 精密剪切刃口适合剪切软线硬线。
- 剪切刃口角度, 力矩传输和人体工程手柄的有机结合, 确保只需施加较少的手力就能提供较高剪切性能, 省力21%。

符合DIN ISO 5749

Voltage Long Nose Plier

耐高压尖嘴钳 符合DIN ISO 5745 **JS31003**



Size: 6", 8"

Voltage Bent Nose Plier

耐高压弯嘴钳 符合DIN ISO 5745 **JS31004**



Size: 6", 8"

Voltage Flat Nose Plier

耐高压扁嘴钳 符合DIN ISO 5745 **JS31005**



Size: 6"

- 特别适用于夹持, 调整和装配工作, 具有较强的夹持力。
- 钳口表面带齿。

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31002-7H	7" / 180mm	3.4	2	33x22x27	6/60	17/16
JS31003-6	6" / 160mm	3.0	1.6	33x20x23	6/60	11/10
JS31003-8	8" / 200mm	3.4	1.8	33x24x23	6/60	14/13
JS31004-6	6" / 160mm	1.6	1.6	33x20x23	6/60	11/10
JS31004-8	8" / 200mm	1.8	1.8	33x24x23	6/60	14/13
JS31005-6	6" / 160mm	/	/	33x20x23	6/60	11/10

Voltage Round Nose Plier

耐高压圆嘴钳 符合DIN ISO 5745 **JS31006**



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31006-6	6" / 160mm	/	/	33x20x23	6/60	11/10

Voltage End Cutting Plier

耐高压顶切钳 符合DIN ISO 5748 **JS31007**



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31007-6	6" / 160mm	3.4	1.8	33x23x25	6/60	16/15

Voltage Groove Joint Plier

耐高压水泵钳 **JS31009**



编号 Item Code	规格 Size L(mm)	夹持范围 (mm)	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31009-10	10" / 250mm	38 36	33x29x28	6/36	15/14

Voltage Wire Stripper Plier

耐高压剥线钳 **JS31008**



剥线范围: 直径 5mm



60 CrV 材料
HRC BODY 44-48 钳体硬度

- 适用于最大直径为5.0mm的单股、多股和细型塑胶绝缘导线, 或最大横截面为10.0mm² 电缆线的剥线工作。
- 采用滚花螺钉和锁紧螺母, 方便根据单股线或多股线的直径进行调整。
- 采用特殊工具钢材料, 经特殊淬火和退火处理。
- Suitable for Max.5mm single, thin and multi insulation wire, or stripping section of max.10mm² electric wire.
- With knurl screws and lock nuts, easy for the adjustment of single and multi wire according to its diameter
- Using special tooling steel, with special quenching and annealing treatment.



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31008-6	6" / 160mm	/	/	33x24x27	6/60	14/13




- 齿纹清晰 凹口设计**
钳口接触面大, 夹持牢固, 不打滑, 不损伤螺母。
- 头部多段调节设计**
多档可调, 精确夹紧螺母, 与保持面更贴合, 适应夹持不同尺寸的零件, 操作方便。
- 手柄**
模压处理可提高舒适性, 减少疲劳。
- Jaw contact surface, holding firm, non-skid, do not damage the nut.
- Multi-speed adjustable, accurate clamping nut with keeping more fitting surface, adaptation clamping parts of different sizes, easy to operate.
- Molding process can increase comfort and reduce fatigue.

ELECTRICAL PLIERS
绝缘柄钳系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

- Forged with special alloy tool steel S55C-1, working life 30% more than other normal steel.
- Grip made of imported PVC, up to the European PAHS environmental requirement.
- Can work properly under -25 ±3 and +70 degree.
- Handle design meets ergonomics, more comfortable for users.
- Edge through special high-frequency heat treatment, HRC up to 58-64 degree.
- Dipped handle is of acid-resisting, alkali-resisting and oilproof.

- 采用专业合金工具钢 (S55C-1) 锻造而成, 比其他原料使用寿命提高30%;
- 手柄采用进口PVC原料, 符合欧洲PAHS无毒环保要求, 在低温-25° ±3高温, 70° 情况下正常操作;
- 手柄外型设计符合人体工程学, 使用更舒适;
- 刃口经特殊高频热处理硬度达到HRC58-64;
- 浸塑手柄具有耐酸, 耐碱, 耐油等特点。



Electrical Diagonal Cutting Plier

绝缘柄斜嘴钳

JS31010



符合DIN ISO 5749
经过感应淬火的刀口可以剪切软硬电线

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31010-6	6" / 160mm	3.4	1.6	35x20x29	6/60	13/12
JS31010-7	7" / 180mm	3.8	1.8	38x24x29	6/60	18/17

Electrical Combination Plier

绝缘柄钢丝钳

JS31011



符合DIN ISO 5746
带功能齿的尖型半圆钳口, 适用于电子元件的夹持和剪切

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31011-6	6" / 160mm	3.4	1.6	35x20x27	6/60	14/13
JS31011-7	7" / 180mm	3.8	1.8	35x22x29	6/60	18/17
JS31011-8	8" / 200mm	3.8	2.0	38x24x29	6/60	24/23

Electrical Heavy-Duty Diagonal Cutting Plier

绝缘柄大头斜嘴钳

JS31010-7H



符合DIN ISO 5749
剪切刃口角度力矩传输和人体工程手柄的有机结合, 确保只需施加较少的手力就能提供较高的剪切性能, 省力21%

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31010-7H	7" / 180mm	3.4	2.0	33x22x29	6/60	18/17

Electrical Long Nose Plier

绝缘柄尖嘴钳

JS31012



符合DIN ISO 5745

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31012-6	6" / 160mm	3.0	1.6	33x20x23	6/60	12/11
JS31012-8	8" / 200mm	3.4	1.8	33x24x23	6/60	14/13

Electrical Bent Nose Plier

绝缘柄弯嘴钳

JS31013

符合DIN ISO 5745



40°

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31013-6	6" / 160mm	3.0	1.6	33x20x23	6/60	12/11
JS31013-8	8" / 200mm	3.4	1.8	33x24x23	6/60	14/13

Electrical Round Nose Plier

绝缘柄圆嘴钳

JS31014

符合DIN ISO 5745



8

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31014-6	6" / 160mm	/	/	33x20x23	6/60	12/11

Electrical Flat Nose Plier

绝缘柄扁嘴钳

JS31015

符合DIN ISO 5745



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31015-6	6" / 160mm	/	/	33x20x23	6/60	12/11

Electrical Wire Stripper

绝缘柄剥线钳

JS31016



适用于最大直径5.0mm或最大横截面积为10.0mm²电线的剥线工作, 通过调整旋钮螺丝来调节剥线直径

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS31016-6	6" / 160mm	/	/	33x24x27	6/60	14/13



ELECTRICAL PLIERS
绝缘柄钳系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



Tower Pincer
扎线钳 **JS41001**



Size: 8", 9", 10", 11", 12" 符合DIN ISO 9242

Tower Pincer With Half Blade
半刃扎线钳 **JS41002**



Half cut
头部半刃
Size: 9", 10"



Clamp Plier
直口卡箍钳 **JS41003**



单耳喉箍专用卡钳
Size: 9"



Clamp Plier With Hole
偏口卡箍钳 **JS41004**



Head hole for tube clamping
头部圆孔专业夹管
Size: 9"



拧、断铁丝一次完成；
快速、可靠安全。
To twist and cut wire in one operation: fast and reliable

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

扎线钳
TOWER PINCER

Carpenter Pincer
胡桃钳 符合DIN ISO 9243 **JS41005**



Size: 6", 7", 8", 9", 10"

Japanese Type End Cutting Plier
日式顶切钳 **JS41006**



With cutting edges for soft and hard wire. Also suitable for twisting and cutting binding wire.

Size: 6" 剪切刀口适用于剪切软线和硬线，适于绞扎和剪切铁丝。



German Type End Cutting Plier
德式顶切钳 **JS41007**



Size: 6", 7", 8"

凹头
With Concave Head




Europe Type End Cutting Plier
欧式顶切钳 **JS41008**



Size: 6", 7"

With cutting edges for soft and hard wire. Also suitable for twisting and cutting binding wire.
剪切刀口适用于剪切软线和硬线，适于绞扎和剪切铁丝。



Top quality chrome vanadium
Overall forged and hardened
Head polished

选用优质铬钒钢
整体锻压及热处理
头部精抛

大力型，拥有极好的
耐磨性和平衡性

For heavy duty
Extreme wear resistance
and well balanced.



刃口高频感应淬火
(58-64HRC)
Cutting edges induction
hardened (58-64HRC)

胡桃钳
CARPENTER PINCER

货号 Item Code	规格 Size L(mm)	钢丝 wire steel → (mm) 42HRC	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS41001-8	8" / 200mm	1.4	31x22.5x19.5	6/60	19/18
JS41001-9	9" / 225mm	1.6	31x25x19.5	6/60	25/24
JS41001-10	10" / 250mm	1.6	31x27.5x19.5	6/60	28/27
JS41001-11	11" / 280mm	1.8	31x30.5x19.5	6/60	31/30
JS41001-12	12" / 300mm	1.8	38x33x11.5	6/30	19/18
JS41002-9	9" / 225mm	1.6	31x25x19.5	6/60	25/24
JS41002-10	10" / 250mm	1.6	31x27.5x19.5	6/60	28/27
JS41003-9	9" / 225mm	/	31x25x19.5	6/60	25/24
JS41004-9	9" / 225mm	/	31x25x19.5	6/60	25/24

- Single or double colors dipped handle
Many colors available
Pocked, glossy, matte surface
- Body 60Cr-V drop forged
body hardness: 44-48HRC
- Blade hardens: 58-64HRC
- Rivet
- 单色或者双色沾塑
多种颜色可供选择
麻面、光面或者亚光面
- 60CrV锻压而成
整体热处理硬度: 44-48HRC
- 刃口硬度: 58-64HRC
- 轴心铆钉40Cr

货号 Item Code	规格 Size L(mm)	钢丝 wire steel → (mm) 42HRC	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS41005-6	6" / 160mm	1.4	27x18.5x15.5	6/60	16/15
JS41005-7	7" / 180mm	1.6	33x22.5x15	6/60	19/18
JS41005-8	8" / 200mm	1.6	33x25x17.5	6/60	25/24
JS41005-9	9" / 225mm	1.8	35x27.5x19.5	6/60	28/27
JS41005-10	10" / 250mm	1.8	35x30.5x19.5	6/60	31/30
JS41006-6	6" / 160mm	1.6	26x19x27	10/100	23/22
JS41007-6	6" / 160mm	1.6	32x23x26	6/60	16/15
JS41007-7	7" / 180mm	1.8	32x25x28	6/60	19/18
JS41007-8	8" / 200mm	2.0	35x27x28	6/60	25/24
JS41008-6	6" / 160mm	1.6	32x23x26	6/60	16/15
JS41008-7	7" / 180mm	1.8	32x25x28	6/60	19/18

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

- Made of 60 CR-V with high hardness and strong durability.
- Overall forged and hardened head polished.
- Excellent durability and resilience.
- Using new environmentally safe grip ergonomically.
- 优质60铬钒钢制造，刃口硬度高，持久性。
- 整体锻压及热处理，头部精抛。
- 优良的耐久性和弹性，即使连续工作，也不会觉得劳累。
- 无毒环保、人机工程优化的手柄设计。

American Type Combination Plier

美式重型钢丝钳

JS51001



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

With cutting edges for soft and hard wire. Long cutting edges for thicker cables
剪切刀口适合剪切软线和硬线, 长剪切刀口适于剪切较粗缆线



编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51001-6	6" / 160mm	3.4	1.8	37x19x25	6/60	15/14
JS51001-7	7" / 180mm	3.8	2.0	37x22x26	6/60	18/17
JS51001-8	8" / 200mm	3.8	2.2	39x23x26	6/60	24/23

American Type Long Nose Plier

美式重型尖嘴钳

JS51002



Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire
适于电子元件的夹持和剪切, 剪切刀口适于剪切软线, 中硬线和硬线



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51002-6	6" / 160mm	3.0	1.6	35x19x21	6/60	13/12
JS51002-8	8" / 200mm	3.4	1.8	37x22x24	6/60	16/15

American Type Diagonal Cutting Plier

美式重型斜嘴钳

JS51003



The indispensable diagonal cutter for multi-purpose use. Precision cutting edges for soft and hard wire
必不可少的剪切工具, 用途广泛, 精密剪切口加硬处理, 可剪切软线和硬线



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51003-6	6" / 160mm	3.4	1.6	35x19x25	6/60	13/12
JS51003-7	7" / 180mm	3.8	1.8	37x22x26	6/60	18/17

American Type Heavy Duty Diagonal Cutting Plier

美式重型大头斜

JS51003-7H




60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51003-7H	7" / 180mm	3.4	2	37x22x26	6/60	18/17

AMERICAN TYPE PLIER 美式钳系列

Holding & Bending 夹持和折弯
Cutting Hard Wires 剪切硬钢丝



60CrV
材质
Material

To ensure the excellent performance of pliers with high quality steel
高品质钢材, 确保钳子优秀剪切力性能的发挥

Using new environmentally safe grip ergonomical design
无毒环保、人机工程优化的手柄设计

The cutting edge undergoes CNC machining and special heat treatment, to ensure the precision of the cutting edge and durability.
刃口部位经数控机加工及特殊热处理, 以保证刃口的精密性和耐用度;



American Type Combination Plier

美式钢丝钳

JS51004

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51004-6	6" / 160mm	3.4	1.6	33x20x23	6/60	14/13
JS51004-7	7" / 180mm	3.8	1.8	33x22x25	6/60	18/17
JS51004-8	8" / 200mm	3.8	2.0	35x24x27	6/60	24/23

American Type Long Nose Plier

美式尖嘴钳

JS51005



适于电子元件的夹持和剪切, 剪切刀口适于剪切软线, 中硬线和硬线
Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51005-6	6" / 160mm	3.0	1.6	33x20x21	6/60	11/10
JS51005-8	8" / 200mm	3.4	1.8	33x24x21	6/60	14/13

American Type Diagonal Cutting Plier

美式斜嘴钳

JS51007



The indispensable diagonal cutter for all-round use. Precision cutting edges for soft and hard wire
必不可少的剪切工具, 用途广泛, 精密剪切口加硬处理, 可剪切软线和硬线

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51007-6	6" / 160mm	3.4	1.6	33x22x25	6/60	13/12
JS51007-7	7" / 180mm	3.8	1.8	35x24x27	6/60	17/16

American Type Bent Nose Plier

美式弯嘴钳

JS51006



适于电子元件的夹持和剪切, 剪切刀口适于剪切软线, 中硬线和硬线
Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51006-6	6" / 160mm	3.0	1.6	33x20x21	6/60	11/10
JS51006-8	8" / 200mm	3.4	1.8	33x24x21	6/60	14/13

American Type Heavy-Duty Diagonal Cutting Plier

美式大头斜

JS51007-7H



必不可少的剪切工具, 用途广泛, 精密剪切口加硬处理, 可剪切软线和硬线
The indispensable diagonal cutter for all-round use. Precision cutting edges for soft and hard wire

编号 Item Code	规格 Size L(mm)	φ mm 软线	φ mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS51007-7H	7" / 180mm	3.4	2	33x22x25	6/60	17/16



Edge high frequency
刃口高频

Spring loaded for easy working
弹簧 使用方便

With shoulder, used comfortable grip
采用凸肩 使用舒适

Thickness dipped
加厚塑柄

AMERICAN TYPE HEAVY DUTY PLIER 美式重型钳子系列

To ensure the excellent performance of pliers with high quality steel
高品质钢材, 确保钳子优秀剪切力性能的发挥



HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度





60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度

American Type Combination Plier

美式钢丝钳

JS51008



Effort required than with normal combination pliers, easier work due to advanced leverage design.
波纹夹取表面有效夹取，特别适用于较薄的工作。

American Type Long Nose Plier

美式尖嘴钳

JS51009

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire.
适于电子元件的夹持和剪切，剪刀口适于剪切软线，中硬线和硬线。

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS51009-6	6" / 160mm	3.0	1.6	30x19x20	6/60	10/9
JS51009-8	8" / 200mm	3.4	1.8	30x23x24	6/60	14/13

American Type Bent Nose Plier

美式弯嘴钳

JS51010

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



Suitable for fine gripping and cutting work. With cutting edges for soft, medium-hard and hard wire.
适于电子元件的夹持和剪切，剪刀口适于剪切软线，中硬线和硬线。

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS51010-6	6" / 160mm	3.0	1.6	30x19x20	6/60	10/9
JS51010-8	8" / 200mm	3.4	1.8	30x23x24	6/60	14/13

AMERICAN TYPE PLIER
美式钳系列

- To ensure the excellent performance of pliers with high quality steel.
高品质钢材，确保钳子优秀剪切力性能的发挥。
- Using new environmentally safe grip ergonomic design.
无带环保、人机工程优化的手柄设计。



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS51008-6	6" / 160mm	3.4	1.6	30x19x23	6/60	14/13
JS51008-7	7" / 180mm	3.8	1.8	30x21x25	6/60	17/16
JS51008-8	8" / 200mm	3.8	2.0	30x23x27	6/60	23/22

American Type Diagonal Cutting Plier

美式斜嘴钳

JS51011

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



The indispensable diagonal cutter for all-round use. Precision cutting edges for soft and hard wire.
必不可少的剪切工具，用途广泛，精密剪刀口加硬处理，可剪切软线和硬线。

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS51011-5.5	5.5" / 140mm	3.0	1.4	30x17x20	6/60	9/8
JS51011-6	6" / 160mm	3.4	1.6	30x19x23	6/60	11/10
JS51011-7.5	7.5" / 185mm	3.8	1.8	30x23x27	6/60	17/16

American Type Heavy-Duty Diagonal Cutting Plier

美式大头斜


JS51011-7H

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-64 刃口硬度



编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS51011-7H	7" / 180mm	3.4	2	30x21x25	6/60	17/16



For precision work.
With the same function as general pliers.
适用于精细的工作；具有通用钳同样的功能。



- Induction hardened cutting edges for the ultimate performance.
切口边缘经过感应硬化处理。
- Low-friction double spring for gentle and even opening.
采用低摩擦力的弹簧片自动复位。
- Optimum transmission of force due to ergonomically designed handle.
轻巧的手柄，便于握持。

MINI PLIERS
迷你钳

45# 材料
HRC BODY 38-45 钳体硬度
HRC CUTTER 54-60 刃口硬度



(A) Mini Combination Plier
迷你钢丝钳
Size: 4.5" **JS61001**

(B) Mini Diagonal Cutting Plier
迷你斜嘴钳
Size: 4.5" **JS61002**

(C) Mini Long Nose Plier
迷你尖嘴钳
Size: 4.5" **JS61003**

(D) Mini Bent Nose Plier
迷你弯嘴钳
Size: 4.5" **JS61004**

(E) Mini End Cutting Plier
迷你顶切钳
Size: 4.5" **JS61005**

(F) Mini Flat Nose Plier
迷你扁嘴钳
Size: 4.5" **JS61006**

(G) Mini Round Nose Pliers
迷你圆嘴钳
Size: 4.5" **JS61007**

(H) Mini Needle Nose Pliers
迷你针嘴钳
Size: 6" **JS61008**

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS61001	4.5" / 115mm	2.0	0.8	32x22x24	10/120	9/8
JS61002	4.5" / 115mm	2.0	0.8	32x22x24	10/120	9/8
JS61003	4.5" / 115mm	2.0	0.8	32x22x24	10/120	9/8
JS61004	4.5" / 115mm	/	/	32x22x24	10/120	9/8
JS61005	4.5" / 110mm	2.0	0.8	32x22x24	10/120	9/8
JS61006	4.5" / 115mm	/	/	32x22x24	10/120	9/8
JS61007	4.5" / 115mm	/	/	32x22x24	10/120	9/8
JS61008	6" / 150mm	/	/	35x22x24	10/120	9/8

The indispensable cutter for all-round use. Precision cutting edges for soft and hard wire.
必不可少的剪切工具，用途广泛，精密剪刀口加硬处理，可剪切软线。


Suitable for clamping and cutting work. With cutting edges for soft, medium-hard and hard wire.
适于电子元件的夹持和剪切，剪刀口适于剪切软线。

For precision work.
With the same function as general pliers
适用于精细的工作;
具有通用钳同样的功能。

Induction hardened cutting edges for the ultimate performance.
切口边缘经过感应硬化处理。

Low-friction double spring for gentle and even opening.
采用低摩擦力的弹簧片自动复位。

Optimum transmission of force due to ergonomically designed handle.
轻巧的手柄, 便于握持。





MINI PLIERS 迷你钳

45#
高铁钢
材料

HRC BODY
38-45
钳体硬度

HRC CUTTER
54-60
刃口硬度



- (A) Mini Combination Plier
迷你钢丝钳
Size: 4.5" **JS61009**
- (B) Mini Diagonal Cutting Plier
迷你斜嘴钳
Size: 4.5" **JS61010**
- (C) Mini Long Nose Plier
迷你尖嘴钳
Size: 4.5" **JS61011**
- (D) Mini Bent Nose Plier
迷你弯嘴钳
Size: 4.5" **JS61012**
- (E) Mini End Cutting Plier
迷你顶切钳
Size: 4.5" **JS61013**
- (F) Mini Flat Nose Plier
迷你扁嘴钳
Size: 4.5" **JS61014**
- (G) Mini Round Nose Plier
迷你圆嘴钳
Size: 4.5" **JS61015**
- (H) Mini Needle Nose Plier
迷你针嘴钳
Size: 5" **JS61016**

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS61009	4.5" / 115mm	2.0	0.8	27x22x24	10/120	8/7
JS61010	4.5" / 115mm	2.0	0.8	27x22x24	10/120	8/7
JS61011	4.5" / 115mm	2.0	0.8	27x22x24	10/120	8/7
JS61012	4.5" / 115mm	/	/	27x22x24	10/120	8/7
JS61013	4.5" / 115mm	2.0	0.8	27x22x24	10/120	8/7
JS61014	4.5" / 115mm	/	/	27x22x24	10/120	8/7
JS61015	4.5" / 115mm	/	/	27x22x24	10/120	8/7
JS61016	5" / 145mm	/	/	35x22x24	10/120	8/7

45#
高铁钢
材料

HRC BODY
38-45
钳体硬度

HRC CUTTER
54-60
刃口硬度



Wire Crimping Plier 端子压接钳 **JS61017**

编号 Item Code	规格 Size L(mm)	软线 mm	硬线 mm	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS61017-5	5" / 145mm	3.0	1.4	30x17x20	6/60	10/9




50
CrV
材料

HRC BODY
44-48
钳体硬度

IOI
强夹持


- 优质铬镍钢
钳体采用50铬镍钢锻造而成, 整体锻压及热处理, 表面机磨, 经久耐用。
Clamp body with 50 forged chrome-nickel steel, the overall forging and heat treatment, surface grinding machine, durable.
- 齿纹清晰 凹口设计
钳口接触面大, 夹持牢固, 不打滑, 不损伤螺母。
- 头部多段调节设计
多档可调, 精确夹紧螺母, 与保持面更贴合, 适应夹持不同尺寸的零件, 操作方便。
- 手柄
模压处理可提高舒适性, 减少疲劳。
- Jaw contact surface, holding firm, non-skid, do not damage the nut.
- Multi-speed adjustable, accurate clamping nut with keeping more fitting surface, adaptation clamping parts of different sizes, easy to operate.
- Molding process can increase comfort and reduce fatigue.

Groove Joint Pliers Type D4 D4水泵钳 **JS71001**



Size: 8", 10", 12"

Groove Joint Pliers Type A A型水泵钳 **JS71002**



Size: 10", 12"

编号 Item Code	规格 Size L(mm)	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS71001-8	8" / 200mm	28x23x21	6/60	12/11
JS71001-10	10" / 250mm	33x28x23	6/60	25/24
JS71001-12	12" / 300mm	33x22x18	5/30	15/14
JS71002-10	10" / 250mm	33x28x23	6/60	25/24
JS71002-12	12" / 300mm	33x22x18	5/30	15/14
JS71003-10	10" / 250mm	33x28x23	6/60	25/24
JS71004-8	8" / 200mm	28x23x21	6/60	12/11
JS71004-10	10" / 250mm	38x28x23	6/60	25/24
JS71004-12	12" / 300mm	33x22x20	5/30	15/14
JS71005-11	11" / 270mm	30x26x22	5/30	16/15

GROOVE JOINT PLIERS 水泵钳系列



用途:
用于夹持扁形或圆柱形或者六边形金属零件, 其特点是钳口的开口宽度有多档调节位置, 以适应夹持不同尺寸的零件需要, 是居家燃气管道、水暖管件、汽车、内燃机、农业机械等安装、维修工作中常用的工具。

use:
For holding flat or cylindrical or hexagonal metal parts, which is characterized by the opening width adjusting the position of the jaws multiple files to fit different sizes of holding part needs, home gas pipelines, plumbing, automotive, internal combustion engines agricultural machinery installation, repair work commonly used tools.

Groove Joint Pliers Type D3 D3水泵钳 **JS71003**



Size: 10"

Groove Joint Pliers Type A6 A6水泵钳 **JS71004**



Size: 8", 10", 12"

Groove Joint Pliers 快速水泵钳 **JS71005**




Size: 11"

GLASS PLIER 玻璃钳系列



- 特殊工具钢，锻压成形；
- 钳头精抛光处理，钳口防滑；
- 整体热处理，硬度：44-48HRC
- 双色手柄、沾塑处理、握持舒服，防滑；
- 玻璃行业专用工具。

- 55#-v drop forged
- Body hardness: 44-48HRC
- Blade hardness: 55-60HRC
- Dipped pvc handles
- Head grinding machine



Glass Plier Type A
A型玻璃钳系列 **JS71006**
Size: 8"

Glass Plier Type B
B型玻璃钳系列 **JS71007**
Size: 8"

Glass Plier Type C
C型玻璃钳系列 **JS71008**
Size: 8"

Glass Plier Type D
D型玻璃钳系列 **JS71009**
Size: 8"

编号 Item Code	规格 Size L(mm)	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS71006	8" / 200mm	33x23x27	6/60	21/20
JS71007	8" / 200mm	35x25x27	6/60	21/20
JS71008	8" / 200mm	35x25x27	6/60	21/20
JS71009	10" / 250mm	28x28x24	5/30	15/14

Compound Tile Cutter
省力瓷砖钳 **JS71010**
Size: 10"

Tile Cutter
瓷砖钳 **JS71011**
Size: 8"

Tile Cutter With Bent Handle
曲柄瓷砖钳 **JS71012**
Size: 8.5"

Tile Cutter
带滑轮瓷砖钳 **JS71013**
Size: 8"

Two-tone Color Grips
Non-slip Surface
双色沾塑手柄、握持舒服、防滑。

Lock Switch
锁开关

Heat Treated Alloy Steel
热处理合金钢

Heat Treated Joint Rivet
热处理联合铆钉

Induction Hardened Edges
感应淬火边缘

材料：优质钨钢锻造
刃口硬度：62-68
钳体硬度：44-48

**瓷砖钳系列
TILE CUTTER**

LABOR
省力 **50%**

● 50% less effort required than with normal combination pliers. easier work due to advanced leverage design
由于采用新式改进型杠杆力矩设计，省力 50%，轻松剪切，牢固夹持、弯曲和拉拔

Tile Cutter
鸟嘴瓷砖钳 **JS71014**
Size: 8"

编号 Item Code	规格 Size L(mm)	包装体积 Measurement (cm)	装箱数 Pcs / Pcs	重量 kg
JS71010	10" / 250mm	33x28x21	5/30	14/13
JS71011	8" / 200mm	38x24x27	6/60	23/22
JS71012	8.5" / 210mm	38x25x29	6/60	25/24
JS71013	8" / 200mm	38x24x27	6/60	23/22
JS71014	8" / 200mm	38x24x23	6/60	18/17

AVIATION SNIPS
(TAIWAN'S TYPE)
台式航空剪

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度

60CrV or Cr-Mo drop forged head
Body hardness:44-48HRC
刀头 60CrV或Cr-Mo 锻压
整体硬度: 44-48HRC

Special Processed Axial Bolt Can Cut 20000 Times Without Wearing

特殊加工的轴心螺栓
剪切20000次不磨损

Strong Spring Will Keep Its Shape After Cutting 20000 Times
强力弹簧, 轻松剪切20000次不变形

PVC/TPR GRIP
套柄

Blade Hardness
刃口硬度: 58-62HRC



45# Carbon Steel
手柄45#碳钢

产品介绍:

- 选用优质55#高碳钢或 Cr-V, Cr-M
- 产品头部整体硬度44°-48°
- 产品刃口硬度58°-62°
- 可剪切冷轧板厚度1.2mm
- 可剪切不锈钢厚度0.8mm
- 产品长度250mm

Products Introduced:

- High quality 55# high-carbon steel or Cr-V, Cr-M
- Overall heat Salt treatment 44-48HRC
- Edge Salt treatment 58-62HRC
- Cutting capacity: Cold Rolling Plate 1.2mm
- Cutting capacity: stainless steel 0.8mm
- Size: 250mm



钳头带齿设计, 刃口剪切平整省力, 同时防止打滑。

Clamp tooth headband design, smooth cutting edge effort, while preventing slipping.

货号 Item Code	规格 Size L.(mm)	Steel 白铁皮 →○← (mm)	不锈钢铁皮 Stainless Steel →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81001	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24
JS81002	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24
JS81003	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24
JS81004	12" / 300mm	1.2	0.8	36x30x27	6/48	23/22

Right cut
左弯右剪

JS81001 Size: 10"



直头
Straight cut

JS81002 Size: 10"



右弯左剪
Left cut

JS81003 Size: 10"



加长直头
Long straight cut

JS81004 Size: 12"



AVIATION SNIPS
(AMERICAN'S TYPE)
美式航空剪

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度



钳头带齿设计, 刃口剪切平整省力, 同时防止打滑。

Clamp tooth headband design, smooth cutting edge effort, while preventing slipping.

Right cut
左弯右剪

JS81005 Size: 10"



直头
Straight cut

JS81006 Size: 10"



右弯左剪
Left cut

JS81007 Size: 10"



货号 Item Code	规格 Size L.(mm)	Steel 白铁皮 →○← (mm)	不锈钢铁皮 Stainless Steel →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81005	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24
JS81006	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24
JS81007	10" / 250mm	1.2	0.8	44x27x27	6/60	25/24

HEAVY DUTY
AVIATION SNIPS
重型航空剪

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度



钳头带齿设计, 刃口剪切平整省力, 同时防止打滑。

Clamp tooth headband design, smooth cutting edge effort, while preventing slipping.

Right cut
左弯右剪

JS81008 Size: 10"



直头
Straight cut

JS81009 Size: 10"



右弯左剪
Left cut

JS81010 Size: 10"



■ 刃口高频二次处理
HF Two Quenching on sharpline

■ 头部加重型
Heavy-duty

■ 省力作用
Laborsaving

■ 双色TPR握把
Extra soft TPR handle of two color

货号 Item Code	规格 Size L.(mm)	Steel 白铁皮 →○← (mm)	不锈钢铁皮 Stainless Steel →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81008	10" / 250mm	1.2	0.8	36x27x33	6/36	18/17
JS81009	10" / 250mm	1.2	0.8	36x27x33	6/36	18/17
JS81010	10" / 250mm	1.2	0.8	36x27x33	6/36	18/17



CABLE CUTTER 电缆剪系列

60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度

- 用于剪切和压接铝芯和铜芯电缆用于剪切铝芯和铜芯电缆。
- Used for cutting wire rope, steel wire, ACSR cable and aircraft cable
- Used for cutting wire rope, steel wire, ACSR cable and aircraft cable



Cable Cutter
电缆剪

JS81011

Size: 10"



Cable Cutter C Type
C型电缆剪

JS81012


Size: 6", 8", 10"



货号 Item Code	规格 Size L(mm)	铜铝多股电缆 Copper Cable →○← (mm)	包装尺寸 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS81011-10	10" / 250mm	10	33x27x27	6/60	28/27
JS81012-6	6" / 150mm	6	30x19x23	6/60	14/13
JS81012-8	8" / 200mm	8	30x23x27	6/60	21/20
JS81012-10	10" / 250mm	10	33x27x29	6/60	25/24

TIN SNIPS (AMERICAN TYPE) 美式铁皮剪

- 刃口感应淬火 58-62HRC
- 55#高碳钢或50Cr-V刀体锻压而成整体热处理 44-48HRC 表面本色处理或抛光后镍铁处理
- Cutting edges induction quenched, hardness: 58-62HRC
- 55# carbon steel or 50Cr-V drop forged entirely Body heat treatment, hardness: 44-48HRC Natural finish or zinc plated



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度

TIN SNIPS
(AMERICAN TYPE)
美式铁皮剪

JS81013

Size: 8", 10", 12", 14"



TIN SNIPS
(AMERICAN TYPE)
美式轻型铁皮剪

JS81014

Size: 10", 12"



货号 Item Code	规格 Size L(mm)	Steel 白铁皮 →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81013-8	8" / 200mm	1.0	47.5x23x23	6/60	22/21
JS81013-10	10" / 250mm	1.2	37x29x23	6/36	20/19
JS81013-12	12" / 300mm	1.2	39x33x23	6/36	26/25
JS81013-14	14" / 350mm	1.2	39x30x24	6/24	26/25
JS81014-10	10" / 250mm	1.2	37x29x23	6/36	19/18
JS81014-12	12" / 300mm	1.2	39x33x23	6/36	25/24

Tin Snippers (British Type) 英式铁皮剪



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度

JS81015

货号 Item Code	规格 Size L(mm)	Steel 白铁皮 →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81015-10	10" / 250mm	1.0	28x21x21	6/36	20/19
JS81015-12	12" / 300mm	1.2	32x22x23	6/36	26/25



TIN SNIPS (GERMAN TYPE) 德式铁皮剪

- 刃口感应淬火 58-62HRC
Cutting edges induction quenched, hardness: 58-62HRC
- 55#高碳钢或50Cr-V刀体锻压而成整体热处理 44-48HRC 表面本色处理或抛光后镍铁处理
55# carbon steel or 50Cr-V drop forged entirely Body heat treatment, hardness: 44-48HRC Natural finish or zinc plated
- 单色或者双色沾塑
多种颜色可供选择
麻面、光面或者亚光面
Single or double colors dipped
Many colors available
Pocked, glossy matte surface



60 CrV 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度



(左弯)
Left turn

JS81016 Size: 9", 10", 11"



(直头)
Straight

JS81017 Size: 10"



(右弯)
Right turn

JS81018 Size: 9", 10", 11"



Heavy Duty Tin Snip
重型铁皮剪
JS81019 Size: 12"



货号 Item Code	规格 Size L(mm)	Steel 白铁皮 →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81016-9	9" / 225mm	1.0	35x26.5x28	6/60	20/19
JS81016-10	10" / 250mm	1.2	28x21x21	6/36	20/19
JS81016-11	11" / 280mm	1.2	32x22x23	6/36	25/24
JS81017-10	10" / 250mm	1.0	35x26.5x28	6/60	20/19
JS81018-9	9" / 225mm	1.0	35x26.5x28	6/60	20/19
JS81018-10	10" / 250mm	1.2	28x21x21	6/36	20/19
JS81018-11	11" / 280mm	1.2	32x22x23	6/36	25/24
JS81019-12	12" / 300mm	1.0	35x33x21	5/30	20/19

TIN SNIPS 板材铁皮剪


65 MN 材料
HRC BODY 44-48 钳体硬度
HRC CUTTER 58-62 刃口硬度

- 选用优质轴心材料，精密配合，使用灵活方便
High-strength spring to make operations more efficient effort
- Axis selection of quality material with precision, the use of flexible and convenient

(弯)
Bent cut

JS81020

货号 Item Code	规格 Size L(mm)	Steel 白铁皮 →○← (mm)	包装体积 Measurement (cm)	装箱数 Pcs	重量 kg
JS81020-8	8" / 200mm	0.8	40x23x28	6/60	22/21





Material: Carbon Steel,
Chrome Vanadium
Finish: Black
材料: 碳钢, 铬钒钢
表面处理: 发黑

- Non-slip solid tips
钳口防滑
- Solid style, forged,
chrome vanadium steel
坚固型, 锻造, 铬钒钢
- Professional C-ring
installation and removal tool
C型环安装拆卸工具



挡圈钳 CIRCLIP PLIERS

American Type Circlip Plier (For Hole, Straight)

孔用直口挡圈钳(美式)

JS91001



Straight
(内直)



Size: 5", 6", 7", 8", 9", 13"

American Type Circlip Plier (For Hole, Bent)

孔用曲口挡圈钳(美式)

JS91002



Bent
(内弯)



Size: 5", 6", 7", 8", 9", 13"

American Type Circlip Plier (For Axle, Straight)

轴用直口挡圈钳(美式)

JS91003



Straight
(外直)



Size: 5", 6", 7", 8", 9", 13"

American Type Circlip Plier (For Axle, Bent)

轴用曲口挡圈钳(美式)

JS91004



Bent
(外弯)



Size: 5", 6", 7", 8", 9", 13"

Germany Type Circlip Plier (For Hole, Straight)

孔用直口挡圈钳(德式)

JS91005



Straight
(内直)



Size: 5", 7", 9"

Germany Type Circlip Plier (For Hole, Bent)

孔用曲口挡圈钳(德式)

JS91006



Bent
(内弯)



Size: 5", 7", 9"


Germany Type Circlip Plier (For Axle, Straight)

轴用直口挡圈钳(德式)

JS91007



Straight
(外直)




Size: 5", 7", 9"

Germany Type Circlip Plier (For Axle, Bent)

轴用曲口挡圈钳(德式)

JS91008



Bent
(外弯)



Size: 5", 7", 9"

LONG REACH PLIERS

加长钳

JS91009

Material
材质
55#
高碳钢

HRC
BODY
41-46
钳体硬度

Medium carbon steel, fine polish.
Long handles and nose allow greater access to confined, hard-to-reach areas.
Long-reach design provides greater holding power at the tip with minimal effort.
Fine polish surfaces and dimensions are precision machined for faultless tool performance.
Pliers are hot riveted for uniformly smooth opening and closing action.
Knurled jaws for precise gripping and sure wrapping and looping of wire.
Double color pockmarked sleeves.

- 中碳钢, 精地处理;
- 长的头部便于伸到因受到限制而不容易直达的区域;
- 为了达到完美的性能, 口面和尺寸经精密加工而成;
- 为了平滑地开合钳子, 采用铆铆接;
- 头部有齿, 便于夹持;
- 双色手柄、沾塑处理、握持舒适。
- 夹爪长柄钳, 可多处应用, 包括拆除/替换软管、车灯、灯泡等。



编号 Item Code	规格 Size L(mm)	包装体积 Measurement (cm)	装箱数 Pcs/Pos	重量 kg
JS91009	11" / 200mm	25x24.5x28.5	6/36	8/7

FENCING PLIER


篱笆钳

Material
材质
55#
高碳钢

HRC
BODY
41-46
钳体硬度

With side cutter to cut soft wire.
One side of head designed to hammer, the other side to dig.
Nail-pulling design.
Ergonomic design for comfortable grip. With side cutter to cut soft wire.
One side of head designed to hammer, the other side to dig.
Nail-pulling design.
Ergonomic design for comfortable grip.

- 优质材料和精良工艺延长了使用寿命;
- 特殊工具钢, 锻压成形;
- 钳头精抛光处理;
- 侧边剪切电线;
- 一侧设计成斧头形状, 另一侧拔钉设计;
- 多功能, 适合户外作业;
- 根据人体工学原理设计的手柄, 使用更舒适;
- 手柄沾塑处理、颜色亮丽、握持舒适。



编号 Item Code	规格 Size L(mm)	包装体积 Measurement (cm)	装箱数 Pcs/Pos	重量 kg
JS91010-10	10" / 250mm	33x27x19	5/30	17/16
JS91011-10	10" / 250mm	33x27x19	5/30	17/16
JS91012-10	10" / 250mm	27x22x23	5/30	16/15
JS91012-12	12" / 300mm	32x24x23	5/30	18/17

Fencing Plier

重型篱笆钳(圆头) Size: 10"

JS91010



Fencing Plier

重型篱笆钳(平头) Size: 10"


JS91011



Fencing Plier

轻型篱笆钳 Size: 10"、12"

JS91012





Professional Pliers
EXPERT QUALITY

Special application.
With addition function.
.....专业品质
可适用于不同场合下的特殊用途。
同一把钳子上带有不同的附加功能。



HRC BODY 44-48
钳体硬度
HRC CUTTER 60-64
刃口硬度



Heavy Duty Combination Plier Type C
C型钢丝钳
JS91013 Size: 7.5", 8.5", 9.5"



Heavy Duty Combination Plier Type A
A型强力钢丝钳,
JS91014 Size: 10"



Heavy Duty Combination Plier
强力钢丝钳,
JS91015 Size: 10"



Wire Crimping Plier
压线钳



JS91016 Size: 9.5"

编号 Item Code	规格 Size L(mm)	mm 软线	mm 硬线	包装体积 Measurement (cm)	装箱数 Pcs/Pcs	重量 kg
JS91013-7.5	7.5" / 185mm	3.4	1.6	30x21x27	6/60	19/18
JS91013-8.5	8.5" / 210mm	3.8	1.8	30x23x29	6/60	26/25
JS91013-9.5	9.5" / 245mm	3.8	2.2	27x24x23	5/30	18/17
JS91014-10	10" / 250mm	3.8	2.2	27x24x23	5/30	18/17
JS91015-10	10" / 250mm	3.8	2.2	27x24x23	5/30	18/17
JS91016-9.5	9.5" / 245mm	3.0	1.6	31x27x22	6/60	23/22

PUNCH PLIER
皮带打孔钳

JS91017
Size: 9" / 225mm



WIRE ROPE CUTTER
钢丝绳剪

JS91018



Size: 8"/200mm
65
材料
HRC BODY 44-48
钳体硬度
HRC CUTTER 60-64
刃口硬度



