



JIAXING JINLIDA ELECTRON CO., LTD.

Add: NO.825 Yanjia Rd. Wanghai Street, Haiyan County, Zhejiang Province, China, 314317

Tel: 0086-573-86882200 86882201 86882202

Fax: 0086-573-86881688

URL: <http://www.jldaudio.com> <http://www.jxjld.com>

<http://www.jldcable.com>

E-mail: ceo@jxjld.com Sell@jxjld.com



ELITE ELECTRON

Specializing in the production of various kinds of car audio

Specializing in the production of various kinds of car audio

Jiaxing Jinlida
ELECTRON CO., LTD.

Jinlida

Specializing in the production of various kinds of car audio

www.jldaudio.com

OUR FACTORY













NEW
CATALOG
2019

JLD Audio (the short of Jiaying Jinlida Electron Co., Ltd.), is a professional Pro/Stage Audio and Car Audio manufacturer in China mainland, we are located in Haiyan, Zhejiang, the joint of Shanghai, Hangzhou and Suzhou, near to Ningbo by across of Hangzhou Bay Cross-sea bridge. The advantage of conveniently traffic and export right bring our competitive products to many countries and areas. We have been in the Self production and OEM business & Service for over 18 years and also produce hundreds of models customized. The fully experienced technology and excellent test equipments (DAAS, digital audio system and Clio Test system) keep our all designs fit for customer requirement, even over their expectation. The strictly quality control guarantee qualified products after sales.

Producing a product a tailored to your specifications is our responsibility, assisting you to create unique product is our goal. Whether Pro/Stage Audio, or Car Audio, we are ready to take your project from concept to creation.

Let us help you to open new markets and grow your business!



	ABOUT US	01		RCA CABLE Y CABLE	37
	CAR SUBWOOFER	03		RCA CONNECTORS	40
	SPEAKER BOX	20		FUSE HOLDERS	42
	POWER CABLE	25		DISTRIBUTION BLOCKS	45
	SPEAKER CABLE	29		BATTERY TERMINALS	46
	WIRING KITS	31		RING TERMINALS	46





JLD AUDIO TOOLING
BASKET/FRAME



JLD65

6.5inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp cone with foam surround
High efficiency 2x40 OZ FEA optimized magnet motor
2"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 300W / Max.Power:600W



JLD08

8 inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp cone with foam surround
High efficiency 2x50 OZ FEA optimized magnet motor
2.5"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 500W / Max.Power:1000W



JLD10

10 inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp cone with foam surround
High efficiency 2x80 OZ FEA optimized magnet motor
3"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 800W / Max.Power:1600W

CAR SUBWOOFER

JLD12

12 inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp cone with foam surround
High efficiency 2x95 OZ FEA optimized magnet motor
3"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 1000W / Max.Power:2000W



JLD15

15 inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp and glass fiber cone with foam surround
High efficiency 2x95 OZ FEA optimized magnet motor
3"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 1000W / Max.Power:2000W



JLD18

18 inch High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp and glass fiber cone with foam surround
High efficiency 3x100 OZ FEA optimized magnet motor
3"-4 layers high-temp voice coil
Dual 2/4 Ohm impedance
RMS 1500W / Max.Power:3000W





JLD12-A
 12 inch High Performance Car Subwoofer
 White glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 3x75 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1200W / Max.Power:2400W
 Size available: 6.5",8",10",15",18"



JLD12-B
 12 inch High Performance Car Subwoofer
 White glossy finish die-cast Aluminum basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x135 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1800W / Max.Power:3600W
 Size available: 6.5", 8",10",15",18"



JLD12-C
 12 inch High Performance Car Subwoofer
 Black Wrinkle finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 3x75 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1500W / Max.Power:3000W
 Size available: 6.5", 8",10",15",18"

CAR SUBWOOFER



JLD12-D
 12 inch High Performance Car Subwoofer
 Orange glossy finish die-cast Aluminum basket
 Non-pressed pulp and glass fiber cone with foam surround
 High efficiency 3x75 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1500W / Max.Power:3000W
 Size available: 6.5",8",10",15",18"

SCC08
 8 inch High Performance Car Subwoofer
 Orange glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x60 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 600W / Max.Power:1200W
 Size available: 12",15"



SCD10
 10 inch High Performance Car Subwoofer
 Black Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x65 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 800W / Max.Power:1600W
 Size available: 12",15"



SCE12

12 inch High Performance Car Subwoofer
 Red Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 3x150 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 3000W / Max.Power:6000W
 Size available: 15",18"



SCF12

12 inch High Performance Car Subwoofer
 Black Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 3x100 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 2000W / Max.Power:4000W
 Size available: 10",15",18"



SCG15

15 inch High Performance Car Subwoofer
 Black Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 3x100 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 2000W / Max.Power:4000W
 Size available: 8",12"

CAR SUBWOOFER

SCH12

12 inch High Performance Car Subwoofer
 Black glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x55 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 750W / Max.Power:1500W
 Size available: 10",15",18"



SCH15

15 inch High Performance Car Subwoofer
 Black glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x70 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1000W / Max.Power:2000W
 Size available: 10",12",18"

SCH18

18 inch High Performance Car Subwoofer
 Black glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x90 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 1000W / Max.Power:2000W
 Size available: 10",12",15"





SCI10

10 inch High Performance Car Subwoofer
 Blue glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 8",12",15",18"

SCJ10

10 inch High Performance Car Subwoofer
 Black Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x70 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 800W / Max.Power:1600W
 Size available: 12",15"



SCK12

12 inch High Performance Car Subwoofer
 Black glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x55 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 750W / Max.Power:1500W
 Size available: 10",15"



CAR SUBWOOFER

SCL12

12 inch High Performance Car Subwoofer
 Orange glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 10",15"



SCM12

12 inch High Performance Car Subwoofer
 Black glossy finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 10",15"



SCN10

10 inch High Performance Car Subwoofer
 Black Powder finish die-cast Aluminum basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 400W / Max.Power:800W
 Size available: 12"





SC010

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 350W / Max.Power:700W
 Size available: 8",12",15"



SCP10

10 inch High Performance Car Subwoofer
 Black glossy finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 450W / Max.Power:900W
 Size available: 12",15"



SCQ10

10 inch High Performance Car Subwoofer
 Black glossy finish stamped steel basket
 Non-pressed pulp and glass fiber cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 400W / Max.Power:800W
 Size available: 8",12",15"



CAR SUBWOOFER

SCR10

10 inch High Performance Car Subwoofer
 Black glossy finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 400W / Max.Power:800W
 Size available: 12"



SCS10

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 400W / Max.Power:800W
 Size available: 8",12",15"



SCT12

12 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 350W / Max.Power:700W
 Size available: 10"





SCU12

12 inch High Performance Car Subwoofer
 Red glossy finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 450W / Max.Power:900W
 Size available: 8",10",15"



SCV12

12 inch High Performance Car Subwoofer
 Metal Red glossy finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x60 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 600W / Max.Power:1200W
 Size available: 8", 10", 15"



SCW12

12 inch High Performance Car Subwoofer
 White glossy finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x60 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 600W / Max.Power:1200W
 Size available: 10",15"



CAR SUBWOOFER

SCX12

12 inch High Performance Car Subwoofer
 Grey Powder finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 300W / Max.Power:600W
 Size available: 8",10",15"



SCY12

12 inch High Performance Car Subwoofer
 Black glossy finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 8",10",15"

SCZ12

12 inch High Performance Car Subwoofer
 White glossy finish stamped steel basket
 Pressed pulp cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 8",10",15"





SDA12

12 inch High Performance Car Subwoofer
 Wrinkle Black finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 8",10",15"



CAR SUBWOOFER

SDD12

12 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 300W / Max.Power:600W
 Size available: 8",10",15"



SDB12

12 inch High Performance Car Subwoofer
 Matte black finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 250W / Max.Power:500W
 Size available: 10"



SDE12

12 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 400W / Max.Power:800W
 Size available: 8",10",15"



SDC12

12 inch High Performance Car Subwoofer
 White glossy finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 2x95 OZ FEA optimized magnet motor
 3"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 900W / Max.Power:1800W
 Size available: 10",15"



SDF12

12 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp and cone with foam surround
 High efficiency 2x50 OZ FEA optimized magnet motor
 2.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 500W / Max.Power:1000W
 Size available: 10"





SDG08

8 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed pulp cone with rubber surround
 High efficiency 20 OZ FEA optimized magnet motor
 1.5"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 100W / Max.Power:200W



SDH10

10 inch High Performance Car Subwoofer
 Grey Powder finish stamped steel basket
 Non-pressed pulp cone with rubber surround
 High efficiency 30 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



SDI12

12 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Injection Plastic cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 10"



CAR SUBWOOFER

SDJ12

12 inch High Performance Car Subwoofer
 Black glossy finish stamped steel basket
 Non-pressed pulp cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 8", 12"



SDK10

10 inch High Performance Car Subwoofer
 Black Powder finish stamped steel basket
 Injection Plastic cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



SDL10

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Injection Plastic cone with rubber surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



CAR SUBWOOFER

SDM10

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Injection Plastic cone with rubber surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



SDN10

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Non-pressed cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



SDO10

10 inch High Performance Car Subwoofer
 Matte Black finish stamped steel basket
 Injection Plastic cone with foam surround
 High efficiency 40 OZ FEA optimized magnet motor
 2"-4 layers high-temp voice coil
 Dual 2/4 Ohm impedance
 RMS 200W / Max.Power:400W
 Size available: 12"



SPEAKER BOX

BAV312

Triple 10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black & Orange carpet protection
 High performance 10inch subwoofer build in
 PP cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:300W/Max Power:600W
 Dimention:900×(250+330)×345mm



BAV212

Dual 10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black & Orange carpet protection
 High performance 10inch subwoofer build in
 PP cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:300W/Max Power:600W
 Dimention:710×(250+330)×310mm



BAV12

10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black & Orange carpet protection
 High performance 10inch subwoofer build in
 PP cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:300W/Max Power:600W
 Dimention:380×(250+330)×310mm





BAW12

12 inch vented passive subwoofer enclosure
 Strengthen 18mm MDF wooden cabinet constructure
 Black & Grey carpet protection and transparent plexiglass bolted
 High performance 12inch subwoofer build in
 Non-pressed pulp cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:300W/Max Power:600W
 Dimention:511 × (345+444) × 380mm

BAX10

10 inch vented passive subwoofer enclosure
 Strengthen 18mm MDF wooden cabinet constructure
 Black & Grey carpet protection and transparent plexiglass bolted
 Woofer front protection by steel bar
 High performance 10inch subwoofer build in
 Aluminum cone with rubber surround
 2.5"-4 layers High-temp Voice coil
 High efficiency 2x50 Oz magnetic motor
 Frequency 20-500Hz
 RMS:500W/Max Power:1000W
 Dimention:(300+400) × 540 × 330mm



BAY10

10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Grey carpet protection
 High performance 10inch subwoofer build in
 Non-pressed cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 2x40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:350W/Max Power:700W
 Dimention:436* (292.4+363.7) *346mm

SPEAKER BOX

BAZ10

10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black & Grey carpet protection
 High performance 10inch subwoofer build in
 Non-pressed cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:250W/Max Power:500W
 Dimention:500* (250+350) *305mm



BBA12

12 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black carpet protection
 High performance 12inch subwoofer build in
 Non-pressed cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 2x40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:400W/Max Power:800W
 Dimention:760 × (170+320) × 380mm





BBB08
 8 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Grey carpet protection and transparent plexiglass bolted
 High performance 8inch subwoofer build in
 Non-pressed cone with foam surround
 2"-4 layers High-temp Voice coil
 High efficiency 30 Oz magnetic motor
 Frequency 20-500Hz
 RMS:200W/Max Power:400W
 Dimention:350×(242+330)×280mm

BBC10
 10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black carpet protection and transparent plexiglass bolted
 High performance 10inch subwoofer build in
 Non-pressed cone with foam surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:250W/Max Power:500W
 Dimention:500*330*310mm



BBD12
 12 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black carpet protection
 Woofer front protection by steel bar
 High performance 12inch subwoofer build in
 Aluminum cone with foam surround
 2.5"-4 layers High-temp Voice coil
 High efficiency 2x50 Oz magnetic motor
 Frequency 20-500Hz
 RMS:500W/Max Power:1000W
 Dimention:610×(225+360)×390mm



BBE12
 12 inch vented passive subwoofer enclosure
 Strengthen 18mm MDF wooden cabinet constructure
 Black & Yellow carpet protection and transparent plexiglass bolted
 High performance 12inch subwoofer build in
 Non-pressed cone with foam surround
 2.5"-4 layers High-temp Voice coil
 High efficiency 2x50 Oz magnetic motor
 Frequency 20-500Hz
 RMS:500W/Max Power:1000W
 Dimention:600×(300+432)×370mm



BBF12
 12 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black carpet protection
 High performance 12inch subwoofer build in
 Non-pressed cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 2x40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:400W/Max Power:800W
 Dimention:760×(170+320)×380mm

BBG10
 10 inch vented passive subwoofer enclosure
 Strengthen 15mm MDF wooden cabinet constructure
 Black & Grey carpet protection
 High performance 10inch subwoofer build in
 Non-pressed cone with rubber surround
 2"-4 layers High-temp Voice coil
 High efficiency 40 Oz magnetic motor
 Frequency 20-500Hz
 RMS:250W/Max Power:500W
 Dimention:500*(250+350)*305mm






Let technology build the spirit of products;

Let technology inspect the standard of products;

Let technology ensure the quality of products;

JINLIDA ELECTRON



Beneath the clear PVC jacket, the inside conductor of JLD power wire is made of 100% true-Spec Oxygen Free Copper. Ground noise and interference were history, flexibility, clarity and quality now around the driver's seat. The Conductor material can be customizable. Including OFC, Tinned-OFC, CCA, Tinned-CCA.



Beneath the Flexible matte PVC jacket, the inside conductor of JLD power wire is made of 100% true Tinned Oxygen Free Copper. Ground noise and interference were history, flexibility, clarity and quality now around the driver's seat. The material can be customizable. Including OFC, Tinned-OFC, CCA, Tinned-CCA.

Clear Jacket



Flexible Matte Jacket



Luxury Version:

AWG Number	Cross Area/Measure	Specification	Spool Length
2/0 AWG	67.43mm ²	7*7*122/0.12mm,OD: 20mm	50FT/Spool
Oversize 1/0 AWG	58.16mm ²	7*7*105/0.12mm,OD: 16.5mm	50FT/Spool
1/0 AWG	53.17mm ²	7*7*96/0.12mm,OD: 15mm	50FT/Spool
2 AWG	33.79mm ²	7*7*61/0.12mm,OD: 12mm	50FT/Spool
4 AWG	21.05mm ²	7*7*38/0.12mm,OD: 10mm	100FT/Spool
6 AWG	13.30mm ²	7*7*24/0.12mm,OD: 8mm	100FT/Spool
8 AWG	8.31mm ²	7*105/0.12mm,OD: 6.7mm	250FT/Spool
10 AWG	5.22mm ²	7*66mm/0.12mm,OD: 5.5mm	300FT/Spool

For this version, the power/ground/battery cable is full US Standards.

Classic / Economical Version:


Guage Number	Cross Area/Measure	Specification	Spool Length
1/0 GA	44.87mm ²	7*7*81/0.12mm,OD: 15mm	50FT/Spool
2 GA	27.69mm ²	7*7*50/0.12mm,OD: 12mm	50FT/Spool
4 GA	17.72mm ²	7*7*32/0.12mm,OD: 10mm	100FT/Spool
6 GA	11.08mm ²	7*7*20/0.12mm,OD: 8mm	100FT/Spool
8 GA	6.96mm ²	7*88/0.12mm,OD: 6.7mm	250FT/Spool
10 GA	4.43mm ²	7*56mm/0.12mm,OD: 5.5mm	300FT/Spool

For this version, the power/ground/battery cable is experienced supplied as custom or market demand for different country or area.

Note: All above-mentioned specification of power/ground cable will be supplied by us as high quality and strict raw materials control, the sheets just show 0.12mm individual strand, 0.15mm, 0.18mm or 0.2mm will be accepted for different customer's or market demand, the total strands quantity will be counted if different individual strand specification. Qualified OEM/ODM Service and products quality are our focus and company culture, customer's demand is first, any strands (Tinned OFC, OFC or CCA, Tinned CCA), any insulation color and any length for each spool will be accepted for bulk produce.



Clear Jacket



Luxury Version:

AWG Number	Cross Area/Measure	Specification	Spool Length
Paired 12AWG	3.32mm ² *2C	7*42/0.12mm,OD: 4.5*9.0mm	300FT/Spool
Paired 14AWG	1.90mm ² *2C	7*24/0.12mm,OD: 3.5*7.0mm	300FT/Spool
Paired 16AWG	1.42mm ² *2C	7*18/0.12mm,OD: 3.5*6.4mm	500FT/Spool
Paired 18AWG	0.75mm ² *2C	66/0.12mm,OD: 2.5*5.0mm	1000FT/Spool


For this version, the paired speaker wire is full US Standards.

Classic / Economical Version:

Guage Number	Cross Area/Measure	Specification	Spool Length
Paired 12GA	2.77mm ² *2C	7*35/0.12mm,OD: 4.5*9.0mm	300FT/Spool
Paired 14GA	1.74mm ² *2C	7*22/0.12mm,OD: 3.5*7.0mm	300FT/Spool
Paired 16GA	1.11mm ² *2C	7*14/0.12mm,OD: 3.2*6.4mm	500FT/Spool
Paired 18GA	0.50mm ² *2C	44/0.12mm,OD: 2.5*5.0mm	1000FT/Spool

For this version, the paired speaker wire is experienced supplied as custom or market demand for different country or area.

Flexible Matte Jacket



Note: All above-mentioned specification of paired speaker wire will be supplied by us as high quality and strict raw materials control, the sheets just show 0.12mm individual strand, 0.15mm, 0.18mm or 0.2mm will be accepted for different customer's or market demand, the total strands quantity will be counted if different individual strand specification. Qualified OEM/ODM Service and products quality are our focus and company culture, customer's demand is first, any strands (Tinned OFC, OFC or CCA, Tinned CCA), any insulation color and any length for each spool will be accepted for bulk produce.





WKa-001

- 5.2m,0GA Red frosted power cable
- 0.92m,0GA Black frosted ground cable
- 5.2m,12GA clear transparent speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,clear frosted RCA cable
- 1.8m,split loom tube
- 1pc, ANL fuse holder,200A
- 4pcs,ring terminals
- 4pcs,spade terminals
- 3pcs,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-004

- 5.2m,0GA Red frosted power cable
- 0.92m,0GA Black frosted ground cable
- 5.2m,12GA Black & Orange frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Red frosted RCA cable
- 1.8m,split loom tube
- 1pc, ANL fuse holder,200A
- 4pcs,ring terminals
- 4pcs,spade terminals
- 3pcs,BV tube
- 1pc,grommet
- 10pcs,cable ties

WKa-002

- 5.2m,0GA Blue frosted power cable
- 0.92m,0GA Black frosted ground cable
- 5.2m,12GA White speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Black frosted RCA cable
- 1.8m,split loom tube
- 1pc, ANL fuse holder,200A
- 4pcs,ring terminals
- 4pcs,spade terminals
- 3pcs,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-005

- 5.2m,0GA Red transparent power cable
- 0.92m,0GA Black transparent ground cable
- 5.2m,12GA clear transparent speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Black transparent RCA cable
- 1.8m,split loom tube
- 1pc, ANL fuse holder,200A
- 4pcs,ring terminals
- 4pcs,spade terminals
- 3pcs,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-003

- 5.2m,0GA Green frosted power cable
- 0.92m,0GA Black frosted ground cable
- 5.2m,12GA Black & Green frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Blue transparent RCA cable
- 1.8m,split loom tube
- 1pc, ANL fuse holder,200A
- 4pcs,ring terminals
- 4pcs,spade terminals
- 3pcs,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-401

- 5.2m,4GA Yellow transparent power cable
- 0.92m,4GA Black transparent ground cable
- 5.2m,14GA clear transparent speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Yellow transparent RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,80A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-402

- 5.2m,4GA Orange frosted power cable
- 0.92m,4GA Black frosted ground cable
- 5.2m,14GA Black & Orange frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Orange & clear frosted RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,80A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-405

- 5.2m,4GA Red transparent power cable
- 0.92m,4GA Black transparent ground cable
- 5.2m,14GA clear transparent speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Black & clear transparent RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,80A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties

WKa-403

- 5.2m,4GA Red frosted power cable
- 0.92m,4GA Black frosted ground cable
- 5.2m,14GA Orange & clear frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Black & white frosted RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,80A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-801

- 5.2m,8GA blue frosted power cable
- 0.92m,8GA Black frosted ground cable
- 5.2m,14GA Black & blue frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,black & blue frosted RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,60A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-404

- 5.2m,4GA Red frosted power cable
- 0.92m,4GA Black frosted ground cable
- 5.2m,14GA Black & Orange frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,Black & blue frosted RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,80A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-802

- 5.2m,8GA blue frosted power cable
- 0.92m,8GA Black frosted ground cable
- 5.2m,14GA Black & blue frosted speaker cable
- 5.2m,18GA blue remote cable
- 5.2m,purple transparent RCA cable
- 1.8m,split loom tube
- 1pc, AGU fuse holder,60A
- 4pcs,ring terminals
- 5pcs,spade terminals
- 1pc,BV tube
- 1pc,grommet
- 10pcs,cable ties



WKa-803

- 5.2m, 8GA blue frosted power cable
- 0.92m, 8GA white frosted ground cable
- 5.2m, 14GA Black & blue frosted speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, black & blue RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties



WKa-101

- 5.2m, 10GA red transparent power cable
- 0.92m, 10GA Black transparent ground cable
- 5.2m, 16GA grey frosted speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, blue transparent RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties



WKa-102

- 5.2m, 10GA red transparent power cable
- 0.92m, 10GA Black transparent ground cable
- 5.2m, 16GA clear transparent speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, blue transparent RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties

WKa-804

- 5.2m, 8GA blue frosted power cable
- 0.92m, 8GA black frosted ground cable
- 5.2m, 14GA Black & orange frosted speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, Blue transparent RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties



WKa-103

- 5.2m, 10GA red transparent power cable
- 0.92m, 10GA Black transparent ground cable
- 5.2m, 16GA grey frosted speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, black & White transparent RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties



WKa-104

- 5.2m, 10GA red transparent power cable
- 0.92m, 10GA Black transparent ground cable
- 5.2m, 16GA clear transparent speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, clear transparent RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties

WKa-805

- 5.2m, 8GA Red frosted power cable
- 0.92m, 8GA black frosted ground cable
- 5.2m, 14GA Black & red frosted speaker cable
- 5.2m, 18GA blue remote cable
- 5.2m, grey frosted RCA cable
- 1.8m, split loom tube
- 1pc, AGU fuse holder, 60A
- 4pcs, ring terminals
- 5pcs, spade terminals
- 1pc, BV tube
- 1pc, grommet
- 10pcs, cable ties




It's High Shielded RCA tips. It's PRO and HPM grades. It's OFC conductors. The flexible jacket look great even in highly complicated installations

- ◆ Pinnacle of Sound Reproduction Technology
- ◆ Great Sound Quality from Heavy Strands Conductors
- ◆ Noise Rejecting for Coaxial Construction



RCAa-01



RCAa-14



RCAa-15



RCAa-16



RCAa-02



RCAa-03



RCAa-04




RCAa-17




RCAa-18



RCAa-19



RCAa-05



RCAa-06



RCAa-07



RCAa-20



RCAa-21



RCAa-22



RCAa-08



RCAa-09



RCAa-10



RCAa-23




RCAa-24



RCAa-25




RCAa-26



RCAa-11



RCAa-12



RCAa-13



RCAa-27



RCAa-28



RCAa-29



RCAa-30



RCAa-31



RCAa-32



RCAa-33



RCAa-34



RCAa-35

Y CABLE



Y-01



Y-02



Y-03



Y-04



Y-05



Y-06



Y-07



Y-08

The copper RCA ends can be golden plated on the surface, and the alloy shell is thick and solid, it will reduce resistance, avoid harmful shake during the signal connected, then enable high-speed transfer. Assembling ground cable before it can protect the speaker voice coil from the damage of noise. This technique can be applied in high end audio, video cables.



RCACa-01



RCACa-02



RCACa-03



RCACa-04



RCACa-05



RCACa-06



RCACa-07



RCACa-08



RCACa-09



RCACa-10



RCACa-11



RCACa-12



RCACa-13



RCACa-14



RCACa-15



RCACa-16



RCACa-17



RCACa-18



RCACa-19



RCACa-20



RCACa-21



RCACa-22



RCACa-23



RCACa-24



RCACa-25



RCACa-26



RCACa-27



RCACa-28



RCACa-29



RCACa-30



RCACa-31 RCACa-32 RCACa-33 RCACa-34 RCACa-35 RCACa-36



RCACa-37 RCACa-38 RCACa-39 RCACa-40 RCACa-41 RCACa-42 RCACa-43



RCACa-44 RCACa-45 RCACa-46 RCACa-47 RCACa-48 RCACa-49 RCACa-50

AGU

High Current applications from 30-100 Amps:
Oversized contact areas for efficient current transfer;
Oversized set screws for reliable connections;



AGUa--01
4/8GA IN-4/8GA OUT



AGUa--02
4/8GA IN-4/8GA OUT




AGUa--03
3*4GA IN-2*8GA OUT

AFS

Ultra High Current Applications from 30-250 Amps
Large Contact Areas for Efficient Current Transfer
Oversized Set Screws for Reliable Connections



AFSa-01
2/4GA IN-2/4GA OUT



AFSa-02
0/4GA IN-0/4GA OUT
+0/4GA IN-0/4GA OUT



AFSa-03
1*0GA+2*4GA IN-3*8GA OUT



AFSa-04
3*0GA IN-2*4GA OUT



AFSa-05
1*2GA IN-2*4GA OUT



AFSa-06
1*0GA+2*4GA IN-2*8GA OUT

CIRCUIT BREAKERS




CBa-01
Automatic recovery fuse holder
50A-250A
0GA IN-0GA OUT
※Gold plated
※Nickel plated



CBa-02
Automatic recovery fuse holder
50A-250A
※Gold plated
※Nickel plated




CBa-03
Automatic recovery fuse holder
20A-100A
※Gold plated
※Nickel plated



AFSa-07
4/8GA IN-4/8GA OUT



AFSa-08
0/4GA IN-0/4GA OUT




AFSa-09
4/8GA IN-4/8GA OUT



AFSa-10
1*0GA IN-2*4GA OUT



AFSa-11
3*4GA IN-2*8GA OUT



AFSa-12
1*0GA IN-2/4GA OUT



AFSa-13



AFSa-14
0/4GA IN-0/4GA OUT



AFSa-15
4/8GA IN-4/8GA OUT



AFSa-16
4/8GA IN-4/8GA OUT



AFSa-17
4/8GA IN-4/8GA OUT



AFSa-18
4/8GA IN-4/8GA OUT

ANL

*Ultra High Current Applications from 80-700 Amps
Large Contact Areas for Efficient Current Transfer
Oversized Set Screws for Reliable Connections*



ANLa-01
0GA IN-4GA OUT



ANLa-02
0/4GA IN-0/4GA OUT



ANLa-03
0GA IN-4GA OUT



ANLa-04



ANLa-05
0/4GA IN-0/4GA OUT



ANLa-06
0/4GA IN-0/4GA OUT



ANLa-07
0GA IN-0GA OUT



ANLa-08
0/4GA IN-0/4GA OUT



ANLa-09



ANLa-10
0/4GA IN-0/4GA OUT



ANLa-11
0GA IN-4GA OUT



ANLa-12
0GA IN-0GA OUT

Durable heat and resistant base and cover, also color can change according to customer's requirement; Products can apply customers-designed LOGO;



DBa-01
1*4GA IN-2*8GA OUT
Gold plated/Nickel plated



DBa-02
1*0GA IN-4*4GA OUT
Gold plated/Nickel plated



DBa-03
2*0GA IN-4*4GA OUT
Gold plated/Nickel plated



DBa-04
Gold plated/Nickel plated



DBa-05
2*0GA IN-8*8GA OUT
Gold plated/Nickel plated



DBa-06
1*4GA IN-4*8GA OUT
Gold plated/Nickel plated



DBa-07
1*0GA IN-2*4GA OUT
Gold plated/Nickel plated



DBa-08
1*0GA IN-4*4GA OUT
Gold plated/Nickel plated



DBa-09
1*0GA IN-2*4GA OUT
Gold plated/Nickel plated



DBa-10
1*0GA IN-2*4GA OUT
Gold plated/Nickel plated



DBa-11
1*0GA IN-2*4GA OUT
Gold plated/Nickel plated



DBa-12
1*0GA IN-2*4GA OUT
Gold plated/Nickel plated



BTa-01
1*2GA+4*4GA+2*8GA



BTa-02
2*0GA



BTa-03
2*8GA



BTa-04
2*8GA



BTa-05
1*4GA



BTa-06
1*4GA+2*8GA



BTa-07
1*4GA+2*8GA



BTa-08
2*4GA+2*8GA



BTa-09
4*4GA



BTa-10



BTa-11
2*0GA



BTa-12
2*0GA



BTa-13
0GA



BTa-14
2*4GA

RING TERMINALS



RTa-01
8GA
Gold plated/
Nickel plated



RTa-02
4GA
Gold plated/
Nickel plated



RTa-03
0GA
Gold plated/
Nickel plated



RTa-04
Gold plated/
Nickel plated



RTa-05
0GA
Gold plated/
Nickel plated



RTa-06
4GA
Gold plated/
Nickel plated



RTa-07
0GA
Gold plated/
Nickel plated



RTa-08
4GA
Gold plated/
Nickel plated



RTa-09



RTa-10



RTa-11



RTa-12