

Infinite 無極

A7 SENSE

1. 日本东丽40T和60T碳布结合，竿身轻便，传导性超快。
2. 特殊的裁布工艺搭配四轴布窗口设计，保证竿身拉力与整体美观。
3. 新型富士KL-H支架，导眼采用最新的排列方式有效保证抛投的距离和准确度。
4. 富士轮座，葡萄牙软木把手和加强EVA后把手，既美观又保证了鱼竿平衡感和传导性。

1. The combination of 40T and 60T carbon fabric from Toray lead ultra blank and superior sensibility.
2. Special cutting technology and a tetra axial construction offer high drag power and perfect whole performance.
3. New-style Fuji KL-H frame and high quality guides arranged reasonably feature long distance cast and precise casting.
4. Fuji reel seat, natural cork handle and strengthen EVA rear handle feature the sense of balance and superior sensibility.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBBF721ML	8+1	7' 2" (2.19m)	1	99	219	1.2	12.9	6-17	8-16	99%
NBBF731M	8+1	7' 3" (2.21m)	1	108	221	1.4	13.1	7-25	10-20	99%
NBBFC731M	9+1	7' 3" (2.21m)	1	125	221	1.4	13.1	7-25	10-20	99%
NBBFC731MH	9+1	7' 3" (2.21m)	1	127	221	1.6	13.3	10-35	10-25	99%



Infinite 無極

A7 SENSE

1. 日本东丽40T和60T碳布结合，竿身轻便，传导性超快。
2. 特殊的裁布工艺搭配四轴布窗口设计，保证竿身拉力与整体美观。
3. 新型富士KL-H支架，导眼采用最新的排列方式有效保证抛投的距离和准确度。
4. 富士轮座，葡萄牙软木把手和加强EVA后把手，既美观又保证了鱼竿平衡感和传导性。

1. The combination of 40T and 60T carbon fabric from Toray lead ultra blank and superior sensibility.
2. Special cutting technology and a four-axis construction offer high drag power and perfect whole performance.
3. New-style Fuji KL-H frame and high quality guides arranged reasonably feature long and precise casting distance.
4. Fuji reel seat, natural cork handle and strengthen EVA rear handle feature the sense of balance and superior sensibility.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBBF702ML	8+1	7' 0" (2.13m)	2	102	111	1.2	12.3	6-17	8-16	99%
NBBFC702ML	9+1	7' 0" (2.13m)	2	102	111	1.2	12.3	6-17	8-16	99%
NBF702M	8+1	7' 0" (2.13m)	2	107	111	1.4	12.5	7-25	10-20	99%
NBBFC702M	9+1	7' 0" (2.13m)	2	121	111	1.4	12.5	7-25	10-20	99%
NBBFC762MH	9+1	7' 6" (2.29m)	2	136	118	1.2	13.1	10-30	10-25	99%
NBBFC802M	9+1	8' 0" (2.43m)	2	111	118	1.4	13.3	7-25	10-20	99%
NBBMC762M	9+1	7' 6" (2.29m)	2	127	118	1.4	13.3	7-28	10-20	99%
NBBM822ML	9+1	8' 2" (2.49m)	2	126	129	1.4	13.0	7-21	8-16	99%
NBBM822M	9+1	8' 2" (2.49m)	2	123	129	1.4	14.0	10-28	10-20	99%



MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 鳟鱼
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPREAL 钓鱼服
TERMINAL TACKLES 配件



Infinite 無極

路亚竿 A6 Spinning Rod

1. 采用日本东丽碳布和纳米复合材料，竿身强度高，韧性好，整体传导性好，淡海水通用。
2. 分段式加硬EVA握把，合理减轻重量，提高传感性。
3. 不锈钢K支架富士Alconite导眼减少出线阻力，使远投性能与抛投感更出色。
4. 富士轮座搭配下旋式螺帽牢固锁紧渔轮。

1. Japan Toray carbon and nano resin feature high strength blank with super toughness, offering superior sensibility, suitable for saltwater and freshwater fishing.
2. The strengthen split EVA handle reduces weight reasonably and improves sensibility.
3. The stainless steel K frame and Fuji Alconite guides reduce resistance and feature better casting.
4. Fuji reel seat with underspin button is easy to fix reel.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	钓力 Max Drag(kg)	含碳量 Carbon
NBBF872ML	7+1	8' 7" (2.62m)	2	137	135	1.50	13.70	5-21	8-16	6	95%
NBBF872M	7+1	8' 7" (2.62m)	2	142	135	1.60	13.80	7-28	10-20	7	95%

Infinite 無極 (Fast)

淡水路亚竿 Freshwater Rod

1. 高感度的快调鱼竿，敏感度极强。
2. 采用日本东丽碳布特殊强化X型构造，极大提高了鱼竿的强度。
3. 配备枪柄和直柄多种规格适用于各种钓组和钓法，针对不同钓场精准选择。
4. 一体式葡萄牙软木握把，握感舒适，抛投易操作。
5. 不锈钢K支架富士Alconite导眼减少出线阻力，使远投性能与抛投感更出色。

1. Fast action freshwater rod has pretty sensitivity when fishing.
2. Japan Toray carbon and special strengthen X construction improved the strength of rod extremely.
3. Bait casting and spinning types for a variety of fishing methods, and exact choice of different grounds.
4. One piece natural cork handle makes comfortably gripping and easily casting.
5. The stainless steel K frame and Fuji Alconite guides reduce resistance and feature better casting.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBBF662ML	6+1	6' 6" (1.98m)	2	104	103	1.4	9.20	5-15	4-12	99%
NBBCF662ML	7+1	6' 6" (1.98m)	2	120	103	1.4	9.20	5-15	4-12	99%
NBBF662M	6+1	6' 6" (1.98m)	2	106	103	1.5	9.40	6-21	5-15	99%
NBBCF662M	7+1	6' 6" (1.98m)	2	124	103	1.5	9.40	6-21	5-15	99%
NBBF702ML	6+1	7' 0" (2.13m)	2	110	111	1.4	9.90	5-15	4-12	99%
NBBCF702ML	7+1	7' 0" (2.13m)	2	128	111	1.4	9.90	5-15	4-12	99%
NBBF702M	6+1	7' 0" (2.13m)	2	113	111	1.5	10.10	6-21	5-15	99%
NBBCF702M	7+1	7' 0" (2.13m)	2	132	111	1.5	10.10	6-21	5-15	99%
NBBF802M	7+1	8' 0" (2.44m)	2	135	126	1.5	12.10	6-21	5-15	99%



MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 鳟鱼
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPREAL 钓鱼服
TERMINAL TACKLES 配件

LEISURE 潇客 K5

- 1.直柄枪柄两种款式，满足钓鱼爱好者的不同需求。
- 2.高吨位碳布设计，竿身坚固。
- 3.增加强度和感度，发挥优秀的远投性能。是长距离岸抛时必不可少的一款产品。
- 4.应用拟饵的范围广泛，有着优秀的拟饵操作性，同时也有应对大型鱼种的力量。

- 1.spinning and casting model, meet fisherman's different needs.
- 2.High carbon blank ensure strong power.
- 3.High strength and sensitivity, cast bait to long distance, suitable for shore casting.
- 4.Matched with multiple lures, nice operating performance for fake lures, also has power against big fish.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBBCF662M	8+1	6' 6" (1.98m)	2	112	103	1.9	11.0	7-28	10-20	95%
NBBF702M	7+1	7' 0" (2.13m)	2	116	110	1.9	11.5	7-28	10-20	95%
NBBCF702M	8+1	7' 0" (2.13m)	2	123	110	2.1	11.6	7-28	10-20	95%
NBBCF702MH	8+1	7' 0" (2.13m)	2	128	110	2.1	11.6	10-35	10-25	95%
NBBCF762MH	9+1	7' 6" (2.29m)	2	132	120	2.3	11.8	10-35	10-25	95%
NBBF802M	8+1	8' 0" (2.44m)	2	140	126	2.1	12.2	7-28	10-20	95%

LEISURE 潇客 K6

- 1.交叉缠带配合高吨位碳布，竿身坚固，轻便灵敏，钓性准确，适用7-40g的假饵。
- 2.配备K&KW支架，SIC环导眼，抛投顺畅精准作钓。
- 3.枪柄直柄两种款式，满足不同需求。

- 1.X-style wrapping construction and high carbon make blank durable and ultralight, which feature precise action with 7-40g bait.
2. Equipped with K&KW frame and SIC guides, offering smooth casting and precise dropping.
3. Both casting and spinning model, suitable for various demands.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBBF662ML	7+1	6' 6" (1.98m)	2	111	103	1.9	11.0	8-16	4-12	95%
NBBF662M	7+1	6' 6" (1.98m)	2	114	103	1.9	11.0	10-20	5-15	95%
NBBCF662M	8+1	6' 6" (1.98m)	2	124	103	1.9	11.0	10-20	5-15	95%
NBBCF662MH	8+1	6' 6" (1.98m)	2	125	103	1.9	11.2	10-25	8-20	95%
NBBF702ML	7+1	7' 0" (2.13m)	2	119	110	1.8	11.6	8-16	4-12	95%
NBBF702M	7+1	7' 0" (2.13m)	2	119	110	1.9	11.6	10-20	5-15	95%
NBBCF702M	8+1	7' 0" (2.13m)	2	129	110	1.8	11.7	10-20	5-15	95%
NBBCF702MH	8+1	7' 0" (2.13m)	2	130	110	1.9	11.5	10-25	8-20	95%
NBBF762M	8+1	7' 6" (2.29m)	2	127	120	1.9	11.8	10-20	5-15	95%
NBBCF762M	9+1	7' 6" (2.29m)	2	140	120	1.9	11.8	10-20	5-15	95%
NBBF762MH	8+1	7' 6" (2.29m)	2	133	120	1.9	11.8	10-25	8-20	95%
NBBCF762MH	9+1	7' 6" (2.29m)	2	145	120	1.9	11.8	10-25	8-20	95%
NBBF802M	8+1	8' 0" (2.44m)	2	141	125	1.9	12.3	10-20	5-15	95%

MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

LEISURE 潇客 K2

1. 初学者入门级鱼竿。不同强度的双稍设计，多方面满足路亚初学者的需求。
2. 不同长度及直柄枪柄的设计，满足钓鱼爱好者的不同需求。
3. 高吨位碳布设计，竿身坚固，不畏巨物。
4. M/ML 柔软与力量的兼具设计，软虫及中小型拟饵都可以广泛使用。M/MH 力度与飞行距离兼具，注重中鱼后的响应。
5. 6-35g的拟饵都能对应使用，无论是开阔水域或是水草区域都能广泛应用。

1. Entry level rod for beginner. 2 tips in different strength, meet beginner's different needs.
2. Different length, spinning and casting model, meet fisherman's different needs.
3. High carbon blank ensure strong power against big fish.
4. M/ML action owe nice softness and power, suitable for soft bait and small & middle fake lures. M/MH owe strength and long casting distance, more powerful after fish biting.
5. Apply to 6-35g lures, can be used in any freshwater fishing.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBF662M/ML	7+1	6' 6" (1.98m)	2	112/111	103	1.7/1.6	11.7	6-28	8-20	95%
NBFC662M/MH	8+1	6' 6" (1.98m)	2	123/127	103	1.7/1.8	11.7	7-35	10-25	95%
NBF702M/ML	8+1	7' 0" (2.13m)	2	121/120	110	1.7/1.6	12.0	6-28	8-20	95%
NBFC702M/MH	8+1	7' 0" (2.13m)	2	131/133	110	1.7/1.8	12.2	7-35	10-25	95%
NBF802M/MH	8+1	8' 0" (2.44m)	2	141/146	124	1.8/2.0	12.5	7-35	10-25	95%
NBFC802M/MH	9+1	8' 0" (2.44m)	2	153/154	124	1.8/2.0	12.6	7-35	10-25	95%

LEISURE 潇客 K4

1. 直柄枪柄两种款式，满足钓鱼爱好者的不同需求。
2. 便携四节设计，携带方便。
3. 采用高吨位碳布，竿身轻便，强度高。
4. 采用SIC防缠绕导环，出线顺滑，不伤线。
5. 分段式EVA把手，防滑不吸水。

1. spinning and casting model, meet fisherman's different needs.
2. Portable 4 sections design, more suitable for travelling fishing.
3. High carbon blank, light weight and high power.
4. SIC tangle-free guides, smooth casting protect the lines.
5. The split EVA handle, skid resistance and avoid water absorption.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
S664	7+1	6' 6" (1.98m)	4	136	54	2.0	11.5	7-28	8-20	95%
C664	8+1	6' 6" (1.98m)	4	140	55	2.0	11.5	7-28	8-20	95%
S704	7+1	7' 0" (2.13m)	4	142	56	2.1	11.5	7-28	8-20	95%
C704	8+1	7' 0" (2.13m)	4	148	57	2.1	11.5	7-28	8-20	95%

MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

Infinite 無極

马口 A7 TROUT

1. 采用日本东丽高吨位碳布，竿身轻便，调性准确。
2. 采用高级 FUJI 导环，出线顺滑。把手搭配葡萄牙进口纯软木，手感更舒适。
3. 微物直柄竿中的核心款式。小型米诺、小软虫等轻型拟饵在任何钓点都能使用。细腻的竿梢赋予饵虫生命力般泳动。
4. 精致雕刻的 NOEBY 金属标牌，尽显品牌气质。

1. Japan Toray carbon, light weight and precise action.
2. FUJI guides ensure smooth casting line. Natural cork handle imported from Portugal, perfect hand feeling.
3. It is the core design among small fish spinning rod, suitable for small minnow, soft worm and other light lure, used in any freshwater fishing. Exquisite tips give soft bait lifelike action.
4. Elegant laser carved "NOEBY" metal tag, wonderful showing the brand temperament.

型号 Model	导眼 Guide	长度 Length	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBO642UL	6+1	6' 4" (1.93m)	87	100	1.3	5.8	1-7	2-4	99%
NBO642L	6+1	6' 4" (1.93m)	92	100	1.3	7.1	3-10	3-8	99%

Infinite 無極

海鲈竿 A6 Sea Bass

1. 采用日本东丽碳布和纳米复合材料，竿身强度高，韧性好，整体传导性好。
2. 分段式加硬EVA握把，合理减轻重量，提高传感性。
3. 不锈钢K支架富士Alconite导眼减少出线阻力，使远投性能与抛投感更出色。
4. 富士轮座搭配上旋式螺帽牢固锁紧渔轮。

1. Updated sea bass rod has pretty sensitivity when fishing.
2. The split EVA handle reduces weight reasonably and improves sensibility.
3. Fuji Alconite K type guides reduce resistance and feature better casting.
4. Fuji reel seat with topspin button is easy to fix reel.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 Tel. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	钩力 Max Drag(kg)	含碳量 Carbon
NBB822M	8+1	8' 2" (2.49m)	2	133	129	1.6	13.0	7-28	PE: 0.8-2.0#	9	98%
NBB902M	8+1	9' 0" (2.75m)	2	150	141	1.6	13.5	7-28	PE: 0.8-2.0#	9	98%
NBB822MH	8+1	8' 2" (2.49m)	2	138	129	1.6	13.2	10-45	PE: 0.8-2.5#	10	98%
NBB902MH	8+1	9' 0" (2.75m)	2	164	141	1.6	14.0	10-45	PE: 0.8-2.5#	10	98%
NBB962MH	8+1	9' 6" (2.90m)	2	173	150	1.7	14.7	10-45	PE: 0.8-2.5#	11	98%
NBB822H	8+1	8' 2" (2.49m)	2	157	129	1.8	14.0	20-70	PE: 1.0-3.0#	11	98%
NBB902H	8+1	9' 0" (2.75m)	2	177	141	1.8	14.1	20-70	PE: 1.0-3.0#	11	98%



LEISURE 潇客

海鲈竿 K5 Sea Bass

1. 高吨位碳布结合纳米复合材料，采用交叉缠带方式，竿体结实耐用。
2. 高质量的EVA把手，具有更好的传感性和耐用性。
3. SIC导眼结实耐用。
4. 双重锁紧方式牢固锁住渔轮。

1. X-style wrapping construction and high carbon with nano resin make blank strong and durable.
2. High density EVA handle has greater sensitivity and durability.
3. Stable and durable SIC guides.
4. Metal screw cap matched Fuji reel seat lead reel locked dually.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBB762M	7+1	7' 6" (2.29m)	2	171	120	2.0	10.6	7-25	10-20	95%
NBB762MH	7+1	7' 2" (2.29m)	2	191	120	2.0	10.7	10-45	12-26	95%
NBB822M	7+1	8' 2" (2.49m)	2	180	130	2.1	11.4	7-25	8-20	95%
NBB822MH	7+1	8' 2" (2.49m)	2	190	130	2.3	11.7	10-45	10-26	95%
NBB902M	8+1	9' 0" (2.70m)	2	195	140	2.1	12.0	7-25	8-20	95%
NBB902MH	8+1	9' 0" (2.70m)	2	200	140	2.1	12.3	10-45	10-26	95%



Infinite 无极

海鲈竿 A7 Sea Bass

1. 日本东丽碳素四轴布窗口设计，竿身整体采用特殊角度碳布结构设计，竿体结实，信号灵敏。
2. EVA把手具有更好的传感性和耐用性。
3. 人体工学弧形设计握感舒适。
4. 富士Alconite导眼，出线顺滑，散热快。
5. 金属锁紧帽搭配富士轮座的双重锁紧方式，牢固锁住渔轮。

1. Japan Toray carbon tetra axial fabric and special cutting technology make blank strong, durable and sensitive.
2. High strength EVA handle features better sensitivity and durability.
3. Contour curve handle design make better handfeel.
4. Fuji Alconite guides features smooth casting and good heat dissipation.
5. Metal screw cap matched Fuji reel seat lead reel locked dually.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBB822M	7+1	8' 2" (2.49m)	2	160	129	1.8	9.8	7-25	8-20	99%
NBB902M	8+1	9' 0" (2.70m)	2	180	141	1.8	11.0	7-25	8-20	99%
NBB822MH	7+1	8' 2" (2.49m)	2	166	129	1.9	9.9	10-45	10-25	99%
NBB902MH	8+1	9' 0" (2.70m)	2	182	141	1.9	11.0	10-45	10-25	99%
NBB822H	7+1	8' 2" (2.49m)	2	175	129	2.1	10.8	20-70	12-30	99%
NBB902H	8+1	9' 0" (2.70m)	2	200	141	2.1	11.4	20-70	12-30	99%

Infinite 無極

慢摇铁板竿 A6 Slow Jigging

1. 日本东丽碳布结合纳米复合材料以及先进的交叉缠带设计方式，竿体柔韧，最大拉力21公斤。
2. 新款富士SIC导眼拥有极强顺滑且鱼竿整体重量减轻。
3. 加强特殊设计EVA把手，握感舒适且防止中鱼后鱼竿从身体滑出。
4. 枪柄和直柄两种规格给钓友更多选择。

1. Japan Toray carbon with nano resin and advanced X-style wrapping construction feature blank flexible, max drag up to 21kg.
2. New style Fuji SIC guides, extremely smooth, which reduce the weight of rod.
3. Special strengthen EVA handle features good handfeel, avoid the rod being out of control when catching.
4. Provide two choices of spinning and casting for anglers.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	钓力 Max Drag(kg)	含碳量 Carbon
NBSJ631MH	6+1	6' 3" (1.91m)	1	148	191	2.1	12.2	150-350	21	95%
NBSJC631MH	10+1	6' 3" (1.91m)	1	154	191	2.4	12.0	150-350	21	95%
NBSJ651M	6+1	6' 5" (1.96m)	1	151	196	2.4	11.9	30-200	15	95%
NBSJC651M	10+1	6' 5" (1.96m)	1	155	196	2.1	12.4	30-200	15	95%



Infinite 無極

慢摇铁板竿 A7 Slow Jigging

1. 富士T-DPS轮座，固定性优越，具有更好的锁紧力。
2. 高级Fuji Sic导环放线顺滑，散热性好。
3. 分段式EVA握把，合理减轻重量，提高传感性。
4. 特殊角度剪裁高吨位东丽碳布搭配四轴布设计，竿身挺，灵敏性极高。

1. Fuji T-DPS reel seat, superior fixation, good locking performance.
2. Superior Fuji SIC guides feature smooth casting and good heat dissipation.
3. The split EVA handle reduces weight reasonably and improves sensibility.
4. Japan Toray high carbon cut by special cutting technology matched tetra axial fabric, which make blank tough and sensitive.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	含碳量 Carbon
NBSJ631M	7+1	6' 3" (1.91m)	1	159	191	2.1	11.6	120-260	PE2.5-4.0#	99%
NBSJC631M	9+1	6' 3" (1.91m)	1	148	191	2.3	10.8	120-260	PE2.5-4.0#	99%
NBSJ631MH	7+1	6' 3" (1.91m)	1	169	191	2.3	11.9	150-350	PE3.0-6.0#	99%
NBSJC631MH	9+1	6' 3" (1.91m)	1	151	191	2.5	11.1	150-350	PE3.0-6.0#	99%
NBSJC651L	9+1	6' 5" (1.96m)	1	141	196	2.2	10.2	30-120	PE1.0-2.5#	99%
NBSJC651ML	9+1	6' 5" (1.96m)	1	146	196	2.2	10.2	60-180	PE1.5-3.0#	99%





NONSUCH 尚品

尚品慢摇铁板竿 Slow Jigging

1. 富士轮座与富士导眼结实耐用。
2. 高吨位碳布纳米复合材料搭配交叉缠带设计方式，竿身拉力大，韧性好。
3. 加强特殊设计EVA把手，握感舒适且防止中鱼后鱼竿从身体滑出。

1. Durable Fuji reel seat and guides.
2. X-style wrapping construction and high carbon with nano resin make blank strong and durable.
3. Special strengthen EVA handle features good handfeel, avoid the rod being out of control when catching.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	碳含量 Carbon
NBSJ602ML	6+1	6' 0" (1.83m)	2	147	139	2.0	12.6	30-260	PE1.5-3.0#	95%
NBSJC602ML	8+1	6' 0" (1.83m)	2	161	138	2.1	12.4	30-260	PE1.5-3.0#	95%
NBSJ602M	6+1	6' 0" (1.83m)	2	152	138	2.1	12.5	100-350	PE2.5-4.0#	95%
NBSJC602M	8+1	6' 0" (1.83m)	2	162	138	2.0	12.0	100-350	PE2.5-4.0#	95%
NBSJ652ML	7+1	6' 5" (1.96m)	2	155	148	2.0	12.3	30-260	PE1.5-3.0#	95%
NBSJC652ML	9+1	6' 5" (1.96m)	2	171	148	2.1	12.9	30-260	PE1.5-3.0#	95%
NBSJ652M	7+1	6' 5" (1.96m)	2	166	148	2.0	12.6	100-350	PE2.5-4.0#	95%
NBSJC652M	9+1	6' 5" (1.96m)	2	171	147	2.2	13.0	100-350	PE2.5-4.0#	95%



LEISURE 潇客

潇客慢摇铁板竿 Slow Jigging

1. 不锈钢支架SIC导眼结实耐用。
2. 高吨位碳布纳米复合材料搭配交叉缠带设计方式，竿身拉力大，韧性好。
3. 加强特殊设计EVA把手，握感舒适且防止中鱼后鱼竿从身体滑出。

1. Durable and Strong stainless steel frame with SIC guides.
2. X-style wrapping construction and high carbon with nano resin make blank strong and durable.
3. Special strengthen EVA handle features good handfeel, avoid the rod being out of control when catching.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	碳含量 Carbon
NBSJ602ML	6+1	6' 0" (1.83m)	2	154	139	2.0	12.1	30-260	PE1.5-3.0#	95%
NBSJC602ML	7+1	6' 0" (1.83m)	2	161	138	2.0	12.5	30-260	PE1.5-3.0#	95%
NBSJ602M	6+1	6' 0" (1.83m)	2	165	139	2.0	12.2	100-350	PE2.5-4.0#	95%
NBSJC602M	7+1	6' 0" (1.83m)	2	161	138	2.0	12.5	100-350	PE2.5-4.0#	95%
NBSJ652ML	7+1	6' 5" (1.96m)	2	163	149	2.0	12.1	30-260	PE1.5-3.0#	95%
NBSJC652ML	9+1	6' 5" (1.96m)	2	172	148	2.0	12.5	30-260	PE1.5-3.0#	95%
NBSJ652M	7+1	6' 5" (1.96m)	2	180	149	2.0	12.7	100-350	PE2.5-4.0#	95%
NBSJC652M	9+1	6' 5" (1.96m)	2	161	148	2.0	12.1	100-350	PE2.5-4.0#	95%

LEISURE 潇客

慢摇铁板竿 K5 Slow Jigging

- 1、红色和绿色两种颜色可选，直柄枪柄两种款式，能多方面满足钓鱼爱好者。
- 2、适用各种规格铁板的泛用款慢摇铁板竿。完美演绎抽饵的滑动或下沉，轻松驾驭。
- 3、特殊颜色的前梢设计，更具有可视性。
- 4、分段式EVA把手，防滑不吸水。高灵敏竿身能够让人体验惊险的搏鱼过程。

1. spinning and casting model, red and green, meet fisherman's different needs.
2. Universal type slow jigging rod, suitable for all kinds of lead jig. show lure perfect action when retrieving, easy to control.
3. Special tip color, strong visual impact.
4. The split EVA handle, anti skid and non water absorption. The high sensitive rod blank can make people experience the adventurous process of fighting fish.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	钓力 Max Drag(kg)	碳含量 Carbon
NBSJ602	7+1	6' 0" (1.83m)	2	200	121	1.8	12.5	30-180	1.5-4.0#	20	95%
NBSJC602	9+1	6' 0" (1.83m)	2	205	121	1.8	12.5	30-180	1.5-4.0#	20	95%
NBSJ562	6+1	5' 6" (1.68m)	2	229	133	1.9	12.5	30-180	1.5-4.0#	20	95%
NBSJC562	8+1	5' 6" (1.68m)	2	235	133	1.9	12.5	30-180	1.5-4.0#	20	95%



Infinite 无极

波爬竿 Popping

1. 高吨东丽碳布与纳米复合材料结合，杆身轻巧，拉力超群。
2. 日本富士sic环，散热好抗腐蚀。
3. 加强型轮座坚固耐用。
4. 加强EVA减震把手，减震与防滑效果极佳。

1. Japan Toray carbon and nano resin feature ultralight blank and unbelievable max drag.
2. Japanese Fuji sic guides with good heat dissipation and corrosion resistance.
3. Strengthened reel seat is sturdy and durable.
4. Strengthen EVA handle can absorb shock and avoid slipping.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	碳含量 Carbon
NBPS762L	6+1	7' 6" (2.29m)	2	352	168	2.9	13.9	100	3-6lb	95%
NBPS762M	6+1	7' 6" (2.29m)	2	368	168	3.1	14.4	200	4-8lb	95%
NBPS862L	6+1	8' 6" (2.60m)	2	360	188	3.2	15.2	100	PE3-6#	95%
NBPS862M	6+1	8' 6" (2.60m)	2	376	188	3.4	15.7	200	PE4-8#	95%
NBPS8102L	6+1	8' 10" (2.70m)	2	371	199	3.2	15.2	100	PE3-6#	95%
NBPS8102M	6+1	8' 10" (2.70m)	2	408	199	3.4	16.2	200	PE4-8#	95%

Infinite 無極

铁板竿 Jigging

1. 高吨东丽碳布与纳米复合材料结合，杆身轻巧，拉力超群。
2. 日本富士Alconite(SiC)导眼，散热好，抗腐蚀。
3. 加强型轮座坚固耐用。
4. 加强EVA减震把手，减震与防滑效果极佳。
5. 富士减震十字尾件，实用耐用。

1. Japan Toray carbon and nano resin feature ultralight blank and unbelievable max drag.
2. Japan Fuji Alconite(SiC)guides with good heat dissipation and corrosion resistance.
3. Strengthened reel seat is sturdy and durable.
4. Strengthen EVA handle can absorb shock and avoid slipping.
5. Durable Fuji damping cross butt cap.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	碳含量 Carbon
NBJ562L	5+1	5' 6" (1.68m)	2	290	109	2.8	8.7	80-180	PE3-5#	95%
NBJ602L	5+1	6' 0" (1.83m)	2	308	122	2.7	9.5	80-180	PE3-5#	95%
NBJ562M	5+1	5' 6" (1.68m)	2	318	109	3.0	10.7	120-260	PE4-6#	95%
NBJ602M	5+1	6' 0" (1.83m)	2	343	122	3.1	11.3	120-260	PE4-6#	95%
NBJC602M	7+1	6' 0" (1.83m)	2	348	122	2.9	11.6	120-260	PE4-6#	95%
NBJ561MH	5+1	5' 6" (1.68m)	1	368	168	3.5	11.5	200-500	PE6-8#	95%
NBJ601MH	5+1	6' 0" (1.83m)	1	397	183	3.4	12.3	260-600	PE6-8#	95%
NBJC601MH	7+1	6' 0" (1.83m)	1	410	183	3.3	11.9	200-500	PE6-8#	95%
NBJ561SMH	5+1	5' 6" (1.68m)	1	368	168	3.5	11.5	200-500	PE6-8#	95%
NBJC561SMH	6+1	5' 6" (1.68m)	1	369	168	3.3	10.4	200-500	PE6-8#	95%





LEISURE 潇客

铁板竿 K5 Jigging

1. 刚柔并济，两种强度。
2. 高吨位碳布和纳米复合材料结合，使竿体具有非常好的弹性及弯曲度，操作铁板饵时轻松控饵。中鱼后也能牢牢掌握主动权。
3. 加硬EVA把手，防滑不吸水。金属十字尾件设计，坚固耐用。

1. Couple hardness with softness, two action.
2. The combination of high-tonnage carbon blank and nano-composite material makes the rod blank have good elasticity and bending degree, and easy to control catching the fish.
3. Hard EVA handle, anti skid and non water absorption. Metal cross butt cap, strong and durable.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C.Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	碳含量 Carbon
NBJ602M	5+1	6' 0" (1.83m)	2	323	121	2.7	14.0	120-260	4.0-6.0#	95%
NBJ602MH	5+1	6' 0" (1.83m)	2	335	121	2.8	14.5	200-500	6.0-8.0#	95%



MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

MINNOW 米诺
VIB VIB
CRANK 胖子
TROUT 马口
PENCIL 铅笔
POPPER 波爬
LEAD JIG 铁板饵
SOFT LURE 软饵
FISHING ROD 鱼竿
FISHING REEL 渔轮
FISHING BAG 路亚包
FISHING TOOLS 工具
FISHING LINE 鱼线
APPAREL 钓鱼服
TERMINAL TACKLES 配件

Infinite 無極

无极深海船竿 Boat II

1. 纳米复合材料搭配日本高吨位碳布，拉力超强。
2. 日本富士sic环，散热好抗腐蚀。
3. 加强型轮座坚固耐用。
4. 加强EVA减震把手，减震与防滑效果极佳。
5. 富士减震十字尾件，舒适耐用。

1. Japan Toray carbon and nano resin feature ultralight blank and unbelievable max drag.
2. Japanese Fuji sic guides with good heat dissipation and corrosion resistance.
3. Strengthened reel seat is sturdy and durable.
4. Strengthened EVA handle can absorb shock and avoid slipping.
5. Durable Fuji damping cross butt cap, comfortable and durable.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	含碳量 Carbon
BBC702MH	8+1	7' 0" (2.13m)	2	425	151	3.8	13.7	350-800	PE8-12#	99%
BBC802MH	8+1	8' 0" (2.44m)	2	493	179	3.8	15.3	350-800	PE8-12#	99%
BBC702H	8+1	7' 0" (2.13m)	2	434	151	3.9	14.0	500-1000	PE10-12#	99%



Infinite 無極 BOAT II



LEISURE 潇客

潇客船竿 Boat II

1. 高吨位碳布与纳米复合材料结合，竿体轻便，拉力大。
2. 个性化设计失手环，操作简便，牢固锁住鱼竿。
3. 富士和普通配件的不同配置满足不同需求。

1. Japan Toray carbon and nano resin feature ultralight blank and unbelievable max drag.
2. Personalized convenient ring avoid rod dropping effectively.
3. Fuji or normal spare parts meet different demands.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	含碳量 Carbon
BBS802M	8+1	8' 0" (2.44m)	2	245	124	2.0	13.0	120	PE3-6#	95%
BBS902M	9+1	9' 0" (2.73m)	2	264	140	2.1	13.6	120	PE3-6#	95%
BBC802M	9+1	8' 0" (2.44m)	2	249	124	2.0	15.0	120	PE3-6#	95%
BBC902M	10+1	9' 0" (2.73m)	2	267	140	2.1	15.2	120	PE3-6#	95%



Infinite 無極



远投竿 Surf

1. EVA抛投控制握把，直接传力兼具防滑效果。
2. 日本东丽高吨位碳布，竿身轻便，调性准确。
3. 富士导眼搭配富士板卡轮座鱼竿，整体轻便，便于远投。
4. 中国红竿体3节设计，携带方便。

1. EVA handle is sensitive and avoids slipping.
2. Toray carbon blank is light, and action is precise.
3. Fuji guides and reel seat feature ultralight blank and long casting distance.
4. Red China appearance, 3 sections design can be carried easily.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	含碳量 Carbon
NBH1303XH	5+1	13' 0" (3.97m)	3	334	137	2.7	21.0	100-260	PE4-8#	99%
NBH1403XH	5+1	14' 0" (4.28m)	3	366	148	2.8	21.2	100-260	PE4-8#	99%
NBH1503XH	5+1	15' 0" (4.58m)	3	415	159	2.9	21.3	100-260	PE4-8#	99%

Infinite 無極

雷强竿 Snakehead

1. 专业雷强竿针对重障碍物区作钓。
2. 分段式软木握把，合理减轻重量，提高传感性。
3. 不锈钢富士Alconite导环出线流畅，使远投性能与抛投感更出色。
4. 日本东丽高吨位碳布，竿身轻便，调性准确。

1. Special snakehead rod aims at fishing heavy obstacle area.
2. The split cork handle reduces weight reasonably and improves sensibility.
3. Fuji Alconite guides feature smooth surf casting and excellent long casting distance.
4. Toray carbon blank is light, and action is precise.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line(lb)	含碳量 Carbon
NBSC762H	7+1	7' 6" (2.29m)	2	252	174	3.00	15.00	Frog Bait	PE4-8#	95%

NONSUCH 尚品

雷强Snakehead

1. 日本东丽高吨位碳布，竿身轻便，调性准确。
2. 高级FUJI导眼和FUJI轮座。
3. 神奇迷彩式加硬EVA把手设计。
4. 低调奢华的金属配置和前变色龙效果的窗口设计。
5. 精致雕刻的NOEBY金属标牌，尽显品牌气质。

1. Japan Toray carbon, rod body is light and action is precise.
2. FUJI guides and reel seat.
3. Unique camouflage hard EVA handle.
4. Modest luxury metal parts matched with chameleonic effect window.
5. Elegant laser carved "NOEBY" metal tag, wonderful showing the brand temperament.

型号 Model	导眼 Guide	长度 Length	节数 Section	重量 Weight(g)	收缩长 C. Length(cm)	先径 Tip Dia.(mm)	元径 Butt Dia.(mm)	饵重 Lure(g)	线 Line	含碳量 Carbon
NBSC762H	7+1	7' 6" (2.29m)	2	236	118	3.0	15.0	Frog Bait	PE4-8	95%

