





苏州海景机电有限公司

地址: 江苏省昆山市花安路183号

电话: 0512-50110953 传真: 0512-67564018

网址: www.mistingcooling.com

Distributed by:

PROVIDENCE INTERNATIONAL INDUSTRIAL LIMITED





Page 2

## MINI HIGH PRESSURE MISTING PUMPS

## PROFESSIONAL HIGH PRESSURE MISTING PUMPS





Item No.	Flow		Pressure		Power		Voltage	
	LPM	GPM	BAR	PSI	KW	HP		
PI-MNP-10	1	0.26	60	870	0.20	1	220V/50Hz	
PI-MNP-20	2	0.52	60	870	0.75	2	220V/50Hz	
PI-MNP-35	3.5	0.90	70	1000	0.75	2	220V/50Hz	
PI-MNP-150	15	3.90	70	1000	2.20	3	380V/50Hz	

MAXIMUM # NO	ZZLES @ 10	00 PSI (70	BAR)	
PUMP FLOW	1 LPM	2 LPM	3.5 LPM	15LPM
NOZZLE				
.006"/.15MM	20	40	60	280
.008"/.20MM	13	26	40	186
.012"/.30MM	9	18	28	133





Page





## **HIGH PRESSURE MISTING PUMPS**



1000 PSI
Industrial Grade
OUTDOOR DESIGN

The most professional high pressure misting pump!

#### **FEATURES:**

#### Low pressure switch included

- The pump will turn off automatically when lack of water.
- The pump will turn off automatically when the pressure of the inlet water is not steady.

#### Automatic Drain Valve included

 Release the pressure in the system automatically when the pump is turned off ,then the nozzles won't be dripping.

#### • Timer included

- You can set the timer to make the pump work and stop automatically.

#### Completely outdoor use design

- Cooling fan included, rainproof water tank included.


#### • Safety locks included

-To avoid damage to the equipment from unrelated persons.

High quality paint on the surface, nice appearance.

Item No.	Flow		Pressure		Power		Voltage	
	LPM	GPM	BAR	PSI	KW	HP	111-121	
PI-MNP-40	4	1	70	1000	0.75	1	380V/50Hz	
PI-MNP-80	8	2	70	1000	1.50	2	380V/50Hz	
PI-MNP-120	12	3	70	1000	2.20	3	380V/50Hz	

MAXIMUM # NO	ZZLES @ 1000	PSI (70 BAR)	
PUMP FLOW	4 LPM	8 LPM	12 LPM
NOZZLE			
.006"/.15MM	75	150	225
.006"/.15MM	47	94	140
.006"/.15MM	33	66	99





6

## **MISTING FAN SYSTEMS**

HAIGINT high Pressure Fan Misting System effectively cools outdoor space with no residual moisture compared to low and mid pressure systems. Our Do-It-Yourself Kits are designed with installer in mind and includes everything you need for quick and easy installation. Each system comes with our 1000psi high pressure pump.



We have over 30 years of experienace when it comes to pumps. All pumps come standard with features like Solenoid and Filteration. Each pump is capable of supporting up to 6 fans (Larger pumps available). Durable enclosure protects the pump from most extreme weather conditions. Pump is whisper quiet (Appx. 55dbm). Available options include wireless remote control and cyclic timer (Can not be added later). Pump connects to standard 220V/110V electrical outlet

Our high velocity, three speed mist fans are UL and OSHA approved for outdoor use. Each fan comes with wall mounting bracket and required hardware. Stainless steel mist ring combines the most elegant looks with lifetime warranty. Stainless Steel Mist



Ring and fittings on this system are rated for 1500PSI and will complement the looks of any outdoor space.

HAIGINT high pressure kits are designed to perform flawlessly and will instantly create cool, comfortable environment without sacrificing the looks of your outdoor living space. All kits are expandable and be customized to your specifications.

WARRANTY: Lifetime warranty on Stainless Steel Mist Rings, year warranty on Fans, Pump and other components against defects.

# HIGH PRESSURE MISTING FAN CONVERSION KIT



Upgrade 5 common fans into high pressure misting fans!

## Specifications:

Max pressure: 60 Bar , Flow: 1LPM , Cover: 200M2

Voltage:220V/50Hz , Power:260W



## Misting Fans. Fogging Systems



**Compression fittings** 



## **HIGH PRESSURE MISTING FITTINGS (1000 PSI)** Silp-lock Fittings



Slip lock cross connector Brass with nickel plated 3/8"-3/8"-3/8"-3/8"



Slip lock union Brass with nickel plated 3/8"-3/8"



Slip lock end plug with one nozzle hole A Brass with nickel plated 3/8"-10-24UNC



Slip lock male connector Brass with nickel plated 1/4"-3/8"



Slip lock elbow connector Brass with nickel plated 3/8"-3/8"



Slip lock union with one nozzle hole Brass with nickel plated 3/8"-10-24UNC-3/8"



Slip lock female connector Brass with nickel plated 1/4"-3/8"



Slip lock union with two nozzle holes Brass with nickel plated 3/8"-10-24UNC-3/8"



Slip lock end plug Brass with nickel plated



Slip lock Tee connector Brass with nickel plated 3/8"-3/8"-3/8"



Slip lock end plug with one nozzle hole B Brass with nickel plated 3/8"-10-24UNC



Compression Tee connector Brass with nickel plated 3/8"-3/8"-3/8"



Compression union Brass with nickel plated 3/8"-3/8"



Compression end plug with one nozzle hole Brass with nickel plated 3/8"-10-24UNC



Compression union with one nozzle hole Brass with nickel plated 3/8"-3/8"



Compression female connector Brass with nickel plated 1/4"-3/8"



Compression male connector Brass with nickel plated 1/4"-3/8"



Compression elbow connector Brass with nickel plated 3/8"-3/8"









# Page

## HAIGINT MISTING NOZZLES

### Standard Design

- + 10/24 UNC Thread
- + Droplets From 1.2 to 47.9 Microns
- + 1000 PSI Rated Operating Pressure
- + O-Ring Seal Design
- + Brass/Stainless Material
- + .006" to .020" Orifice Sizes
- + Includes Anti Drip Adapter



anti-drop check valve



### **HAGINT HIGH PRESSURE MISTING NOZZLES**

#1 0.15MM 0.006"





















#3 0.30MM 0.012"

















#5

0.50MM



0.190LPM

FLOW RATE AT 1000PSI (70 BAR)

LOW PRESSURE MISTING NOZZLES









## HAIGINT MISTING ACCESSORIES





12

page

**Centrifugal Misting Fan** 




广泛应用于: 工厂车间、户外餐厅、温室花房、养殖场、畜牧场

USED FOR: Work shop. Outdoor Restaurant. Greenhouses. Farms and etc.

	规格参数\Specific	ation
	电压\Voltagge	220V\50Hz
	功率\Power	260W
Property of	扇叶直径∖Blade size	26 Inch
	档数\Speed	3













## 优点\Advantage

- = 26 inch 巨型
- 工业级\Industrial-grade
- 降温4-8摄氏度\Drop the Temperature up to 4-8 degrees
- 覆盖面积\Cover: 20-30M²
- 超大水箱,连续工作8小时无需加水 Big water tank,Continuous work 8 houts!







## **PATIO MISTING KITS**







# **Misting Fan Conversion Kit**



No power required All slip-lock fittings Easy installation in minutes

**Drop the Temperature Immediately!** 

## 10 ft Patio Misting Kit

- □ 1 water tap adapter
- ∅ 6 nozzle fittings
- ∅ 6 misting nozzles
- 20 Saddle clamps
- X 1 inline filter

## 20 ft Patio Misting Kit

- ⋈ 9M misting tubing
- 1 water tap adapter
- X 11 misting nozzles
- X 30 Saddle clamps
- X 1 inline filter
- X 1 water splitter

## 30 ft Patio Misting Kit

- 12M misting tubing
- 16 nozzle fittings
- 16 misting nozzles
- X 40 Saddle clamps
- X 1 inline filter

## Misting fan Kit

- ⋈ 6M misting tubing
- □ 1 water tap adapter
- X 4 nozzle fittings
- □ 4 misting nozzles
- X 10 cable ties
- X 1 inline filter



#### Brass misting nozzles with stainless steel orifice







