



Jieyang Ya Shi Ju Metal Commodity Factory

Catalogue

Contact person: Jay Shi

Mob./WhatsApp: +86-15813558855

E-mail: yashiju_shz@163.com

FOB: ShenZhen/ShanTou

Delivery Days: depend on quantity

Deposit: 30% of total amount

The price we calculate depends on:

我们价格的计算取决于:

1. **Accessories:** with screws or covers, or not;

1. **配件:** 是否带螺丝或铁盖;

2. **Packaging:** with color poly bag or inner box, or not;

2. **包装:** 是否带彩袋或内箱;

3. **Price item:** RMB or US dollar, FOB or EXW;

3. **价格条款:** 算人民币或美金, FOB 或 EXW;

Notice:

Concealed/Cabinet Hinge 普通铰链

One Way Hinge 一段力

261-四孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
3. Weight(重量): 52g~65g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
6. Opening Angle: 105° 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

261-二孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
3. Weight(重量): 52g~65g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
6. Opening Angle: 105° 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

B62-四孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
3. Weight(重量): 55g~65g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
6. Opening Angle: 105° 7. Hole Spacing: 45mm 8. Range of Door Thickness: 14mm-24mm

B62-二孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
3. Weight(重量): 55g~65g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
6. Opening Angle: 105° 7. Hole Spacing: 45mm 8. Range of Door Thickness: 14mm-24mm

9802-四孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):55g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:52mm 8.Range of Door Thickness:14mm-24mm

9802-二孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):55g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:52mm 8.Range of Door Thickness:14mm-24mm

A8

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):55g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

F261

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):55g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

Two Way Hinge 二段力

261-四孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):52g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

261-二孔

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
3.Weight(重量):52g~65g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

F261

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 52g~65g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
 6. Opening Angle: 105° 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

Hydraulic Hinge 液压铰链

H26 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 110g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
 6. Clip: Zinc Alloy 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

H265 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 77g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
 6. Opening Angle: 105° 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

H27 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 98g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
 6. Clip: Zinc Alloy 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

H275 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1. Material(材料): Cold-roll Steel(铁) 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 82g 4. Diameter of Cup(铰杯直径): 35mm 5. Depth of Cup(杯深): 11.5mm
 6. Opening Angle: 105° 7. Hole Spacing: 48mm 8. Range of Door Thickness: 14mm-24mm

H28 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯

H285 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 92g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 88g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

H281 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量):92g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

H282 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量):93g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

H283 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 90g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip: Iron 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

F27 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 96g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

H29 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯

H295 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 103g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量): 94g 4.Diameter of Cup(铰杯直径): 35mm 5.Depth of Cup(杯深): 11.5mm
 6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

Stainless Steel Hinge 不锈钢铰链

SS2012 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):SS 201(不锈钢201) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 88g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

SS2015 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):SS 201(不锈钢201) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 101g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

SS3042 Clip-on 自卸

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯

SS2012 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):SS 201(不锈钢201) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 80g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

SS2015 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):SS 201(不锈钢201) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 93g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

SS3042 Mounted 固定

Full Overlay 直臂

Half Overlay 中弯

Insert 大弯



1.Material(材料):SS 304(不锈钢304) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 96g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:SS 304 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm



1.Material(材料):SS 304(不锈钢304) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 87g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Opening Angle:105° 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

3D Hine 3D铰链

3D Iron Clip-on 铁自卸 Full Overlay 直臂



Half Overlay 中弯



Insert 大弯



1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Weight(重量):110g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

3D SS Clip-on 不锈钢自卸 Full Overlay 直臂



Half Overlay 中弯



Insert 大弯



1.Material(材料):SS 201(不锈钢201) 2.Finishing(表面处理): Polishing(珠抛)
 3.Weight(重量): 110g 4.Diameter of Cup(铰杯直径):35mm 5.Depth of Cup(杯深):11.5mm
 6.Clip:Zinc Alloy 7.Hole Spacing:48mm 8.Range of Door Thickness:14mm-24mm

Angle Hine 角度铰链

30 Degree Hinge Normal 普通



Weight: 70g

45 Degree Hinge Hydraulic 液压



Weight: 88g

45 Degree Hinge Normal 普通



Weight: 70g

90 Degree Hinge Hydraulic 液压



Weight: 92g

90 Degree Hinge Normal 普通



Weight: 70g

135 Degree Hinge Normal 普通



Weight: 70g

1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Diameter of Cup(铰杯直径):35mm 4.Depth of Cup(杯深):11.5mm 5.Hole Spacing:48mm

1.Material(材料):Cold-roll Steel(铁) 2.Finishing(表面处理):Nickel plated(铁镀镍)
 3.Diameter of Cup(铰杯直径):35mm 4.Depth of Cup(杯深):11.5mm 5.Hole Spacing:48mm

165 Degree Hinge

Short Arm Hinge 短臂铰链

Normal 普通



- 165
JIEYANG CITY YASHIJU METAL COMMODITY FACTORY
1. Material(材料): Cold-roll Steel(铁)
 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 150g
 4. Diameter of Cup(铰杯直径): 35mm
 5. Depth of Cup(杯深): 11.5mm
 6. Hole Spacing: 48mm

Half Overlay 中弯



- Short form
JIEYANG CITY YASHIJU METAL COMMODITY FACTORY
1. Material(材料): Cold-roll Steel(铁)
 2. Finishing(表面处理): Nickel plated(铁镀镍)
 3. Weight(重量): 54g
 4. Diameter of Cup(铰杯直径): 35mm
 5. Depth of Cup(杯深): 11.5mm
 6. Hole Spacing: 48mm