

Backing Pad

Backing Pad



ES030010

- Material:PU and aluminum plate
- Size:125mm
- Interface:velcro



ES030020

- Material:PU and aluminum plate
- Size:125mm
- Interface:velcro



ES030030

- Material:PU and aluminum plate
- Size:125mm
- Interface:velcro



ES030080

- Material:PU and nylon plate
- Size:150mm
- Interface:velcro



ES030090

- Material:PU and nylon plate
- Size:150mm
- Interface:velcro



ES030100

- Material:PU and fiber plate
- Size:125mm
- Interface:velcro



ES030040

- Material:PU and aluminum plate
- Size:125mm
- Interface:velcro



ES030050

- Material:PU and imported fiber plate
- Size:125mm
- Interface:velcro



ES030051

- Material:PU and imported fiber plate
- Size:125mm
- Interface:velcro



ES030110

- Material:PU and fiber plate
- Size:150mm
- Interface:velcro



ES030111

- Material:PU and imported fiber plate
- Size:150mm
- Interface:velcro



ES030120

- Material:PU and fiber plate
- Size:75mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030052

- Material:PU and imported fiber plate
- Size:125mm
- Interface:velcro



ES030060

- Material:PU and imported fiber plate
- Size:125mm
- Interface:velcro



ES030070

- Material:PU and imported fiber plate
- Size:125mm
- Interface:velcro



ES030121

- Material:PU and imported fiber plate
- Size:75mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030130

- Material:PU and fiber plate
- Size:100mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030131

- Material:PU and imported fiber plate
- Size:100mm
- Thread:5/16"-24
- Interface:velcro/vinyl

Backing Pad

Backing Pad



ES030140

- Material:PU (16mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030141

- Material:PU (16mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030150

- Material:PU (16mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030180

- Material:PU (10mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030181

- Material:PU (10mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030190

- Material:PU (10mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030151

- Material:PU (16mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030160

- Material:PU (10mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030161

- Material:PU (10mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030200

- Material:PU (10mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030210

- Material:PU (10mm) and nylon plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030220

- Material:PU (10mm) and nylon plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030162

- Material:PU (10mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030170

- Material:PU (10mm) and fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030171

- Material:PU (10mm) and imported fiber plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030230

- Material:PU (10mm) and ABS plate
- Size:150mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030240

- Material:PU (10mm) and ABS plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030241


- Material:PU (10mm) and PP plate
- Size:125mm
- Thread:5/16"-24
- Interface:velcro/vinyl

Backing Pad



ES030250

- **Material:**PU (10mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl




ES030251

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030260

- **Material:**PU (10mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl




ES030261

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030270

- **Material:**PU (16mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030271

- **Material:**PU (16mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030280

- **Material:**PU (16mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030281

- **Material:**PU (16mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030290

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl



ES030300

- **Material:**PU (10mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**7 holes



ES030301

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**7 holes



ES030310

- **Material:**PU (10mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**15 holes



ES030311

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**15 holes



ES030320

- **Material:**PU (10mm) and fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**15 holes



ES030321

- **Material:**PU (10mm) and imported fiber plate
- **Size:**150mm
- **Thread:**5/16"-24
- **Interface:**velcro/vinyl
- **Holes:**15 holes

Backing Pad

Backing Pad

Backing Pad



ES030330

- Material:PU and fiber plate
- Size:50mm,75mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030331

- Material:PU and imported fiber plate
- Size:50mm,75mm
- Thread:5/16"-24
- Interface:velcro/vinyl



ES030340

- Material:PU and fiber plate
- Size:50mm,75mm
- Thread:1/4"-20, M6*1.0, 5/16"-24
- Interface:velcro/vinyl



ES030400

- Material:PU and ABS plate
- Size:115mm, 125mm, 150mm, 180mm
- Thread: M14-2, 5/8"-11
- Interface:velcro



ES030410

- Material:PU and ABS plate
- Size:150mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030420

- Material:PU and ABS plate
- Size:166mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030341

- Material:PU and imported fiber plate
- Size:50mm,75mm
- Thread:1/4"-20, M6*1.0, 5/16"-24
- Interface:velcro/vinyl



ES030350

- Material:PU and nylon plate
- Size:75mm
- Thread:M14-2,5/8"-11
- Interface:velcro/vinyl



ES030360

- Material:PU and nylon plate
- Size:100mm
- Thread:M14-2,5/8"-11
- Interface:velcro/vinyl



ES030430

- Material:PU and ABS plate
- Size:166mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030440

- Material:PU and ABS plate
- Size:150mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030450

- Material:PU and imported fiber plate
- Size:150mm
- Thread:5/16"-24
- Interface:velcro



ES030370

- Material:PU and imported fiber plate
- Size:100mm
- Thread:M14-2,5/8"-11
- Interface:velcro/vinyl



ES030380

- Material:PU and ABS plate
- Size:115mm,125mm,150mm
- Thread:M14-2,5/8"-11
- Interface:velcro/vinyl



ES030390

- Material:PU and nylon plate
- Size:125mm
- Thread:M14-2,5/8"-11
- Interface:velcro/vinyl



ES030460

- Material:PU and ABS plate
- Size:180mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030470

- Material:EVA and ABS plate
- Size:180mm
- Thread:M14-2, 5/8"-11
- Interface:velcro



ES030480

- Material:PU and nylon plate
- Size:125mm
- Thread:M14-2, 5/8"-11
- Interface:velcro

Backing Pad



ES030490

- **Material:**EVA (25mm) and ABS plate
- **Size:**125mm
- **Thread:**M14-2, 5/8"-11
- **Interface:**velcro



ES030491

- **Material:**soft sponge (25mm) and ABS plate
- **Size:**125mm
- **Thread:**M14-2, 5/8"-11
- **Interface:**velcro



ES030500

- **Material:**sponge and velcro
- **Size:**150mm
- **Thickness:**5mm, 10mm
- **Hole:**6 holes



ES032020

- **Material:** PP
- **Size:**75mm,100mm,115mm,125mm,150mm,180mm
- **Thread:** M14-2, 5/8"-11



ES032030

- **Material:** PP
- **Size:** 100mm, 115mm, 125mm, 150mm, 180mm
- **Thread:** M14-2, 5/8"-11



ES032040

- **Material:** PP
- **Size:** 115mm, 180mm
- **Thread:** M14-2, 5/8"-11



ES030501

- **Material:**sponge and velcro
- **Size:**150mm
- **Thickness:**5mm, 10mm
- **Hole:**7 holes



ES030502

- **Material:**sponge and velcro
- **Size:**150mm
- **Thickness:**5mm, 10mm
- **Hole:**8 holes



ES030503

- **Material:**sponge and velcro
- **Size:**150mm
- **Thickness:**5mm, 10mm
- **Hole:**9 holes



ES032050

- **Material:** PP and EVA (10mm)
- **Size:** 100mm, 115mm, 125mm, 150mm, 180mm
- **Thread:** M14-2, 5/8"-11
- **Interface:**velcro



ES032060

- **Material:** PP and EVA (2mm)
- **Size:** 100mm, 115mm, 125mm, 150mm, 180mm
- **Thread:** M14-2, 5/8"-11
- **Interface:**velcro



ES032070

- **Material:** PP and EVA (2mm)
- **Size:** 125mm
- **Thread:** M14-2, 5/8"-11
- **Interface:**velcro



ES030504

- **Material:** sponge and velcro
- **Size:** 150mm
- **Thickness:**5mm, 10mm
- **Hole:**15 holes



ES030505

- **Material:**sponge and velcro
- **Size:**150mm
- **Thickness:**5mm, 10mm
- **Hole:**69 holes



ES032010

- **Material:** PP
- **Size:** 75mm, 100mm,115mm,125mm,150mm,180mm
- **Thread:** M14-2, 5/8"-11



ES032080

- **Material:** PP and EVA
- **Size:** 100mm
- **Thread:** M14-2
- **Interface:**velcro



ES032090

- **Material:** aluminum plate
- **Size:** 125mm
- **Thread:** M14-2, 5/8"-11



ES032100

- **Material:** rubber
- **Size:** 87mm
- **Thread:** 5/16"-24

Backing Pad



ES032110

- Material: rubber
- Size: 100mm, 115mm, 125mm, 150mm, 180mm
- Thread: M14-2, 5/8"-11



ES032120

- Material: rubber
- Size: 100mm, 115mm, 125mm, 150mm, 180mm
- Thread: M14-2, 5/8"-11



ES032130

- Material: rubber
- Size: 100mm, 115mm, 125mm, 150mm, 180mm
- Thread: 1/4" shank
- Interface: velcro



ES033010

- Material: PU and velcro
- 16pcs sanding pad kits



ES033020

- Material: PU and velcro
- 11pcs sanding pad kits



ES033030

- Material: PU and velcro
- 20pcs sanding pad kits



ES032140

- Material: rubber
- Size: 80mm, 100mm, 125mm
- Thread: M14-2, 5/8"-11
- Interface: velcro



ES032150

- Material: rubber
- Size: 80mm, 100mm, 125mm
- Thread: M14-2, 5/8"-11
- Interface: velcro



ES032160

- Material: rubber
- Size: 100mm
- Thread: M14-2, 5/8"-11
- Interface: velcro



ES033040

- Material: PU and nylon plate
- Size: 70x125mm
- Interface: velcro/vinyl



ES033050

- Material: PU and imported fiber plate
- Size: 70x125mm, 70x198mm
- Interface: velcro/vinyl



ES033060

- Material: PU and imported fiber plate
- Size: 95x180mm
- Interface: velcro/vinyl



ES032170

- Material: rubber
- Size: 115mm, 125mm
- Thread: M14-2, 5/8"-11
- Interface: velcro



ES032180

- Material: rubber
- Size: 125mm
- Thread: 8mm shank
- Interface: velcro



ES032190

- Material: rubber
- Size: 50mm, 75mm
- Thread: 6mm or 1/4" shank



ES033070

- Material: PU and imported fiber plate
- Size: 95x180mm
- Interface: velcro/vinyl



ES033080

- Material: PU and imported fiber plate
- Size: 95x180mm
- Interface: velcro/vinyl



ES033090

- Material: PU and imported fiber plate
- Size: 95x180mm
- Interface: velcro/vinyl

Backing Pad

Backing Pad



ES033100

- Material: PU
- Size: 70x390mm
- Interface: velcro



ES033110

- Material: PU
- Size: 150x90mm
- Interface: velcro



ES033120

- Material: PU
- Size: 125x65x35mm
- Interface: velcro



ES033180

- Material: PU and imported fiber plate
- Size: 125mm, 150mm
- Interface: velcro



ES033190

- Material: PU
- Size: 90mm
- Interface: velcro



ES033200

- Material: PU
- Size: 100mm
- Interface: velcro



ES033130

- Material: PU
- Size: 125x70mm
- Interface: velcro



ES033140

- Material: PU
- Size: 135x70mm
- Interface: velcro/vinyl



ES033150

- Material: PU
- Size: 125mm
- Interface: velcro/vinyl



ES033210

- Material: PU
- Size: 30mm, 75mm
- Interface: velcro/vinyl



ES033220

- Material: PU
- Size: 70x125mm, 70x200mm, 70x250mm
- Interface: velcro/vinyl



ES033230

- Material: PP
- Size: 165x85mm, 210x105mm



ES033160

- Material: PU and imported fiber plate
- Size: 150mm
- Interface: velcro



ES033170

- Material: PU and fiber plate
- Size: 125mm, 150mm
- Interface: velcro



ES033171

- Material: PU and imported fiber plate
- Size: 125mm, 150mm
- Interface: velcro



ES033240

- Material: PP
- Size: 165x85mm



ES033250

- Material: rubber
- Size: 125x67mm



ES033260

- Material: rubber
- Size: 125x67mm

Backing Pad



ES033270
 • Material: PVC
 • Size: 125x67mm



ES033280
 • Material: PU and imported fiber plate
 • Size: 90x130mm, 70x100mm




ES033290
 • Material: PU and imported fiber plate
 • Size: 74x78mm



ES033300
 • Material: EVA
 • Size: 125x70x35mm
 • Interface: velcro



ES033310
 • Material: EVA
 • Size: 150mm
 • Interface: velcro



ES033320
 • Material: PU and aluminum plate
 • Size: 210x15x10mm
 • Interface: velcro



ES033330
 • Material: PU and fiber plate
 • Size: 210x115x10 mm



ES033340
 • Material: PU and sponge
 • 8pcs sanding pad kits



ES033350
 • Material: PU and sponge
 • 4pcs sanding pad kits

Foam Pad



ES070010
 • Size: 150x50mm
 • Heavy cutting
 • Color: Maroon



ES070011
 • Size: 150x50mm
 • Cutting
 • Color: White/Red



ES070012
 • Size: 150x50mm
 • Light cutting
 • Color: Yellow



ES070013
 • Size: 150x50mm
 • Polishing
 • Color: Orange/Yellow/Blue



ES070014
 • Size: 150x50mm
 • Light polishing
 • Color: Blue/Green/Orange



ES070015
 • Size: 150x50mm
 • Finishing
 • Color: Black/White/Beige



ES070020
 • Size: 150x50mm
 • Heavy cutting
 • Color: Maroon



ES070021
 • Size: 150x50mm
 • Cutting
 • Color: White/Red



ES070022
 • Size: 150x50mm
 • Light cutting
 • Color: Yellow



ES070023

- Size: 150x50mm
- Polishing
- Color: Orange/Yellow/Blue



ES070024

- Size: 150x50mm
- Polishing
- Color: Blue



ES070025

- Size: 150x50mm
- Light Polishing
- Color: Green



ES070042

- Size: 150x28mm
- Light cutting
- Color: Yellow



ES070043

- Size: 150x28mm
- Polishing
- Color: Orange/Yellow/Blue



ES070044

- Size: 150x28mm
- Light polishing
- Color: Blue/Orange



ES070026

- Size: 150x50mm
- Light polishing
- Color: Orange/Blue



ES070027

- Size: 150x50mm
- Finishing
- Color: Black/White/Beige



ES070030

- Size: 200x50mm
- Cutting
- Color: White/Red



ES070045

- Size: 150x28mm
- Light polishing
- Color: Green/Orange



ES070046

- Size: 150x28mm
- Finishing
- Color: Black/White/Beige



ES070050

- Size: 150x28mm
- Cutting
- Color: Red



ES070031

- Size: 200x50mm
- Finishing
- Color: Black/White/Beige



ES070040

- Size: 150x28mm
- Cutting
- Color: Red



ES070041

- Size: 150x28mm
- Cutting
- Color: White



ES070051

- Size: 150x28mm
- Cutting
- Color: White



ES070052

- Size: 150x28mm
- Light cutting
- Color: Yellow



ES070053

- Size: 150x28mm
- Polishing
- Color: Orange/Yellow/Blue

Foam Pad

Foam Pad



ES070054

- Size: 150x28mm
- Light polishing
- Color: Blue/Orange



ES070055

- Size: 150x28mm
- Light polishing
- Color: Green/Orange



ES070056

- Size: 150x28mm
- Finishing
- Color: Beige



ES070064

- Size: 150x28mm
- Light polishing
- Color: Blue/Orange



ES070065

- Size: 150x28mm
- Light polishing
- Color: Green/Orange



ES070066

- Size: 150x28mm
- Finishing
- Color: Beige/White



ES070057

- Size: 150x28mm
- Finishing
- Color: White



ES070058

- Size: 150x28mm
- Finishing
- Color: Black



ES070060

- Size: 150x28mm
- Heavy cutting
- Color: Maroon



ES070067

- Size: 150x28mm
- Finishing
- Color: Black/White



ES070070

- Size: 180x30mm
- Heavy cutting
- Color: Maroon/Red/White



ES070071

- Size: 180x30mm
- Light cutting
- Color: Yellow



ES070061

- Size: 150x28mm
- Cutting
- Color: White/Red



ES070062

- Size: 150x28mm
- Light cutting
- Color: Yellow



ES070063

- Size: 150x28mm
- Polishing
- Color: Orange/Yellow/Blue



ES070072

- Size: 180x30mm
- Polishing
- Color: Orange/Yellow/Blue



ES070073

- Size: 180x30mm
- Light polishing
- Color: Blue/Green/Orange



ES070074

- Size: 180x30mm
- Finishing
- Color: Black/White/Beige

Foam Pad



ES070080

- Size: 150x40mm
- Cutting
- Color: White/Red



ES070081

- Size: 150x40mm
- Polishing
- Color: Yellow/Orange/Blue



ES070092

- Size: 200x30mm, 165x30mm
- Polishing
- Color: Yellow/Orange/Blue



ES070093

- Size: 200x30mm, 165x30mm
- Finishing
- Color: Black/White/Beige



ES070082

- Size: 150x40mm
- Light polishing
- Color: Orange/Blue/Green



ES070083

- Size: 150x40mm
- Finishing
- Color: Black/White/Beige



ES070100

- Size: 200x30mm
- Heavy cutting
- Color: Maroon



ES070101

- Size: 200x30mm
- Cutting
- Color: White/Red



ES070090

- Size: 200x30mm, 165x30mm
- Heavy cutting
- Color: Maroon



ES070091

- Size: 200x30mm, 165x30mm
- Cutting
- Color: White/Red



ES070102

- Size: 200x30mm
- Polishing
- Color: Yellow/Orange/Blue



ES070103

- Size: 200x30mm
- Finishing
- Color: Black/White/Beige

Foam Pad

Foam Pad



ES070110

- Size: 200x30mm
- Cutting
- Color: White/Red



ES070111

- Size: 200x30mm
- Finishing
- Color: Black/White/Beige



ES070130

- Size: 220x30mm
- Cutting
- Color: Yellow/White/Red



ES070131

- Size: 220x30mm
- Polishing
- Color: Orange/Yellow/Blue



ES070120

- Size: 210x50mm
- Cutting
- Color: Yellow/White/Red



ES070121

- Size: 210x50mm
- Polishing
- Color: Orange/Yellow/Blue



ES070132

- Size: 220x30mm
- Light polishing
- Color: Blue/Green/Orange



ES070133

- Size: 220x30mm
- Finishing
- Color: Black/White/Beige



ES070122

- Size: 210x50mm
- Light polishing
- Color: Blue/Green/Orange



ES070123

- Size: 210x50mm
- Finishing
- Color: Black/White/Beige



ES070140

- Size: 216x30mm
- Polishing
- Color: Yellow/Orange/Blue



ES070141

- Size: 216x30mm
- Finishing
- Color: Black/White/Beige

Foam Pad

Foam Pad



ES070150

- Size: 200x30mm
- Cutting
- Color: White/Red




ES070151

- Size: 200x30mm
- Polishing
- Color: Yellow/Orange/Blue



ES070171

- Size: 190x28mm
- Polishing
- Color: Yellow/Orange/Blue



ES070172

- Size: 190x28mm
- Finishing
- Color: Black/White/Beige



ES070160

- Size: 200x30mm
- Cutting
- Color: White/Red



ES070161

- Size: 200x30mm
- Polishing
- Color: Yellow/Orange/Blue



ES070180

- Size: 180x30mm; 180x50mm
- Cutting
- Color: Red/White



ES070181

- Size: 180x30mm; 180x50mm
- Light polishing
- Color: Green/Orange/Blue



ES070162

- Size: 200x30mm
- Finishing
- Color: Black/White/Beige



ES070170

- Size: 190x28mm
- Cutting
- Color: White/Red



ES070190

- Size: 230x30mm
- Finishing
- Color: White/Beige/Black



ES070200

- Size: 220x30mm
- Polishing
- Color: Yellow/Orange/Blue

Foam Pad

Foam Pad



ES070210

- Size: 150x50mm
- Cutting
- Color: White/Red



ES070211

- Size: 150x50mm
- Polishing
- Color: Orange/Yellow



ES070230

- Size: 150x28mm; 170x30mm
- Cutting
- Color: White/Red



ES070231

- Size: 150x28mm; 170x30mm
- Finishing
- Color: Black/White/Beige



ES070212

- Size: 150x50mm
- Polishing
- Color: Blue



ES070213

- Size: 150x50mm
- Finishing
- Color: Black/White/Beige



ES070240

- Size: 150x28mm
- Cutting
- Color: White/Red



ES070241

- Size: 150x28mm
- Light cutting
- Color: Yellow



ES070220

- Size: 150x28mm
- Polishing
- Color: Orange/Yellow/Blue



ES070221

- Size: 150x28mm
- Finishing
- Color: Black/White/Beige



ES070242

- Size: 150x28mm
- Polishing
- Color: Orange/Yellow/Blue



ES070243

- Size: 150x28mm
- Light polishing
- Color: Blue/Green/Orange

Foam Pad

Foam Pad



ES070244

- Size: 150x28mm
- Finishing
- Color: Black/White/Beige



ES070250

- Size: 125x30mm
- Heavy cutting
- Color: Maroon



ES070260

- Size: 100x45mm
- Polishing
- Color: Yellow/Orange/Blue



ES070270

- Size: 83x50mm
- Finishing
- Color: Black/White/Beige



ES070280

- Size: 75x25mm
- Polishing (or finishing)
- Color: Orange/Yellow/Black



ES070290

- Size: 100x20mm; 110x20mm
- Finishing
- Color: Red/White/Yellow/Green/Black

Wool buffing pad



ES08001

- Wool buffing pad
- Single side
- Size: 200mm (8")



ES08002

- Wool buffing pad
- Single side
- Size: 200mm (8")



ES08003

- Wool buffing pad
- Single side
- Size: 200mm (8")



ES08004

- Twisted wool buffing pad (polishing hardware)
- Both sides
- Size: 200mm (8")



ES08005

- Untwisted wool buffing pad (polishing car)
- Both sides
- Size: 200mm (8")



ES08006

- Untwisted wool buffing pad (polishing car)
- Both sides
- Size: 200mm (8")

Wool buffing pad



ES08007

- Imported lambwool skin buffing pad with strip
- Size:80/100/115/125/150/180/200/230mm



ES08008

- Imported lambwool skin buffing pad with strip
- Size:80/100/115/125/150/180/200/230mm



ES08009

- Wool felt mop
- Size:125mm(M14-2.5/8"-11)



ES08010

- Wool buffing wheel
- Size:115/125mm



ES08011

- Wool felt disc with velcro
- Size:100/115/125/150mm



ES08012

- Wool felt disc with holder
- Size:50/75mm

Resin-bonded cut-off wheel & grinding wheel

Resin bonded cut-off wheel and grinding wheel are reinforced by fibre glass net with speed of 80m/s or 100m/s and characterized by high tensile strength, anti-shock strength and resistance to bend. They are widely used for cutting or grinding the metallic and nonmetallic material.



ES01001

- Flat cut-off wheel (type 41)
- Application:cutting iron,ferrous material
- Technical specification:A 30 TBF
- Standard:EN12413 and MPA



ES01002

- Flat cut-off wheel (type 41)
- Application:cutting stone, marble etc
- Technical specification:C 24 RBF
- Standard:EN12413 and MPA



ES01003

- Flat cut-off wheel (type 41)
- Application:cutting stainless steel
- Technical specification:A 46 TBF
- Standard:EN12413 and MPA



ES01004

- Depressed center cut-off wheel (type 42)
- Application:cutting iron,ferrous material
- Technical specification:A 30 TBF
- Standard:EN12413 and MPA



ES01005

- Depressed center cut-off wheel (type 42)
- Application:cutting stone, marble etc
- Technical specification:C 24 RBF
- Standard:EN12413 and MPA



ES01006

- Depressed center cut-off wheel (type 42)
- Application:cutting stainless steel
- Technical specification:A 46 TBF
- Standard:EN12413 and MPA



ES01007

- Depressed center grinding wheel (type 27)
- Application:grinding iron,ferrous material
- Technical specification:A 30 RBF
- Standard:EN12413 and MPA



ES01008

- Depressed center grinding wheel (type 27)
- Application:grinding stone, marble etc
- Technical specification:C 24 RBF
- Standard:EN12413 and MPA



ES01009

- Depressed center grinding wheel (type 27)
- Application:grinding stainless steel
- Technical specification:A 46 RBF
- Standard:EN12413 and MPA

Resin-bonded cut-off wheel & grinding wheel

Abrasive paper sheet

The sizes of cut-off wheel

Dimension -metric(mm)	Dimension-inch	Max speed(r.p.m)
7.5x1.0x9.5	3"x3/64"x3/8"	20000
75x1.6x9.5	3"x1/16"x3/8"	20000
100x1.0x9.5	4"x3/64"x3/8"	15200
100x1.0x16	4"x3/64"x5/8"	15200
100x1.6x16	4"x1/16"x5/8"	15200
100x2.5x16	4"x3/32"x5/8"	15200
100x3.0x16	4"x1/8"x5/8"	15200
115x1.0x22.2	4 1/2"x3/64"x7/8"	13300
115x1.6x22.2	4 1/2"x1/16"x7/8"	13300
115x2.5x22.2	4 1/2"x3/32"x7/8"	13300
115x3.0x22.2	4 1/2"x1/8"x7/8"	13300
125x1.0x22.2	5"x3/64"x7/8"	12200
125x1.6x22.2	5"x1/16"x7/8"	12200
125x2.5x22.2	5"x3/32"x7/8"	12200
125x3.0x22.2	5"x1/8"x7/8"	12200
150x1.0x22.2	6"x3/64"x7/8"	10200
150x1.6x22.2	6"x1/16"x7/8"	10200
150x2.5x22.2	6"x3/32"x7/8"	10200
150x3.0x22.2	6"x1/8"x7/8"	10200
180x1.6x22.2	7"x1/16"x7/8"	8600
180x2.5x22.2	7"x3/32"x7/8"	8600

Dimension -metric(mm)	Dimension -inch	Max speed(r.p.m)
180x3.0x22.2	7"x1/8"x7/8"	8600
230x2.0x22.2	9"x5/64"x7/8"	6600
230x2.5x22.2	9"x3/32"x7/8"	6600
230x3.0x22.2	9"x1/8"x7/8"	6600
230x4.0x22.2	9"x5/32"x7/8"	6600
305x2.5x25.4	12"x3/32"x1"	5100
305x2.8x25.4	12"x7/64"x1"	5100
305x3.0x25.4	12"x1/8"x1"	5100
305x3.5x20	12"x9/64"x3/4"	5100
305x3.8x25.4	12"x5/32"x1"	5100
305x4.0x25.4	12"x5/32"x1"	5100
355x2.4x25.4	14"x3/32"x1"	4400
355x2.8x25.4	14"x7/64"x1"	4400
355x3.0x25.4	14"x1/8"x1"	4400
355x3.5x20	14"x9/64"x3/4"	4400
355x3.5x25.4	14"x9/64"x1"	4400
355x4.0x25.4	14"x5/32"x1"	4400
400x3.0x25.4	16"x1/8"x1"	3800
400x3.5x25.4	16"x9/64"x1"	3800
400x4.0x25.4	16"x5/32"x1"	3800
400x5.0x25.4	16"x13/64"x1"	3800

The sizes of grinding wheel

Dimension -metric(mm)	Dimension-inch	Max speed(r.p.m)
100x6.0x16	4"x1/4"x5/8"	15200
115x6.0x22.2	4 1/2"x1/4"x7/8"	13300
115x6.0 HUB	4 1/2"x1/4"HUB	13300
125x6.0x22.2	5"x1/4"x7/8"	12200
125x6.0 HUB	5"x1/4"HUB	12200
150x6.0x22.2	6"x1/4"x7/8"	10200
150x6.0 HUB	6"x1/4"HUB	10200

Dimension -metric(mm)	Dimension -inch	Max speed(r.p.m)
180x6.0x22.2	7"x1/4"x7/8"	8600
180x6.0 HUB	7"x1/4"HUB	8600
180x8.0x22.2	7"x5/16"x7/8"	8600
230x6.0x22.2	9"x1/4"x7/8"	6600
230x6.0 HUB	9"x1/4"HUB	6600
230x8.0x22.2	9"x5/16"x7/8"	6600

Technical specification

	Common metal	Cast iron	Stainless steel	Aluminum	Copper	Concrete	Brick	Glass	Granite
Abrasive	A	A,C	WA,ZA	C	C	C	C	GC	GC
Grit	24#,30#	24#,30#	36	30#,36#	36#	30#,36#	30#,36#	30#,46#	30#,46#
Hardness	Q,R	P,R	M,N	N,P	M	M	M	M,N	M,N



ES02001

- Abrasive:aluminum oxide
- Paper base:waterproof kraft paper
- Bond:R/R
- Grit:60#-600#
- Size:230x280mm
- Application:sanding metal, wood, leather, plastic



ES02002

- Abrasive:aluminum oxide
- Paper base:waterproof grey kraft paper
- Bond:R/R
- Grit:60#-1200#
- Size:230x280mm
- Application:sanding metal, wood, leather, plastic



ES02003

- Abrasive:silicon carbide
- Paper base:waterproof kraft paper
- Bond:R/R
- Grit:60#-2000#
- Size:230x280mm
- Application:sanding metal, wood, leather, plastic



ES02004

- Abrasive:silicon carbide
- Paper base:latex paper
- Bond:R/R
- Grit:60#-2000#
- Size:230x280mm
- Application:sanding metal, wood, leather, plastic



ES02005

- Abrasive:zinc-stearated silicon carbide
- Paper base:waterproof kraft paper
- Bond:R/R
- Grit:60#-2000#
- Size:230x280mm
- Application:sanding metal,wood,paint with anti-log function



ES02006

- Abrasive:zinc-stearated silicon carbide
- Paper base:latex paper
- Bond:R/R
- Grit:60#-2000#
- Size:230x280mm
- Application:sanding metal,wood,paint with anti-log function

Abrasive paper sheet



ES02007

- Abrasive: brown aluminum oxide
- Paper base: kraft paper
- Bond: R/G
- Grit: 36#-240#
- Size: 230x280mm
- Application: dry sanding wood



ES02009

- Abrasive: flint sand
- Paper base: kraft paper
- Bond: R/G
- Grit: 40#-240#
- Size: 230x280mm
- Application: dry sanding wood



ES02011

- Abrasive: zinc-stearated aluminum oxide
- Paper base: kraft paper
- Bond: R/G
- Grit: 60#-400#
- Size: 230x280mm
- Application: dry sanding wood



ES02008

- Abrasive: white aluminum oxide
- Paper base: white paper
- Bond: R/G
- Grit: 40#-400#
- Size: 230x280mm
- Application: dry sanding wood



ES02010

- Abrasive: garnet sand
- Paper base: kraft paper
- Bond: R/G
- Grit: 40#-240#
- Size: 230x280mm
- Application: dry sanding wood



ES02012

- Abrasive: zinc-stearated white aluminum oxide
- Paper base: white paper
- Bond: R/G
- Grit: 60#-400#
- Size: 230x280mm
- Application: dry sanding wood

Abrasive paper roll



ES02013

- Abrasive: brown aluminum oxide
- Paper base: C/D/E weight kraft paper
- Bond: R/G, R/R
- Grit: 36#-600#
- Application: sanding wood



ES02015

- Abrasive: white aluminum oxide
- Paper base: C weight white paper
- Bond: R/G
- Grit: 40#-600#
- Application: sanding wood



ES02017

- Abrasive: silicon carbide
- Paper base: C weight white paper
- Bond: G/R
- Grit: 60#-600#
- Application: sanding wood, metal



ES02014

- Abrasive: brown aluminum oxide
- Paper base: E/F weight paper for machine purpose
- Bond: R/R
- Grit: 36#-600#
- Application: sanding wood, paint, leather, plastic



ES02016

- Abrasive: white aluminum oxide
- Paper base: D/E weight kraft paper
- Bond: R/R
- Grit: 40#-600#
- Application: sanding wood



ES02018

- Abrasive: silicon carbide
- Paper base: E/F weight paper for machine purpose
- Bond: R/R
- Grit: 40#-600#
- Application: sanding wood, paint, leather, plastic

Abrasive cloth roll

Velcro disc & PSA disc



ES02019

- **Abrasive:**aluminum oxide
- **Cloth base:**J weight cloth
- **Bond:**R/G
- **Grit:**36#-400#
- **Application:**sanding metal, ceramic, wood etc




ES02020

- **Abrasive:**aluminum oxide
- **Cloth base:**J weight waterproof cloth
- **Bond:**R/R
- **Grit:**36#-400#
- **Application:**sanding metal, ceramic, wood etc



ES02021

- **Abrasive:**aluminum oxide
- **Cloth base:**X/Y weight polyester-cotton cloth
- **Bond:**R/R
- **Grit:**24#-400#
- **Application:**sanding metal, hard wood



ES02022

- **Abrasive:**silicon carbide
- **Cloth base:**X/Y weight polyester-cotton cloth
- **Bond:**R/R
- **Grit:**24#-400#
- **Application:**sanding hard wood, non-ferrous metal, glass, stone



ES02023

- **Abrasive:**aluminum oxide
- **Cloth base:**flexible J weight cloth
- **Bond:**R/R
- **Grit:**40#-600#
- **Application:**sanding wood, plastic, paint, leather etc



ES02024

- **Abrasive:**aluminum oxide
- **Cloth base:**X/Y weight cloth
- **Bond:**R/R
- **Grit:**40#-600#
- **Application:**sanding metal, wood, plastic, leather etc



ES04001

- **Round disc without hole**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm



ES04002

- **Round disc with 6 holes**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm



ES04003

- **Round disc with 6 holes**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm



ES04004

- **Round disc with 8 holes**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm



ES04005

- **Round disc with 9 holes**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm



ES04006

- **Round disc with star hole**
 - **Abrasive:**aluminum oxide
 - **Paper base:**C/E paper
 - **Bond:**G/R or R/R
 - **Interface:**velcro or PSA
- Grit:40#-600#
Size:100-430mm

Velcro disc & PSA disc



ES04007

- Round disc without hole
- Abrasive:silicon carbide
- Paper base:E paper Grit:40#-600#
- Bond:G/R or R/R Size:100-430mm
- Interface:velcro or PSA



ES04008

- Round disc with 6 holes
- Abrasive:silicon carbide
- Paper base:E paper Grit:40#-600#
- Bond:G/R or R/R Size:100-430mm
- Interface:velcro or PSA



ES04013

- Round disc with/without hole
- Abrasive:zinc-stearated white aluminum oxide
- Paper base:latex paper Grit:40#-1000#
- Bond: R/R Size:100-430mm
- Interface:velcro or PSA



ES04014

- Plane disc with center hole
- Abrasive:aluminum oxide /silicon carbide
- Paper base:E paper Grit:40#-600#
- Bond:R/R Size:100-430mm
- Interface:paper



ES04009

- Round disc with 8 holes
- Abrasive:silicon carbide
- Paper base:E paper Grit:40#-600#
- Bond:G/R or R/R Size:100-430mm
- Interface:velcro or PSA



ES04010

- Round disc without hole
- Abrasive: zinc-stearated silicon carbide
- Paper base:C/E paper Grit:40#-600#
- Bond:G/R or R/R Size:100-430mm
- Interface:velcro or PSA



ES04015

- Triangle abrasive paper
- Abrasive:aluminum oxide/silicon carbide
- Paper base:C/E paper Grit:40#-600#
- Bond:G/R or R/R Size:83x83x83mm, 93x93x93mm
- Interface:velcro or PSA



ES04016

- Abnormality abrasive paper
- Abrasive:aluminum oxide/silicon carbide
- Paper base:C/E paper Grit:40#-600#
- Bond:G/R or R/R Size:140x140x80mm, 140x140x95mm
- Interface:velcro or PSA




ES04011

- Round disc with/without hole
- Abrasive:zinc-stearated white aluminum oxide
- Paper base:film Grit:60#-2000#
- Bond: R/R Size:100-430mm
- Interface:velcro or PSA



ES04012

- Round disc with 8 holes
- Abrasive:zinc-stearated aluminum oxide
- Paper base:latex paper Grit:80#-1500#
- Bond:G/R or R/R Size:100-430mm
- Interface:velcro or PSA



ES04017

- Flat abrasive paper
- Abrasive:aluminum oxide/silicon carbide
- Paper base:C/E paper Grit:40#-600#
- Bond:G/R or R/R
- Interface:velcro or PSA
- Size:110x75mm, 110x100mm, 113x105mm, 93x186mm, 93x190mm, 93x230mm, 92x182mm, 184x114mm

Velcro disc & PSA disc

Flap wheel

The overlapping emery cloth is adhered firmly on the fiberglass back. This design can supply excellent grinding performance: fan function to avoid damaging workpieces, consistently grinding rate to keep sharp constantly and low noise during its long life. They are used on angle grinder.

Flap wheel



ES05001

- Abrasive:aluminum oxide
- Grit:36#-120#
- Size:100x16mm,115x22mm,125x22mm,150x22mm,180x22mm
- Application:sanding various metal
- Depressed shape:sanding contour and edge,sanding angle 15-25°
- Flat shape:sanding flat surface,sanding angle 0-15°



ES05002

- Abrasive:silicon carbide
- Grit:36#-120#
- Size:100x16mm,115x22mm,125x22mm,150x22mm,180x22mm
- Application:sanding cast iron,non-ferrous metal,glass,stone
- Depressed shape:sanding contour and edge,sanding angle 15-25°
- Flat shape:sanding flat surface,sanding angle 0-15°



ES05003

- Abrasive:zirconia
- Grit:36#-120#
- Size:100x16mm,115x22mm,125x22mm,150x22mm,180x22mm
- Application:sanding stainless steel, carbon steel, alloy steel
- Depressed shape:sanding contour and edge,sanding angle 15-25°
- Flat shape:sanding flat surface,sanding angle 0-15°



ES05004

- Material:non woven
- Abrasive:aluminum oxide
- Grit:coarse grade
- Size:115x22mm,125x22mm
- Application:sanding stainless steel, carbon steel, alloy steel
- Excellent sanding performance



ES05005

- Material:non woven
- Abrasive:aluminum oxide
- Grit:middle grade
- Size:115x22mm,125x22mm
- Application:sanding stainless steel, carbon steel, alloy steel
- Excellent sanding performance



ES05006

- Material:non woven
- Abrasive:aluminum oxide
- Grit:fine grade
- Size:115x22mm,125x22mm
- Application:sanding stainless steel, carbon steel, alloy steel
- Excellent sanding performance



ES05007

- Material:non woven & emery cloth
- Grit:coarse,middle,fine grade
- Size:115x22mm,125x22mm
- Application:sanding stainless steel, carbon steel, alloy steel
- Excellent sanding performance



ES05008

- Material:non woven & emery cloth
- Grit:coarse,middle,fine grade
- Size:diameter 2"-3",width 1"-2",shank 1/4"
- Application:deburring, buffing and cleaning metal and wood
- Great flexibility and keep minimum stock removal from work area



ES05009

- Mounted Flap Wheel with shaft
- Abrasive:aluminum oxide emery cloth
- Grit:40#-320#
- Specification:diameter 3/4"-3", width 3/4"-2", shank 1/8" & 1/4"
- Application:used on die grinder for removing weld, rust, deburring



ES05010

- Unmounted flap wheel
- Abrasive:aluminum oxide emery cloth
- Grit:40#-320#
- Specification:diameter 4"-12",width 1"-3",hole 5/8"-11"
- Application:removing weld and rust, deburring, cleaning, finishing

Vulcanized fiber disc



ES06001

- Abrasive:aluminum oxide
- Grit:16#-240#
- Size:100,115,125,150,180,230mm
- Application:sanding metal, rust, wood



ES06002

- Abrasive:aluminum oxide
- Grit:16#-240#
- Size:100,115,125,150,180,230mm
- Application:sanding metal, rust, wood



ES06003

- Abrasive:silicon carbide
- Grit:16#-240#
- Size:100,115,125,150,180,230mm
- Application:sanding marble, granite,cast iron



ES06004

- Abrasive:zirconia
- Grit:16#-120#
- Size:100,115,125,150,180,230mm
- Application:sanding stainless steel and other hard steel



ES06005

- Abrasive:aluminum oxide
- Grit:16#-120#
- Size:100,115,125,150,180mm
- Application:sanding metal, wood, rust



ES06006

- Abrasive:silicon carbide
- Grit:16#-120#
- Size:100,115,125,150,180mm
- Application:sanding marble, granite,concrete

Sponge sanding block



ES09001

- Rectangle sanding sponge
- Abrasive:aluminum oxide
- Grit:36#-240#
- Size:100x70x25mm



ES09002

- Rectangle sanding sponge
- Abrasive:silicon carbide
- Grit:36#-240#
- Size:100x70x25mm



ES09003

- Sanding block
- Abrasive:aluminum oxide
- Grit:36#-240#
- Size:125x100x12mm



ES09004

- Sanding block
- Abrasive:silicon carbide
- Grit:36#-240#
- Size:125x100x12mm



ES09005

- Trapezoid Sanding Sponge
- Abrasive:aluminum oxide
- Grit:36#-240#
- Size:125x90x25mm



ES09006

- Trapezoid Sanding Sponge
- Abrasive:silicon carbide
- Grit:36#-240#
- Size:125x90x25mm



ES09007

- Sanding block
- Abrasive:white aluminum oxide
- Grit:middle grade
- Size:140x115x5mm



ES09008

- Sanding block
- Abrasive:white aluminum oxide
- Grit:super fine grade
- Size:140x115x5mm



ES09009

- Sanding block
- Abrasive:white aluminum oxide
- Grit:ultra fine grade
- Size:140x115x5mm

Non-woven abrasive pad



ES11001

- Thickness:8mm Grit:150#
- Color:Yellow Size:230x150mm
- Application:removing rust on rough surface



ES11002

- Thickness:8mm Grit:240#
- Color:brown Size:230x150mm
- Application:removing rust on rough surface



ES11003

- Thickness:8mm Grit:240#
- Color:green Size:230x150mm
- Application:removing rust & truing threads



ES11004

- Thickness:8mm Grit:320#
- Color:maroon Size:230x150mm
- Application:cleaning metal & wood before painting



ES11005

- Thickness:15mm Grit:320#
- Color:green Size:230x150mm
- Application: removing rust on metal & truing threads



ES11006

- Thickness:8mm Grit:400#
- Color:red Size:230x150mm
- Application:deburring, polishing, cleaning



ES11007

- Thickness:8mm Grit:600#
- Color:green Size:230x150mm
- Application:polishing metal,plastic etc



ES11008

- Thickness:8mm Grit:1000#
- Color:grey Size:230x150mm
- Application:fine polishing on metal, wood



ES11009

- Thickness:6mm Grit: 600#
- Color:purple Size:100x200mmx60pcs
- Application:surface treatment for wood

Quick-change sanding disc



ES12001

- Non woven disc with plastic screw
- Material:non woven & aluminum oxide
- Grit:coarse grade
- Size:2",3"



ES12002

- Non woven disc with plastic screw
- Material:non woven & aluminum oxide
- Grit:middle grade
- Size:2",3"



ES12003

- Non woven disc with plastic screw
- Material:non woven & aluminum oxide
- Grit:fine grade
- Size:2",3"



ES12004

- Non woven disc with metal button
- Material:non woven & aluminum oxide
- Grit:coarse grade
- Size:2",3"



ES12005

- Non woven disc with metal button
- Material:non woven & aluminum oxide
- Grit:middle grade
- Size:2",3"



ES12006

- Non woven disc with metal button
- Material:non woven & aluminum oxide
- Grit:fine grade
- Size:2",3"



ES12007

- Sanding disc with plastic screw
- Material:aluminum oxide abrasive cloth
- Size:2",3"



ES12008

- Sanding disc with metal button
- Material:zirconia abrasive cloth
- Size:2",3"



ES12009

- Sanding disc with plastic screw
- Material:zirconia abrasive cloth
- Size:2",3"

Sanding mesh & Grinding wheel



ES10001

- **Abrasive:**aluminum oxide
- **Grit:**60#-240#
- **Type:**sheet



ES10002

- **Abrasive:**white aluminum oxide
- **Grit:**60#-240#
- **Type:**sheet



ES10003

- **Abrasive:**white aluminum oxide
- **Grit:**60#-240#
- **Type:**roll



ES10004

- **Abrasive:**aluminum oxide, silicon carbide
- **Grit:**60#-240#
- **Type:**round disc with velcro



ES13001

- **Grinding wheel**
- **Abrasive:**silicon carbide
- **Size:**100x16mm, 115x22mm, 125x22mm, 150x22mm, 180x22mm



ES13002

- **Grinding wheel**
- **Abrasive:**silicon carbide
- **Size:**100x16mm, 115x22mm, 125x22mm, 150x22mm, 180x22mm



ES13003

- **Grinding wheel with holder**
- **Abrasive:**silicon carbide
- **Size:**50x13mm, 75x13mm

ES13004

- **Grinding wheel with shaft**
- **Abrasive:**silicon carbide
- **Size:**50x13x6mm, 60x13x6mm, 75x13x6mm, 100x13x6mm, 125x13x6mm



ES14001

- **Vitrified grinding wheel**
- **Abrasive:**A, C, WA, GC
- **Shape:**straight, cylinder, cup etc