



Useful: Seawater and other fishing accessories durable


Material: Stainless

Steel+copper

樽型转环 ZPY-1001

Barrel swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6/0	75	1/0	53	5	28	10	16	18	7
5/0	70	1	48	6	27	11	15	20	6
4/0	65	2	46	7	23	12	14	22	5
3/0	60	3	35	8	20	14	10	24	4
2/0	55	4	30	9	18	16	8		



樽形转环+A型别针 ZPY-1001-1



Barrel swivel with safety snap

6 7 8 9 10 11 12 14 16 18 20 22




规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
5/0	60	1	34	6	13	11	7	20	5
4/0	60	2	15	7	13	12	7	22	3
3/0	60	3	15	8	9	14	7	24	3
2/0	34	4	15	9	9	16	5		
1/0	34	5	13	10	9	18	5		

Material: stainless steel.+copper
 The tension is mached uniformity,
 It can be attached with various of
 fishing line group.And it is convenient and swift to use and can protect from Winding.




Feature:
 Material: SS+Copper
 Body is brass,The Tension as
 below simple and convenient to use .



槽形转环+B型别针 ZPY-1001-2
 Barrel swivel with Interlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
5/0	60	1	43	6	18	11	12	20	6
4/0	60	2	25	7	18	12	12	22	5
3/0	60	3	25	8	14	14	10	24	4
2/0	43	4	25	9	14	16	8		
1/0	43	5	18	10	14	18	7		



规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6+4	27	10+2	16
8+3	20	12+1	12

槽形转环+方形别针 ZPY-1001-4
 Barrel swivel with square snap



规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6+4	27	10+2	16
8+3	20	12+1	12

槽形转环+意大利别针 ZPY-1001-5
 Barrel swivel with Italian snap



槽形中通转环 ZPY-1002
 Barrel cross - line swivels

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	60	1	48	4	30	8	20
2/0	55	2	28	5	28	10	16
1/0	53	3	31	6	27	12	14

Material:SS+copper
 Use for:all fishing accessories durable



樽形转环+双A别针 ZPY-1001-3

Barrel swivel with double safety snaps

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1	34	5	13	9	9	16	5
2	15	6	13	10	9	18	5
3	15	7	13	12	7	20	5
4	15	8	9	14	7	22	3

02




樽形双连环 ZPY-1003

2 - joint barrel swivels

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
10	9	18	5
12	7	20	5
14	7	22	3
16	5		

03

TOPIND FISHING TACKLE



樽形双连+A型别针 ZPY-1003-1


2-joint barrel swivels with safety snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
10	9	18	5
12	7	20	5
14	7	22	3
16	5		



樽形三连环 ZPY-1004


3 - joint barrel swivels



规格Size	5/0	4/0	3/0	2/0	1/0	1	2	3	4	5	6	7	8	9	10
美规USA Size	5/0	4/0	3/0	2/0	1/0	1	2	3	4	5	6	7	8	9	10
拉力Test(Kg)	100	80	65	57	50	37	30	20	20	16	15	12	12	10	8

三叉转环 ZPY-1005

3 - way swivel is



樽形三连+A型别针 ZPY-1004-1

3-joint barrel swivels with safety snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
10	9	18	5
12	7	20	5
14	7	22	3
16	5		

04




规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1X3	48	4X6	30	7X9	24	12X14	14
2X4	46	5X7	28	8X10	20	14X16	10
3X5	35	6X8	27	10X12	16		

日式新三叉 ZPY-1006

Barrel triple swivels style C

05

TOPIND FISHING TACKLE



无管日式新三叉 ZPY-1007
Barrel triple swivels style B

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1X3	48	4X6	30	7X9	24	12X14	14
2X4	46	5X7	28	8X10	20	14X16	10
3X5	35	6X8	27	10X12	16		



A型别针 ZPY-1009

Safety snap

规格Size	6	5	4	3	2	1	0	00
美规USA Size	6	5	4	3	2	1	0	00
拉力Test(Kg)	40	28	18	16	12	10	8	6



B型别针 ZPY-1010

Inter lock snap


规格Size	6	5	4	3	2	1	0
美规USA Size	6	5	4	3	2	1	0
拉力Test(Kg)	60	42	25	20	15	12	6



强力别针 ZPY-1011

Hooked snap


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
8	100	6	60	4	40	2	28	0	12
7	80	5	45	3	35	1	20	00	9



无珠日式新三叉 ZPY-1008

Barrel triple swivel swivels style A

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1X3	48	4X6	30	7X9	24	12X14	14
2X4	46	5X7	28	8X10	20	14X16	10
3X5	35	6X8	27	10X12	16		



增强别针 ZPY-1012

Nice snap

规格Size	000	00	0	1	2	3	4	5	6	7	8
美规USA Size	0	1	2	3	4	5	6	7	8	9	10
拉力Test(Kg)	4	5	8	9	11	18	23	35	50	70	100

TOPIND FISHING TACKLE



三角转环+意大利别针 ZPY-1013

Triangle Swivel with Italian Snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
5	55	3	30	1	12
4	45	2	18		



弧形别针 ZPY-1014

Swing Coastlock Snap

规格Size	00	0	1	2	3	4	5	6	7
美规USA Size	1	2	3	4	5	6	7	8	9
拉力Test(Kg)	6	8	14	22	35	45	55	70	90



双扣别针 ZPY-1015

Insurance snap


规格Size	00	0	1	2	3	4	5	6
美规USA Size	1	2	3	4	5	6	7	8
拉力Test(Kg)	6	10	15	30	40	40	70	90



方形别针 ZPY-1017

Square snap


规格Size	00	0	1	2	3	4	5	6	7
美规USA Size	1	2	3	4	5	6	7	8	9
拉力Test(Kg)	6	10	13	20	35	45	55	70	90



新强力别针 ZPY-1018

New hooked snap

规格Size	00	0	1	2	3	4	5	6
美规USA Size	1	2	3	4	5	6	7	8
拉力Test(Kg)	5	7	11	28	35	45	55	70



菱形双扣别针 ZPY-1019

Diamond insurance snap


规格Size	6	5	4	3	2	1	0		
美规USA Size	6	5	4	3	2	1	0		
拉力Test(Kg)	65	50	42	32	20	12	7		

意大利别针 ZPY-1016
Italian snap

规格Size	00	0	1	2	3	4	5	6	7
美规USA Size	1	2	3	4	5	6	7	8	9
拉力Test(Kg)	5	7	12	18	30	45	55	70	90

夏威夷别针 ZPY-1020
Hawaii snap

规格Size	1	2	3	4	5	6			
美规USA Size	3	4	5	6	7	8			
拉力Test(Kg)	14	20	25	40	55	70			



CA型别针 ZPY-1021
Coast lock snap

规格Size	10	9	8	7	6	5	4	3	2	1
美规USA Size	12	11	10	9	8	7	6	5	4	3
拉力Test(Kg)	150	130	110	90	70	55	45	35	22	14

Germany snap-A A型西德别针 ZPY-1022

规格SIZE	7	6	5	4	3	2	1	0	00	000
拉力kg TEST	100	80	60	40	30	25	15	10	7	6

B型双扣别针 ZPY-1024
B-shape snap

规格SIZE	3
拉力TEST	25

绕线别针 ZPY-1025
Wrapping snap

规格SIZE	拉力TEST	规格SIZE	拉力TEST	规格SIZE	拉力TEST
XXL	40	L	25	S	12
XL	35	M	18		

Q型别针 ZPY-1026
Q shaped snap

双背别针 ZPY-1027
Back to back snap

弹性双向别针 ZPY-1028
Elastic double way snap

双向别针 ZPY-1029
Double way snap

超强意大利别针 ZPY-1020

Germany snap-B 8型西德别针 ZPY-1023

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
7	100	5	60	3	30	1	15	00	7
6	80	4	40	2	25	0	10	000	6

超强意大利别针 ZPY-1030

Super Italian snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6	70	4	45	2	28	0	7
5	55	3	35	1	12	00	5




TOPIND FISHING TACKLE



旋转V型别针 ZPY-1031

V-shaped swing snap



超强双扣别针 ZPY-1032

Super Insurance snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6	90	4	55	2	35	0	10
5	70	3	45	1	15	00	6



双保险内扣别针 ZPY-1033

Double Insurance Inside Lock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6	80	4	55	2	28	0	10
5	70	3	40	1	15		



内有高强度
的钩



挂式别针(B) ZPY-1036-1

Hanging snap(B)

规格Size	0	1	2	3	4	5	6
美规USA Size	2	3	4	5	6	7	8
拉力Test(Kg)	5	10	14	18	23	28	35



挂式别针 ZPY-1036-2

Hanging snap

规格Size	0	1	2	3	4	5	6
美规USA Size	2	3	4	5	6	7	8
拉力Test(Kg)	5	10	14	18	23	28	35



樽形转环+A型西德别针 ZPY-1037

Barrel swivel with Germany A snap


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6+4	27	10+2	16
8+3	20	12+1	12



樽形转环+B型西德别针 ZPY-1038

Barrel swivel with Germany B snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6+4	27	10+2	16
8+3	20	12+1	12





强力伸缩环 ZPY-1034
Strong elastic ring



强力伸缩快速别针 ZPY-1035
Strong elastic high speed snap with lead piece seat

美式转环 ZPY-1039
Rolling swivel

1. Material: SS+copper
2. Rotates smoothly, durable
3. Not wind

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	600	4/0	135	1	47	5	32	10	14
10/0	350	3/0	100	2	43	6	30	12	9
8/0	250	2/0	75	3	40	7	22	14	4
6/0	160	1/0	60	4	35	8	19		


TOPIND FISHING TACKLE



美式压花转环 ZPY-1040
Impressed rolling swivel


1. Beauty
2. Tension value is bigger

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	600	4/0	135	1	47	5	32	10	14
10/0	350	3/0	100	2	43	6	30	12	9
8/0	250	2/0	75	3	40	7	22	14	4
6/0	160	1/0	60	4	35	8	19		




美式菱形压花转环 ZPY-1041
Diamond eye impressed rolling swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	350	4/0	100	1	43	5	30	10	9
10/0	250	3/0	75	2	40	6	22	12	7
8/0	160	2/0	60	3	35	7	19	14	4
6/0	135	1/0	47	4	32	8	14		



美式菱形转环 ZPY-1042
Diamond eye rolling swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	350	4/0	100	1	43	5	30	10	9
10/0	250	3/0	75	2	40	6	22	12	7
8/0	160	2/0	60	3	35	7	19	14	4
6/0	135	1/0	47	4	32	8	14		




Three joint rolling swivels
美式三连环 ZPY-1043

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0	75	2	43	5	32	8	19	14	4

10/0	250	3/0	75	2	40	6	22	12	7
8/0	160	2/0	60	3	35	7	19	14	4
6/0	135	1/0	47	4	32	8	14		

2/0	75	2	43	5	32	8	19	14	4
1/0	60	3	40	6	30	10	14		
1	47	4	35	7	22	12	9		

TOPIND FISHING TACKLE



圆菱形转环 ZPY-1044 Round and diamond eye rolling swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	350	4/0	100	1	43	5	30	10	9
10/0	250	3/0	75	2	40	6	22	12	7
8/0	160	2/0	60	3	35	7	19	14	4
6/0	135	1/0	47	4	32	8	14		


Product Feature:

- 1.Flexible rotation wide angle
- 2.Protect from winding main line
- 3.The variation of Water chestnut parts is good for draining water.
- 4.Easy to operate/convenient to connect with line group/the angle of the Water chestnut parts protect from rowing of the line group.




Rolling triangle joint rolling swivels 亲子转环 ZPY-1045

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/3x3/0	100	1/0x1	47	3x4	35	6x7	22	10x12	9



亲子子线夹 ZPY-1046 Rolling triangle joint swivel with line clip swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0x1/0	47	3x4	32	7x8	14
1x2	40	5x6	22	10x12	4



旋转弧形别针 ZPY-1047 Swing coastlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	100	2	43	6	30	10	14
1/0	60	4	35	8	19	12	9



旋转意大利别针 ZPY-1048 Swing Italian snap

旋转方形别针 ZPY-1049 Swing square snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1/0	60	4	35	8	19	12	9


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1/0	60	4	35	8	19	12	9

3/0x2/0	75	1x2	43	4x5	32	7x8	19	12x14	4
2/0x1/0	60	2x3	40	5x6	30	8x10	14		

1/0	60	4	35	8	19	12	9
2	43	6	30	10	14		

1/0	60	4	35	8	19	12	9
2	43	6	30	10	14		

TOP FISHING TACKLE




铜头铜管分叉环 ZPY-1050
Cross-line brass head and tuoe

规格 SIZE	内孔 (mm)	拉力 TEST kg	规格 SIZE	内孔 (mm)	拉力 TEST kg	规格 SIZE	内孔 (mm)	拉力 TEST kg	规格 SIZE	内孔 (mm)	拉力 TEST kg
2/0	2.1	75	3	1.5	40	7	1	22	12	0.6	14
1	1.8	47	5	1.2	32	10	0.8	19			

Product Feature:

Inner size is different it do not hurt the line protect from Winding and the Sub-hook pull large. Sub-line can rotate in high-speed and is very flexible.




方便转环 ZPY-1051
Rolling swivel with screwed snap

Product Feature:

This product can be used to fish large ferocious fish. It is safe and can not fall off String line and used for big and ferocious fish

规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg
8/0		3/0	100	4	35	10	14
6/0		1/0	60	6	30		
4/0		2	43	8	19		




美式压花转环+双扣别针

美式转环+双扣别针 ZPY1052

Rolling swivel with insurance snap

规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg
1	30	6	15	10	10				




丁字转环 ZPY-1053

Rolling swivel with T-shape snap

规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg
8/0	250	3/0	100	4	35	10	14
6/0	150	1/0	60	6	30	12	9
4/0	130	2	43	8	19		

1. Easily to use
2. and strong convenient Tension
3. Swift to use.



日本转环 ZPY-1054
Japanese swivel

1. Convenient and swift to switch the Subline
2. Traditional fishing and plating fishing .
3. Not hurt the main line when fishing



美式转环+A型西德别针 ZPY-1055

Rolling swivel Germany snap A

规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg
1/0	45	4	25	8	10	12	7
1	30	6	15	10	10		

美式转环+B型西德别针 ZPY-1056

Rolling swivel Germany snap B

规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg	规格 SIZE	拉力 TEST kg
1/0	40	4	25	8	10	12	6
2	30	6	15	10	7		

SIZE	TEST	SIZE	TEST	SIZE	TEST	SIZE	TEST	SIZE	TEST
4/0	120	1/0	55	3	40	6	15	10	10
3/0	90	1	55	4	30	7	15	12	6
2/0	70	2	40	5	30	8	10	14	4

TOPIND FISHING TACKLE



美式转环+挂式别针 (B) ZPY-1057

Rolling swivel with Hanging snap(B)


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2	23	6	14	10	5
4	18	8	10		



美式转环+带钩挂式别针 ZPY-1058

Rolling swivel with Hanging snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2	23	6	14	10	5
4	18	8	10		



美式双连环 ZPY-1059 Two joint rolling swivels

Product Feature: It have tension of 8 swivel and tension, but also have the flexible degree of wide angle


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0	75	2	43	5	32	8	19	14	4
1/0	60	3	40	6	30	10	14		
1	47	4	35	7	22	12	9		



子线转环 ZPY-1060

Side-line rolling swivel


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST



三叉夜光珠转环 ZPY-1061

Cross-line rolling swivel with pearl beads


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0x1/0	60	3x4	35	7x8	19
1x2	43	5x6	30	10x12	9



T型三叉夜光珠转环 ZPY-1062

T-shape cross-line rolling swivel with pearl beads

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1/0x1	47	4x5	32	8x10	14
2x3	40	6x7	22	10x12	9



铜铸转环 ZPY-1063

Rolling swivel with barrel brass weight

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
5	160	2.5	75	1.2	43	0.8	32	0.5	19
4	135	2	60	1.0	40	0.7	27	0.4	14


SIZE	TEST	SIZE	TEST
2/0	75	1	47
1/0	60	2	43

20

3	100	2	100	1.5	47	0.9	35	0.6	22	0.3	9
---	-----	---	-----	-----	----	-----	----	-----	----	-----	---

21

TOPIND FISHING TACKLE



双色美式珠转环 ZPY-1064

Double color rolling swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	600	6/0	160	2/0	75	2	43	5	32	8	19	14	4
10/0	350	4/0	135	1/0	60	3	40	6	27	10	14		
8/0	250	3/0	100	1	47	4	35	7	22	12	9		



美式C型三叉转环 ZPY-1065
Heavy three way swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
6/0	160	5/0		4/0	135



双向子线转环 ZPY-1066
Two way side line rolling swivels

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2	43	5	27
4	35	6	19

强力三叉环 ZPY-1067
Three way heavy duty swivel


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
大	19	小	9
中	14		



压花高速双连 ZPY-1068

Impressed high speed double rolling swivels

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0	75	2	43	5	32	8	19	14	4
1/0	60	3	40	6	27	10	14		
1	47	4	35	7	22	12	9		



高速双连+B型别针 ZPY-1071

High speed double rolling swivels with interlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	60	1	25	4	14	7	12	12	7
2/0	43	2	18	5	14	8	7	14	7
1/0	25	3	18	6	12	10	7		




高速双连环 ZPY-1069

High speed double rolling swivels

1. Sea and Reservoir fishing
2. For big and terrible fish
3. high speed Rotate


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	600	4/0	135	1	47	5	32	10	14
10/0	350	3/0	100	2	43	6	27	12	9
8/0	250	2/0	75	3	40	7	22	14	4
6/0	160	1/0	60	4	35	8	19		



高速双连+A型别针 ZPY-1070

High speed double rolling swivels with safety snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	50	1	15	4	9	7	7	12	3
2/0	34	2	13	5	9	8	5	14	3
1/0	15	3	13	6	7	10	5		



高速双连+强力别针 ZPY-1072

High speed double rolling swivels with hooked snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	80	1/0	40	3	35	6	20	10	12
3/0	60	1	40	4	28	7	20	12	9
2/0	45	2	35	5	28	8	12	14	4




高速双连+双扣别针 ZPY-1073

High speed double rolling swivels with insurance snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	120	1/0	55	3	40	6	15	10	10
3/0	90	1	55	4	30	7	15	12	6
2/0	70	2	40	5	30	8	10	14	4



TOPIND FISHING TACKLE



高速双连+增强别针 ZPY-1074

High speed double rolling swivels with nice snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	70	1/0	35	3	30	6	18	10	12
3/0	50	1	35	4	25	7	18	12	9
2/0	40	2	30	5	25	8	12	14	4




高速方便转环 ZPY-1075

High speed double rolling swivel with screwed snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	100	2	43	6	27	10	14
1/0	60	4	35	8	19		

Product Feature:


This product is suitable for fishing large ferocious fish, safety and high tensile value



高速丁字转环 ZPY-1076

High speed double rolling swivel with T-shape snap


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	100	2	43	6	27	10	14
1/0	60	4	35	8	19	12	9



高速三叉O型环 ZPY-1077

High speed O-shape three way rolling swivels

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2	40	6	20	8	12	12	7
4	30	7	15	10	9		



高速双连+弧形别针 ZPY-1078


High speed double rolling swivels with coastlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	90	1/0	45	3	35	6	14	10	8
3/0	70	1	45	4	22	7	14	12	6
2/0	55	2	35	5	22	8	8	14	4

高速旋转Q型别针 ZPY-1079

High speed Q shaped snap





三叉O型子线夹 ZPY-1080

O-shape three way swivels with double side line clips


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2	40	6	22	8	14	12	4
4	32	7	19	10	9		

1. Not winding
2. Convenient



高速铅片子线夹 ZPY-1081

High speed swivel with side line clip and lead piece seat



高速铅片转环(新) ZPY-1083

High speed double swivel with lead piece seat

可配重强力三叉环 ZPY-1084

Three way heavy duty swivel with lead piece seat

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
大	19	小	9
中	14		

Product Feature:

1. Flexible rotation, not winding knot,


开眼别针 ZPY-1085

Open Eye Snap
1.8x60mm 2.0x80mm



开眼别针附单绕转环 ZPY-1085-1

2.6x100mm;
3.5x125mm



美式转环+不锈钢圈 ZPY-1086


Rolling swivel with stainless steel ring

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4	45	7	25




特快子线转环 ZPY-1087

Express line swivel



美式扁担转环 ZPY-1088

Rolling pole swivel



高速三连+强力别针 ZPY-1089

High speed treble swivels with hooked snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	80	1/0	40	3	35	6	20	10	12
3/0	60	1	40	4	28	7	20	12	9
2/0	45	2	35	5	28	8	12	14	4



高速三连+增强别针 ZPY-1090

High speed treble swivels with nice snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	70	1/0	35	3	30	6	18	10	12
3/0	50	1	35	4	25	7	18	12	9
2/0	40	2	30	5	25	8	12	14	4



高速三连+A型别针 ZPY-1091

High speed treble swivels with safety snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	50	1	15	4	9	7	7	12	3
2/0	34	2	13	5	9	8	5	14	3
1/0	15	3	13	6	7	10	5		



高速三连+B型别针 ZPY-1092

High speed treble swivels with interlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
3/0	60	1	25	4	14	7	12	12	7
2/0	43	2	18	5	14	8	10	14	7
1/0	25	3	18	6	12	10	10		



4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 10 12 14



美式转环+A型别针 ZPY-1093
Rolling swivel with safety snap

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
4/0	60	1/0	15	3	13	6	7	10	5
3/0	50	1	13	4	9	7	7	12	3
2/0	34	2	13	5	9	8	5	14	3

4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 10 12 14



美式转环+B型别针 ZPY-1094
Rolling swivel with interlock snap

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
4/0	65	1/0	25	3	18	6	12	10	10
3/0	60	1	25	4	14	7	12	12	7
2/0	43	2	18	5	14	8	10	14	7

4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 10 12 14



美式转环+强力别针 ZPY-1095
Rolling swivel with hooked snap

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
4/0	80	1/0	40	3	35	6	20	10	12
3/0	65	1	40	4	28	7	20	12	9
2/0	45	2	35	5	28	8	12	14	4

4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 10 12 14



美式转环+增强别针 ZPY-1096
Rolling swivel with nice snap


规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
4/0	70	1/0	35	3	30	6	18	10	12
3/0	50	1	35	4	25	7	18	12	9
2/0	40	2	30	5	25	8	12	14	4

4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 10 12 14



美式转环+弧形别针 ZPY-1097
Rolling swivel with coastlock snap

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
4/0	90	1/0	45	3	35	6	14	10	8
3/0	70	1	45	4	22	7	14	12	6
2/0	55	2	35	5	22	8	8	14	4





美式转环+意大利别针 ZPY-1098

Rolling swivel with Italian snap


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1/0	45	4	18	8	7	12	4
2	30	6	12	10	5		



美式转环+方形别针 ZPY-1099

Rolling swivel with square snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
1/0	45	4	20	8	10	12	5
2	35	6	13	10	6		




美式中通转环 ZPY-1100

Cross-line rolling swivel



规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	135	1	47	5	32
3/0	100	2	43	6	30
2/0	75	3	40		
1/0	60	4	35		



日式转环 ZPY-1101
Crane swivel

Product Feature:
Super rotation, strong of
tensile of strong resistance
is small, suitable for big
fish

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
12/0	600	4/0	135	1	47	5	32	10	14
10/0	350	3/0	100	2	43	6	30	12	9
8/0	250	2/0	75	3	40	7	22	14	4
6/0	160	1/0	60	4	35	8	19		



日式转环+A型别针 ZPY-1102
Crane swivel with safety snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	50	1/0	15	3	13	6	7	10	5
3/0	34	1	15	4	9	7	7	12	3
2/0	34	2	13	5	9	8	5	14	3




日式转环+B型别针 ZPY-1103
Crane Swivel with Delfico Interlock Snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	60	1/0	25	3	18	6	12	10	10
3/0	43	1	25	4	14	7	12	12	7
2/0	43	2	18	5	14	8	10	14	7



轴承转环+B型别针 ZPY-1104
Ball Bearing Swivel with Delrico Interlock Snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
8	60	6	60	4	25	2	14	0	10
7	60	5	43	3	18	1	12		



日式转环+增强别针 ZPY-1105
Crane swivel with nice snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	70	1/0	35	3	30	6	18	10	12
3/0	50	1	35	4	25	7	18	12	9
2/0	40	2	30	5	25	8	12	14	4



轴承转环+弧形别针 ZPY-1106
Ball bearing swivel with coastlock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
10	150	7	100	4	45	1	14
9	130	6	70	3	35	0	8
8	110	5	55	2	22		




轴承转环+强力别针 ZPY-1107
Ball bearing swivel with hooked snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
8	80	6	60	4	40	2	28	0	12
7	60	5	45	3	35	1	20		



轴承转环+增强别针 ZPY-1108
Ball bearing swivel with nice snap


规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
8	100	6	50	4	35	2	23	0	12
7	70	5	40	3	30	1	18		



双圈轴承转环 ZPY-1109
Ball bearing swivel with split ring

规格Size	10	9	8	7	6	5	4	3	2	1	0
美规USA Size	10	9	8	7	6	5	4	3	2	1	0
拉力Test(Kg)	50	45	40	30	25	20	15	10	8	5	4

Product Feature:
1.Material:SS+copper
2.High anti rust
3.Rotation Fast



双圈焊接轴承转环 ZPY-1110

Ball bearing swivel with solid ring

规格Size	10	9	8	7	6	5	4	3	2	1	0
美规USA Size	10	9	8	7	6	5	4	3	2	1	0
拉力Test(Kg)	230	200	120	100	80	60	50	35	25	20	15

Product Feature:


Copper body, stainless steel single ring welding, tensile strength doubled



两头焊接轴承转环+弧形别针 ZPY-1111

Ball Bearing Swivel With Two Solid Ring With Costlock Snap

规格SIZE	拉力TEST	规格SIZE	拉力TEST	规格SIZE	拉力TEST	规格SIZE	拉力TEST
10	150	7	90	4	45	1	14
9	130	6	70	3	35	0	8
8	110	5	55	2	22		



双圈 ZPY-1112

Split ring

Product Feature:

Stainless steel material, pulling force, can be equipped with all kinds of road sub series, easy to replace the replacement.

规格Size	22	18	15	12	10	8	7	6	5	4.5	4	3.5
美规USA Size	22	18	15	12	10	8	7	6	5	4.5	4	3.5
拉力Test(Kg)	50	40	35	30	25	20	15	10	7	5	4	3



重柱转环 ZPY-1185

Heavy Swivel

规格SIZE	拉力TEST	规格SIZE	拉力TEST	规格SIZE	拉力TEST	规格SIZE	拉力TEST
12.5mm	320	9mm	250	7mm	170	5mm	120
10.5mm	280	8mm	220	6mm	140	4mm	85

铜管 ZPY-1113

Brass tube

规格Size	6	5	4	3	2	1
美规USA Size	6	5	4	3	2	1
拉力Test(Kg)	25	30	35	40	42	45





小型海用太空豆 ZPY-1115-1
Small style plastic head swivel with interlock snap

规格Size	大	中	小
拉力Test(Kg)	18	14	12
	大3B	中2B	小1B



大型海用太空豆 ZPY-1115-2
Small style plastic head swivel with interlock snap

规格Size	大	中	小
拉力Test(Kg)	18	14	12
	大3B	中2B	小1B



单圈连接强力樽型三向环+A型别针 ZPY-1116

台式压花转环 ZPY-1117
Impressed Barrel Swivel



规格Size	18	16	14	12	10	9	8	7	6	5	4	3	2	1	1/0
拉力Test(Kg)	9	10.6	13	15.2	21.2	21.5	24	25.4	29.2	29.8	36.2	43	45.2	45.8	64

台湾TW PAT.:M378147 中国CN PAT.:ZL200920177991.5

Product Feature:
Two processing of necking to increase the tensile strength of the product, greatly increase the value and aesthetic appearance

达辉A型别针 ZPY-13GA
Delfico Safety Snap



规格Size	6	5	4	3	2	1	0		
美规USA Size	6	5	4	3	2	1	0		
拉力Test(Kg)	65	50	42	32	20	12	7		

台湾TW PAT.:98220185 中国CN PAT.:30092027200.X

Product Feature:
The upper and lower fastening part is light and convenient to operate at night, and the tension is strong, and the utility model is concentrated at the center point

达辉B型别针 ZPY-13H2
Delfico Safety Snap



规格Size	0	1	2	3	4	5	6	
美规USA Size	0	1	2	3	4	5	6	
拉力Test(Kg)	14	18	23	32	40	52	68	

台湾TW PAT.:M369684 中国CN PAT.:200920165641.7

压花樽型转环+A型别针 ZPY-13M-22
Impressed Barrel Swivel with Delfico Safety Snap



规格Size	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	18×0	14×0	10×1	6×2	3×3	1×4	2/0×5	4/0×6
拉力Test(Kg)	10	10	12	14	20	24	34	50

压花樽型转环+达辉B型别针 ZPY-13M-30
Impressed Barrel Swivel with Delfico Safety Snap



规格Size	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
拉力Test(Kg)	14	18	23	15	40	52	68	



压花樽型转环+弧形别针 ZPY-13M-12
Impressed Barrel Swivel with Swing Coastlock Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	6	8	14	22	35	45	55	70	



压花樽式转环+方型别针 ZPY-13M-14
Impressed Barrel Swivel with Square Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	6	10	13	20	35	45	55	70	



台式转环+双扣别针 ZPY-13M-33
Barrel Swivel with Insurance Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	6	10	15	30	40	55	70	90	



台式转环+新强力别针 ZPY-13M-19
Barrel Swivel with New Hooked Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	5	7	11	28	35	45	55	70	



台式转环+增强别针 ZPY-13M-5B
Barrel Swivel with Nice Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	5	8	8	9	18	23	35	50	



台式转环+达辉A型别针 ZPY-13M-21
Barrel Swivel with Delfico Safety Snap

规格Size	14×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	14×1	12×0	10×1	8×4	6×35	3×4	1/0×5	3/0×6	
拉力Test(Kg)	10	10	12	14	20	24	34	50	

TWIGN PAT.



台式转环+达辉B型别针 ZPY-13M-29
Barrel Swivel with Delfico Safety Snap

规格Size	10×0	8×1	6×2	4×3	2×4	1/0×5	3/0×6		
美规USA Size	12×0	10×1	18×2	6×3	3×4	1/0×5	3/0×6		
拉力Test(Kg)	14	18	23	32	40	52	68		

TWIGN PAT.



台式转环+弧形别针 ZPY-13M-11
Barrel Swivel with Swing Coastlock Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	6	8	14	22	35	45	55	70	



台式转环+新强力别针 ZPY-13M-31
Barrel Swivel with New Hooked Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	5	7	11	28	35	45	55	70	



台式转环+方型别针 ZPY-13M-14
Barrel Swivel with Square Snap

规格Size	16×00	12×0	10×1	8×2	6×3	3×4	1/0×5	3/0×6	
美规USA Size	16×1	12×2	10×3	8×4	6×5	3×6	1/0×7	3/0×8	
拉力Test(Kg)	6	10	13	20	35	45	55	70	



压花日式转环+增强别针 ZPY-16AB-23
Impressed Crane Swivel with Nice Snap



规格Size	10×0	8×1	6×2	4×3	2×4	1/0×5	3/0×6		
美规USA Size	18×0	14×1	10×2	6×3	3×3	1/0×5	3/0×6		
拉力Test(Kg)	10	12	14	20	24	34	50		

高速转环+达辉B型别针 ZPY-15BB-16
Rolling Double Swivel with High-speed Nice Snap



规格Size	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	18×2	14×2	10×3	6×4	3×5	1×6	2/0×7	4/0×8
拉力Test(Kg)	14	14	18	23	32	40	52	68

轴承转环+达辉A型别针 ZPY-17A-11
Ball Bearing Swivel with Delfico Safety Snap



规格Size	6×6	5×5	4×4	3×3	2×2	1×1	0×0		
美规USA Size	6×8	5×7	4×6	3×5	2×4	1×3	0×2		
拉力Test(Kg)	50	34	24	20	14	12	10		

轴承转环+达辉B型别针 ZPY-17A-15
Impressed Crane Swivel with Delfico Safety Snap



规格Size	6×6	5×5	4×4	3×3	2×2	1×1	0×0		
美规USA Size	6×8	5×7	4×6	3×5	2×4	1×3	0×2		
拉力Test(Kg)	68	52	40	32	23	18	14		

高速转环+A型别针 ZPY-15BB-12
Rolling Double Swivel with Delfico Safety Snap



规格Size	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	18×0	14×0	10×1	6×2	3×3	1×4	2/0×5	4/0×6
拉力Test(Kg)	10	10	12	14	20	24	34	50

46

压花美式转环+增强别针 ZPY-13O-7B
Impressed Rolling Swivel with Nice Snap



规格Size	12×00	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	20×1	18×2	14×2	10×3	6×4	3×5	1×6	2/0×7	4/0×8
拉力Test(Kg)	5	8	8	9	11	18	23	35	50

压花美式转环+达辉B型别针 ZPY-13O-42
Impressed Rolling Swivel with Delfico Safety Snap



规格Size	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	18×2	14×3	10×3	6×4	3×5	1×6	2/0×7	4/0×8
拉力Test(Kg)	14	14	18	23	32	24	40	68

压花美式转环+弧形别针 ZPY-13O-16
Impressed Rolling Swivel with Swing Coastlock Snap



规格Size	12×00	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	20×1	18×2	14×2	10×3	6×4	3×5	1×6	2/0×7	4/0×8
拉力Test(Kg)	6	8	8	14	22	35	45	55	70

压花美式转环+方型别针 ZPY-13M-14
Impressed Rolling Swivel with Square Snap



规格Size	12×00	10×0	8×0	6×1	4×2	2×3	1×4	2/0×5	4/0×6
美规USA Size	20×1	18×2	14×2	10×3	6×4	3×5	1×6	2/0×7	4/0×8
拉力Test(Kg)	6	10	10	13	20	35	45	55	70

47



ZPY-13W V型防撞豆				
	规格Size	大	小	
	颜色Color			

ZPY-13V O型防撞豆				
	规格Size	大	小	
	颜色Color			

ZPY-1D 极小V型插座				
	规格Size	单一		
	颜色Color			

ZPY-1D2 V型插座				
	规格Size	大	中	小
	颜色Color			

ZPY-1E U型插座				
	规格Size	大	中	小
	颜色Color			

ZPY-14A 双头夜光插座				
	规格Size	大	中	小
	洞径(mm)	0.7	0.9	1.1

ZPY-10K 卡拉棒				
	规格Size	一套		
	颜色Color			

ZPY-1B 直通漂座(彩色)				
	规格Size	大	中	小
	洞径(mm)	1.2	0.9	0.7

ZPY-1A 方型直通漂座(彩色)				
	规格Size	大	小	
	洞径(mm)			

ZPY-1C 棒型太空豆				
	规格Size	大	中	小
	洞径(mm)	1.2	0.9	0.7

ZPY-1CB 彩色袖珍插座				
	规格Size	大	中	小
	洞径(mm)	1.2	0.9	0.7

ZPY-1CC 夜光袖珍插座				
	规格Size	大	中	小
	洞径(mm)	1.2	0.9	0.7

ZPY-13X 特级O型圈				
	规格Size	大	中	小
	内洞/胶径(mm)	2.6×1.78	1.78×1.6	1.9×1.53

ZPY-13XA 倍力O型圈				
	规格Size	大	中	小
	内洞/胶径(mm)	2×1	1.5×1	1×1

型、环、锁母—专用

ZPY-13X9 夜光棒专用O型圈				
	规格Size	1	2	3
	内洞/胶径(mm)	2.1×1.24	0.8×2.75	1.3×1.35

ZPY-14D 方型圈				
	规格Size	大	中	小
	胶径(mm)	1.9	1.7	1.6

ZPY-2GA 金B漂座(荧光)				
	规格Size	大大	大	中
	孔径(mm)	1.5	1.2	0.9

ZPY-2G7A 金B日式漂座				
	规格Size	大	中	小
	孔径(mm)	1.2	0.9	0.7

ZPY-2G2 金B漂座(彩色)				
	规格Size	大	中	小
	孔径(mm)	1.2	0.9	0.7

ZPY-2G 直通漂座(透明)				
	规格Size	大大	大	中
	孔径(mm)	1.5	1.2	0.9

ZPY-4D 中空铅片座				
	规格Size	1	2	3
	长度(mm)	8	11	14

ZPY-4E 超细铅片座				
	规格Size	0	1	2
	长度(mm)	8	10	14

ZPY-4A 铅片转环				
	规格Size	12	10	8
	拉力(Kg)	9	14	19

ZPY-4C 小型海丰铅片座				
	规格Size	大大	大	中
	长度(mm)	21	18	14

Explain:

The swivel on the fish in the trigeminal, bus and line is not a straight line, and will form a dead resistance

ZPY-4B 快速别针					
规格Size	12	10	8	7	6
长度(mm)	8	10	14	20	24

ZPY-6K12 A多功能			
规格Size	大	中	
拉力(Kg)	6	6	

ZPY-6K32 C多功能			
规格Size	大	中	小
长度(mm)	18	14	11
拉力(Kg)	6	6	6

ZPY-4B3 特级快速别针					
规格Size	12	10	8	7	6
长度(mm)	5	5	6	7	7

ZPY-5B 超级杆			
规格Size	大	中	小
长度(mm)	8	8	8
拉力(Kg)			

ZPY-6E 高速铅片座					
规格Size	6	7	8	10	12
长度(mm)	30	22	19	14	9
拉力(Kg)					

弹性佳，减少鱼儿脱钩的机会

ZPY-5F 快速超级杆(竞赛)		
规格Size		单一
长度(mm)		14
拉力(Kg)		8

ZPY-6F 快速高速铅片座			
规格Size	大	中	小
长度(mm)	18	14	11
拉力(Kg)	20	20	20

ZPY-13P 日本转环(A)				
规格Size	1	2	3	4
长度(mm)	5	6	6	7
拉力(Kg)				

ZPY-13P 日本转环(C)				
规格Size	1	2	3	4
长度(mm)	5	6	6	7
拉力(Kg)				

Explain: Although the old goods fast lead sheet swivels rotating better, but to meet change, it is too ease to rotate to waste of time to apply force.

Product introduction:

This product for more than the advantages and disadvantages of modified design, the operation of this product, must focus on the hand, make its fixed form, so, since, under the lead sheet is very convenient. Moreover, the double loop of this product is separated, and it retains excellent rotation, and it is easy and fast to open and fit in the o-ring.

and will form a dead resistance.

ZPY-13R 三叉O型环						
规格Size	12	10	8	7	6	5
拉力(Kg)	9	14	19	22	30	30

ZPY-13Q 长脚三叉O型环					
规格Size	12	10	8	7	6
拉力(Kg)	9	14	19	22	30

Product introduction:

This product for this major lack of improvement, not only can solve the above shortcomings, but also a combination of double swivel function, effectively improve the rotation, in addition, the special design of the product, but also can reduce the torque generated by the fish escape

ZPY-13S3 台式子线夹			
规格Size	16	18	20
拉力(Kg)	10.6	9	8

ZPY-13S2 子线夹			
规格Size	大	中	小
拉力(Kg)	7.5	8	9

ZPY-13S-2 Q型转环				
规格Size	6	8	10	12
拉力(Kg)	20	15	11	7

ZPY-13S-3 高速Q型转环				
规格Size	6	8	10	12
拉力(Kg)	20	15	11	7



	ZPY-13S 子线夹转环					
规格Size	1/0	2	4	5	6	
拉力(Kg)	60	43	35	32	30	

	ZPY-13S-1 双子线转环					
规格Size	1/0	2	4	6		
拉力(Kg)	60	43	35	30		

	ZPY-13S 子线夹转环(黑)		
规格Size	8	10	12
拉力(Kg)	19	14	9

	ZPY-13SS-1 双子线转环(金)		
规格Size	8	10	12
拉力(Kg)	19	14	9

	ZPY-13SS 子线夹转环(金)		
规格Size	8	10	12
拉力(Kg)	19	14	9

	ZPY-10B 大型海用太空豆(黑)		
规格Size	大	中	小
拉力(Kg)	18	14	12


大:38, 中:28, 小:18

	ZPY-10A 压花旋转黄豆(大孔)		
规格Size	大	中	小
拉力(Kg)	18	14	12

大:38, 中:28, 小:18

	ZPY-10C 小型海用太空豆(黑)		
规格Size	大	中	小
拉力(Kg)	18	14	12

大:38, 中:28, 小:18



日式转环+强力别针 ZPY-1118
Crane swivel with hooked snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
4/0	80	1/0	40	3	35	6	20	10	12
3/0	60	1	40	4	28	7	20	12	9
2/0	45	2	35	5	28	8	12	14	4



日式钢管分叉环 ZPY-1119

Cross-line crane swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
2/0	75	1	47	3	40
1/0	60	2	43	4	35



日式三叉转环 ZPY-1120

Crane three way swivel

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
5/0	75	4/0	135	3/0	100

53

52






轴承转环+双扣别针 ZPY-1121
Ball bearing swivel with insurance snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
8	125	6	80	4	50	2	25	0	10
7	100	5	65	3	35	1	15		

Products for high-speed rotation, built-in stainless steel cylinder, strong tension, adapting to fishing large fish, the fish after the high-speed rotation,

五连轴承转环 ZPY-1122 timely decomposition of fish with big impact force, recommended for sea fishing fishing using.



轴承转环+双保险内扣别针 ZPY-1123
Ball bearing swivel with double insurance inside lock snap

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
7	85	5	55	3	28	1	10
6	70	4	40	2	15		



不锈钢单转环 ZPY-1124
Single swivel stainless steel

This product has the characteristics of ordinary rings can rotate, mainly used in large fish, can withstand greater force and impact force, to protect the line and the main line of flexible rotation.


Mainly used in fishing boats fishing large ferocious fish, strong tension, three angles and different collocation points of fishing group, the fish will not hurt the quad line protection.





桂式三叉转环 ZPY-1125
Heavy three way swivel

桂式四叉转环 ZPY-1126
Heavy four way swivel

TOPIND FISHING TACKLE



箱型转环 ZPY-1127
Box swivel





9/0 8/0 7/0 6/0 5/0 4/0 3/0 2/0 1/0 1



普通漂座 ZPY-1128
Common float seat



菱形插座 ZPY-1129
Diamond float seat



可拆式海用旋转插座 ZPY-1130
Detachable rubber float seat for sea fishing



线夹铅坠 ZPY-1131
line clip with lead weight




幽灵α型钓竿尾+强力别针 ZPY-1132
规格: φ0.6 φ0.8 φ1.0 φ1.2



F型别针 ZPY-1133
Cost lock snap

大头铅皮座 ZPY-1134
Big head lead piece seat



新中空铅皮座 ZPY-1136
New hollow lead piece seat



尼龙铅皮座 ZPY-1138
Nylon lead piece seat




H型铅片转环 ZPY-1140
Rolling swivel with h-shape lead piece seat




线止快速别针 ZPY-1142
Speed with side line clip and lead piece seat

超细铅皮座 ZPY-1135
Exceeding slim lead piece seat



塑料超细铅皮座 ZPY-1137
Plastic exceeding slim lead piece seat



塑料板铅 ZPY-1139
Plastic lead piece seat



铅片子线夹 ZPY-1141
Rolling swivel with side line clip and lead piece seat



椭圆形双圈 ZPY-1143
Oval split rings

规格 SIZE	拉力kg TEST	规格 SIZE	拉力kg TEST
15mm	28	10mm	10
12mm	18		



幽灵插座 ZPY-1144



直型插座 ZPY-1145



T型插座 ZPY-1146



敏感浮漂座 Sensitive float seat
(内孔ID: $\phi 1.3$ $\phi 1.05$ $\phi 0.85$ $\phi 0.65$)


铜管浮漂座 Brass tube float seat
(内孔ID: $\phi 1.6$ $\phi 1.9$ $\phi 2.2$ $\phi 2.5$ $\phi 2.8$ $\phi 3.1$)

T型铜管浮漂座 T-shape brass tube float seat
(内孔ID: $\phi 1.6$ $\phi 1.9$ $\phi 2.2$ $\phi 2.5$ $\phi 2.8$ $\phi 3.1$)


2.0x24mm 1.6x20mm 1.2x16mm




铅锤脚 ZPY-1147
Brass splay ring



双铜管 ZPY-1148
Double brass tube



A	2.3X4.7X10mm
B	1.9X3.9X10mm
C	1.5X3.1X10mm
D	1.1X2.3X10mm
E	0.8X1.7X8mm
F	0.5X1.1X8mm



双向子线转环 ZPY-1152
Two way side line rolling swivels

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
2	43	5	27
4	35	6	19

美式压花转环+绕线别针 ZPY-1149
Imressed rolling swivel with wrapping snap

5.3mm 4.4mm



圆形薄片 ZPY-1150

Round rig ring
规格外径(O.D.)


2.0mm
3.1mm
3.7mm
4.4mm
5.3mm



椭圆形薄片 ZPY-1151

Oval rig ring
规格外径(O.D.)

4.5mm
6.0mm



大 小

可拆鱼眼别针 ZPY-1153
Fluorescent beads with detachable fish eye snap




内扣椭圆形双圈 ZPY-1155
Bent head oval split rings

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
21mm	28	16mm	18



0型圈 ZPY-1157
Rubber ring

规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST	规格 SIZE	拉力 TEST
6	5	8	3	12	1.5
7	4	10	2		



新忍者太空豆 ZPY-1160
Stick rubber stopper



塑料头+增强别针 ZPY-1154
Fish Finder




塑料T型三叉环 ZPY-1156
T-Shape plastic triple swivel



三神一套 ZPY-1158
Run Rig



塑料头强力别针 ZPY-1159
Plastic Head Hooked Snap



新橄榄太空豆 ZPY-1161
Olive rubber stopper