



HengXing

GUANGZHOU UNIQUE CATERING EQUIPMENT CO.,LIMITED

Guangzhou Hengxing Mechanical & Electro Device Factory

Add: No. 13 Dongjing Road, Donghua Industrial Park,
Renhe Town Baiyun District, Guangzhou, P.R. China 510470
Tel: (+86)20 29895995/6 (+86)20 23327779 (+86)20 23327762

<http://www.gzcookunique.com>

<http://www.unique-cateringequipment.com>

<http://www.uc-catering.com>

<http://www.uniquecatering.en.alibaba.com>

<http://www.idealcatering.en.alibaba.com>

<http://www.uniquekitchen.en.alibaba.com>

<http://www.cn-kitchen.com>

西廣告 Tel:19422214313 137994020613



COOKUNIQUE ELABORATEX

www.cn-kitchen.com
www.gzcookunique.com
www.unique-cateringequipment.com
www.uc-catering.com



Company Profile

Guangzhou Hengxing Mechanical & Electro Device Factory(Guangzhou Unique Catering Equipment Co.,Limited) is one of the world's leading names in commercial catering equipment.

With a range extending to hundreds of products, we can meet the majority of your catering equipment needs.It includes Combination Oven,fryers, griddles,bain marie,pasta cooker,popcorn machine,food warmer display etc These specialist equipments are manufactured to the highest standards for efficiency, durability and reliability.



Product pictures and other details are for reference only

HengXing Company Overview



- Factory size: 41,000m²
- Total workers: 260
- R&D team: 10
- International Sales team: 20
- Laser Cutting machine: 4
- Punching machine: 26
- Production Line: 20



Sales Team



Conference Room



Monthly Top Sales



Engineering Department

HengXing

Every Moment, Every Procedure



First-class Guarantee



Brand The Market

Junction:

Considering the diversified needs of our clients, we has been providing the genuine onematching as well as abundant spare part supply. the America,Australia, Southeast Asia and Africa,and the annual production is over 120,000 PCS. This show us again how important our excellent marketing team is,good maintain service in our sales area.

Quality Control:

In order to offer high quality products, we strictly carry out ISO standard, designing and improving all the products with the advanced machinery and design software. Every procedure, from material incoming, production process, to finished products, delivery, is strictly inspected by the QC department.

HengXing

Every Moment, Every Procedure



More Advanced Products



Personalized Customization



Profession Enhance Competitiveness



Certification



Focus on customer's core demand
Specialize in product's pleasant quality



Notice

Gas products:

- ▶ All gas products are set for 2800pa liquefied petroleum gas(L.P.G)
- ▶ Same products can be customized to natural gas or pipeline gas.
- ▶ All gas products must use the low-pre valve.

Electric products:

- ▶ The frequency of all electric products are 50HZ
- ▶ Most of 50HZ can be available at 60HZ
- ▶ General voltage is:220V/380V,some products can be customized into 110V and 60HZ



CONTENTS



001-011 Gas/Electric Luxury Furnace Series

073-077 Contact Grill/Fast Food Equipment/Fish Ball Grill

012-015 Counter Top Combination Oven

078-081 Induction Cooker/Rice Cooker/Dish Washer

016-031 Fryer/Griddle

082-087 Food Mixer/Spiral Mixer/Meat Mincer

032-039 Pasta Cooker/Food Warmer/Infrared Lamps

088-089 Meat Slicer & Vegetable Cutter/Sausage Filler

040-044 Popcorn Machine/ Candy Floss Machine

090-093 Dough Series/Food Cut Up Machine/Potato Peeler

045-048 Bain Marie

094-099 Ice Cream & Cake Showcases/Ice Cream

049-052 Barbecue Oven/ Rotisserie

100-103 Juice Dispenser/Slush Machine/Ice Crusher & Milk Shaker

053-062 Pizza / Baking / Convection/Combi Oven

104-105 Coffee Machine & Juicer/ Commercial Blender

063-066 Salamander/Char Grill/Gas Stove/Hot-dog Grill

106-108 Water Boiler/Chafing Dish

067-068 Toaster/Crepe Maker

109 Packing Machine

069-072 Waffle Baker/Snack Food Equipment

110-112 Sink Table/Racks/GN Pans



COOKING RANGE

- All Stainless Steel Body, Strong And Durable
- Electronic Direct Spark Ignition, Flame Failure Safety Device For Each Control
- Heavy Duty Gas Burner With Individual Switch And Thermostat
- Adjustable Legs
- Devices Are Preset To City Gas, Natural Gas Or Lpg
- Key-component From Famous International Suppliers



Gas-Luxury Furnace Series



4-Burner Gas Range with Oven

Model: **HGR-905/905A**
 Dimension: 800x900x920mm
 Oven Dimensions: 460x645x270mm
 LPG2800-3700Pa: 2.62Kg/h
 NG2000-2500Pa: 3.70m³/h
 Power Supply: 7.8x4+5.8KW



4-Burner Gas Range with Oven

Model: **HGR-705/705A**
 Dimension: 700x750x920mm
 Oven Dimensions: 560x600x270mm
 LPG2800-3700Pa: 2.06Kg/h
 NG2000-2500Pa: 3.07m³/h
 Power Supply: 7.8x4+5.8KW



Gas 4-Burner Range With Cabinet

Model: **HGR-905B**
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 2.06Kg/h
 NG2000-2500Pa: 3.07m³/h
 Power Supply: 7.8x4KW



Gas 4-Burner Range With Gas/Electric Oven

Model: **HX-905Z/905ZA**
 Dimension: 800x900x920mm
 Oven Dimensions: 560x700x270mm
 LPG2800-3700Pa: 2.10Kg/h
 NG2000-2500Pa: 2.81m³/h
 Power Supply: 7.5x2+4.5+5.8KW

Model: **HGR-705B**
 Dimension: 700x750x920mm
 Power Supply: 4.5x2+3.5x2KW

Gas Luxury Furnace Series



Gas Luxury Furnace Series



Gas 4-Burner Range With Cabinet



Gas 6-Burner Range With Gas Oven



Gas 6-Burner Range With Gas/Electric Oven



Gas Range 4-Burner Stove & Griddle & Oven

Model: HGR-9052B
Dimension: 800x900x920mm
LPG2800-3700Pa: 1.73Kg/h
NG2000-2500Pa: 2.33m³/h
Power Supply: 7.5x2+4.5x2KW

Model: HGR-996
Dimension: 1200x900x920mm
Oven Dimensions: 560x700x270mm
LPG2800-3700Pa: 3.55Kg/h
NG2000-2500Pa: 5.26m³/h
Power Supply: 7.8x6+5.8KW

Model: HGR-996Z/996ZA
Dimension: 1200x900x920mm
Oven Dimensions: 560x700x270mm
LPG2800-3700Pa: 2.96Kg/h
NG2000-2500Pa: 3.98m³/h
Power Supply: 7.5x3+4.5x3+5.8KW

Model: HGR-998
Dimension: 1200x900x920mm
Oven Dimensions: 560x700x270mm
Power Supply: 9.75+5.8KW

Model: HGR-776
Dimension: 1050x750x920mm
Oven Dimensions: 560x600x270mm
LPG2800-3700Pa: 3.55Kg/h
NG2000-2500Pa: 5.26m³/h
Power Supply: 7.8x6+5.8KW



Gas 6-Burner Range With Electric Oven



Gas 6-Burner Range With Cabinet



Gas Range 4-Burner Stove & Griddle & Electric Oven



Gas Griddle (2/3 Flat&1/3 Grooved) with Cabinet

Model: HGR-996A
Dimension: 1200x900x920mm
Oven Dimensions: 560x700x270mm
LPG2800-3700Pa: 3.34Kg/h
NG2000-2500Pa: 4.85m³/h
Power Supply: 7.8x6+5.8KW
Voltage: 380V

Model: HGR-996B/996ZB
Dimension: 1200x900x920mm
LPG2800-3700Pa: 3.34/2.40Kg/h
NG2000-2500Pa: 4.66/3.49m³/h
Power Supply: 7.5x3+4.5x3KW

Model: HGR-998A
Dimension: 1200x900x920mm
Oven Dimensions: 560x700x270mm
Power Supply: 9.15x4+5.8KW
Voltage: 380V

Model: HGR-906
Dimension: 800x900x920mm
Griddle Size: 725x10x20mm
LPG2800-3700Pa: 0.86Kg/h
NG2000-2500Pa: 1.28m³/h
Power Supply: 11.8KW

Model: HGR-776A
Dimension: 1050x750x920mm
Oven Dimensions: 560x600x270mm
Power Supply: 7.8x6+5.8KW
Voltage: 380V

Model: HGR-776B
Dimension: 1050x750x920mm
LPG2800-3700Pa: 3.34Kg/h
NG2000-2500Pa: 4.66m³/h
Power Supply: 7.8x6KW

Model: HGR-706
Dimension: 700x750x920mm
Griddle Size: 625x496x20mm
LPG2800-3700Pa: 0.86Kg/h
NG2000-2500Pa: 1.28m³/h
Power Supply: 11.8KW



Gas Luxury Furnace Series

Gas Luxury Furnace Series



Gas Griddle (2/3Flat, 1/3Grooved) With Gas/Electric Oven

Model: HGR-913/913B
 Dimension: 800x900x920mm
 Griddle Size: 725x610x20mm
 Oven Dimensions: 560x700x270mm
 LPG2800-3700Pa: 1.25Kg/h
 NG2000-2500Pa: 1.77m³/h
 Power Supply: 11.8+5.8KW



Model: HGR-713A
 Dimension: 700x750x920mm
 Griddle Size: 625x495x20mm
 Oven Dimensions: 560x600x270mm
 LPG2800-3700Pa: 1.22Kg/h
 NG2000-2500Pa: 1.66m³/h
 Power Supply: 11.8+5.8KW



Gas 1-Tank Fryer With Cabinet

Model: HGF-908
 Dimension: 400x900x920mm
 LPG2800-3700Pa: 1.23Kg/h
 NG2000-2500Pa: 1.56m³/h
 Power Supply: 15.5KW
 Capacity: 20± 2L



Model: HGF-768
 Dimension: 350x750x920mm
 LPG2800-3700Pa: 1.23Kg/h
 NG2000-2500Pa: 1.56m³/h
 Power Supply: 15.5KW
 Capacity: 20± 2L



Gas 2-Tank Fryer With Cabinet

Model: HGF-908
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 2.46Kg/h
 NG2000-2500Pa: 3.12m³/h
 Power Supply: 32KW
 Capacity: (20± 2)x2L



Model: HGF-708
 Dimension: 700x750x920mm
 LPG2800-3700Pa: 2.46Kg/h
 NG2000-2500Pa: 3.12m³/h
 Power Supply: 31KW
 Capacity: (20± 2)x2L



Gas Lava Rock Grill with Cabinet

Model: HGL-907
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.20Kg/h
 NG2000-2500Pa: 1.75m³/h
 Power Supply: 17KW



Model: HGL-707
 Dimension: 700x750x920mm
 LPG2800-3700Pa: 1.07Kg/h
 NG2000-2500Pa: 1.48m³/h
 Power Supply: 14.4KW



Gas Pasta Cooker With Cabinet

Model: HGF-910
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 22KW



Model: HGF-710
 Dimension: 700x750x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 22KW



Gas Pasta Cooker With Cabinet

Model: HGN-915
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 22KW

Model: HGN-715
 Dimension: 700x750x920mm
 LPG2800-3700Pa: 1.58Kg/h
 NG2000-2500Pa: 2.28m³/h
 Power Supply: 22KW



Gas Bain Marie With Cabinet

Model: HGR-909
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 0.43Kg/h
 NG2000-2500Pa: 0.63m³/h
 Power Supply: 6KW

Model: HGR-709
 Dimension: 700x750x920mm
 LPG2800-3700Pa: 0.43Kg/h
 NG2000-2500Pa: 0.63m³/h
 Power Supply: 6KW



Gas Solid Top With Gas Oven

Model: HRC-911B
 Dimension: 800x900x920mm
 Oven Dimensions: 500x700x270mm
 LPG2800-3700Pa: 1.30Kg/h
 NG2000-2500Pa: 1.87m³/h
 Power Supply: 10+5.8KW

Gas / Electric Luxury Furnace Series



Gas Solid Top With Cabinet

Model: HGZ-911
 Dimension: 400x900x920mm
 LPG2800-3700Pa: 0.71Kg/h
 NG2000-2500Pa: 1.0m³/h
 Power Supply: 10KW



Gas Tilting Braising Pan

Model: ZH-RS80
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.51Kg/h
 NG2000-2500Pa: 2.19m³/h
 Pressure: 21kpa
 Capacity: 80L



Gas Indirect Jacketed Boiling Pan

Model: HGK-150
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.78Kg/h
 NG2000-2500Pa: 2.60m³/h
 Pressure: 25kpa
 Capacity: 150L
 Power Supply: 82000BTU

Model: HGK-100
 Dimension: 800x900x920mm
 LPG2800-3700Pa: 1.78Kg/h
 NG2000-2500Pa: 2.58m³/h
 Pressure: 25kpa
 Capacity: 100L
 Power Supply: 61000BTU



Electric Griddle (2/3Flat&1/3Grooved) With Cabinet

Model: HER-906A
 Dimension: 800x900x920mm
 Griddle Size: 725x610x20mm
 Volts: 380V
 Power Supply: 12KW

Model: HER-706A
 Dimension: 700x750x920mm
 Griddle Size: 625x496x20mm
 Volts: 380V
 Power Supply: 9KW



Electric Luxury Furnace Series



Electric 2-Tank Fryer With Cabinet

Model: HEF-908A
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 24KW
 Capacity: (28± 2)x2L

Model: HEF-708A
 Dimension: 700x750x920mm
 Volts: 380V
 Power Supply: 24KW
 Capacity: (23± 2)x2L



Electric 1-Tank Fryer With Cabinet

Model: HEF-968A
 Dimension: 400x900x920mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 28± 2L

Model: HEF-768A
 Dimension: 350x750x920mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 23± 2L



Electric Griddle (1/3Grooved) With Electric Oven

Model: HER-913A
 Dimension: 800x900x920mm
 Griddle Size: 725x610x20mm
 Oven Dimensions: 560x700x270mm
 Volts: 380V
 Power Supply: 12+4.8KW

Model: HER-713A
 Dimension: 700x750x920mm
 Griddle Size: 625x496x20mm
 Oven Dimensions: 560x600x270mm
 Volts: 380V
 Power Supply: 11.8+5.8KW



Electric Lava Rock Grill With Cabinet

Model: HEL-907A
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 12KW

Model: HEL-707A
 Dimension: 700x750x920mm
 Oven Dimensions: 9mm
 Volts: 380V

Electric Luxury Furnace Series

Electric Luxury Furnace Series



Electric 4-Hot-Plate Cooker With Oven

Model: **HRQ-912A**
 Dimension: 800x900x920mm
 Oven Dimensions: 560x700x270mm
 Volts: 380V



Electric 4-Hot-Plate Cooker With Cabinet

Model: **HRQ-912**
 Dimension: 800x900x920mm
 Volts: 380V
 Power: 2x2+2.6x2KW



Model: **HRQ-712A**
 Dimension: 700x750x920mm
 Oven Dimensions: 560x700x270mm
 Power: 2x2+2.6x2+4.8KW



Model: **HRQ-712**
 Dimension: 700x750x920mm
 Volts: 380V
 Power: 2x2+2.6x2KW



Electric Pasta Cooker With Cabinet

Model: **HEN-910A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 18KW

Model: **HEN-710A**
 Dimension: 700x750x920mm
 Volts: 380V
 Power Supply: 12KW



Electric Pasta Cooker With Cabinet

Model: **HEN-915A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 18KW

Model: **HEN-715A**
 Dimension: 700x750x920mm
 Volts: 380V
 Power Supply: 12KW



Electric 6-Hot-Plate Cooker With Oven

Model: **HRQ-962A**
 Dimension: 1200x900x920mm
 Oven Dimension: 560x700x270mm
 Voltage: 380V
 Power Supply: 2x3+2.6x3+4.8KW



Electric 6-Hot-Plate Cooker With Cabinet

Model: **HRQ-962**
 Dimension: 1200x900x920mm
 Power Supply: 2x2+2.6x2KW
 Voltage: 380V



Electric Bain Marie With Cabinet

Model: **HEB-909A**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 6KW

Model: **HEB-709**
 Dimension: 700x750x920mm
 Volts: 380V
 Power Supply: 5KW



Electric Tilting Braising Pan

Model: **ZH-TS80**
 Dimension: 800x900x920mm
 Pan Size: 595x528mm
 Volts: 380V
 Power Supply: 12KW
 Capacity: 80L
 Net Weight: 140Kg

Model: **ZH-TS60**
 Dimension: 800x750x920mm
 Volts: 380V
 Power Supply: 9KW
 Capacity: 60L

Electric Luxury Furnace Series

Counter Top Gas Combination Oven



Electric Indirect Jacketed Boiling Pan

Model: **HEK-150**
 Dimension: 800x900x920mm
 Pressure: ≤ 50kpa
 Volts: 380V
 Power Supply: 24KW
 Capacity: 150L

Model: **HEK-100**
 Dimension: 800x900x920mm
 Pressure: ≤ 50kpa
 Volts: 380V
 Power Supply: 18KW
 Capacity: 100L



Electric 6 Hot-plate Cooker With Oven(Square)

Model: **HSQ-962B**
 Dimension: 1200x900x920mm
 Oven Dimensions 560x700x270mm
 Volts: 380V
 Power Supply: 4x6+4.8KW



Electric 4 Hot-plate Cooker With Oven(Square)

Model: **HSQ-912B**
 Dimension: 800x900x920mm
 Oven Dimensions 560x700x270mm
 Volts: 380V
 Power Supply: 4x4+4.8KW



Electric 4 Hot-plate Cooker With Cabinet(Square)

Model: **HSQ-912C**
 Dimension: 800x900x920mm
 Volts: 380V
 Power Supply: 4x4KW



Counter Top 4-Burner Gas Range

Model: **HGR-605**
 Dimension: 570x680x480mm
 Hp: 92MJ
 Valve Type: Low-pressure Valve
 Butners: 4
 N/W: 44Kg



Counter Top 2-Tank 2-Basket Gas Fryer

Model: **HGF-608**
 Dimension: 800x612x470mm
 Capacity: 8L+8L
 Hp: 40.4MJ
 Valve Type: Low-pressure Valve
 Butners: 2
 N/W: 29Kg



Counter Top Gas Bain Marie

Model: **HGL-609**
 Dimension: 700x680x480mm
 Hp: 27.7MJ
 Valve Type: Low-pressure Valve
 Butners: 1
 NAW: 29Kg



Counter Top Electric Combination Oven



Counter Top Gas Pasta Cooker

Model: HGL-610
 Dimension: 600x600x480mm
 Hp: 26MJ
 Valve Type: Low-pressure Valve
 Butners: 1
 N/W: 25Kg



Counter Top 4-Burner Electric Cooker

Model: HRQ-605E
 Dimension: 600x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 8.2KW
 N/W: 20Kg



Counter Top Gas Griddle

Model: HGR-606
 Dimension: 600x612x530mm
 Hp: 28.8MJ
 Valve Type: Low-pressure Valve
 Butners: 2
 N/W: 46Kg



Counter Top Electric Griddle (All Flat)

Model: HEG-606
 Dimension: 600x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 5KW
 N/W: 43Kg



Counter Top Gas Lava Rock Grill

Model: HGL-607
 Dimension: 650x612x530mm
 Hp: 57.6MJ
 Valve Type: Low-pressure Valve
 Butners: 2
 N/W: 49Kg



Counter Top 2-Tank 2-Basket Electric Fryer

Model: HEF-608
 Dimension: 600x600x430mm
 Capacity: 8L+8L
 Volts: 220-240V/50-60Hz
 Hp: 3.25+3.25KW
 N/W: 25Kg



Counter Top Electric Combination Oven



Counter Top Electric Lava Rock Grill

Model: **HEL-607**
 Dimension: 650x600x350mm
 Volts: 220-240V/50-60Hz
 Hp: 7.2KW
 N/W: 43Kg



Counter Top Electric Bain Marie

Model: **HEB-609**
 Dimension: 700x600x350mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Weight: 24Kg



Counter Top Electric Pasta Cooker

Model: **HEN-610**
 Dimension: 600x600x350mm
 Volts: 220-240V
 Power: 6KW
 Weight: 22.6Kg



- High efficiency stainless steel heating element, automatic control temperature, timer installation.
- Anti-high temperature oil valve.
- Folded and dismantle basket handle.
- Used gas: liquefied petroleum gas (LPG), customized to natural gas (1800-2500pa).
- Over temperature protection.
- Movable heating element to make cleaning easier.



1-Tank 1-Basket Electric Fryer

Model: **HEF-81**
 Dimension: 285x450x310mm
 Packing Size: 480x315x325mm
 Capacity: 6L
 Volts: 220-240V/50-60Hz
 Power: 2.5KW
 N/W: 4.6Kg



Model: **HEF-88**
 Dimension: 280x440x360mm
 Packing Size: 480x315x325mm
 Capacity: 8L
 Volts: 220-240V/50-60Hz
 Power: 2.8KW
 N/W: 5.6Kg



1-Tank 1-Basket Electric Fryer

Model: **HEF-81A**
 Dimension: 275x430x290mm
 Packing Size: 460x295x305mm
 Capacity: 6L
 Volts: 220V-240V/50-60Hz
 Power: 2.5KW
 N/W: 4.5Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-82** (2-Tank 2-Basket)
 Dimension: 570x450x310mm
 Packing Size: 620x470x325mm
 Capacity: 6L+6L
 Volts: 220-240V/50-60Hz
 Power: 2.5+2.5KW N/W: 8.6Kg



Model: **HEF-83** (1-Tank 2-Basket)
 Dimension: 540x450x310mm
 Packing Size: 620x470x325mm
 Capacity: 12L
 Volts: 220-240V/50-60Hz
 Power: 2.5+2.5KW N/W: 8.4Kg



Model: **HEF-89** (2-Tank 2-Basket)
 Dimension: 560x440x360mm
 Capacity: 8L+8L
 Volts: 220-240V/50-60Hz
 Power: 2.8+2.8KW N/W: 10Kg



2-Tank 2-Basket Electric Fryer

Model: **HEF-82A** (2-Tank 2-Basket)
 Dimension: 550x430x290mm
 Packing Size: 570x455x315mm
 Capacity: 6L+6L
 Volts: 220V-240V/50-60Hz
 Power: 2.5+2.5KW N/W: 9Kg



Model: **HEF-83A** (1-Tank 2-Basket)
 Packing Size: 570x455x315mm
 Dimension: 550x430x290mm
 Capacity: 12L
 Volts: 220V-240V/50-60Hz
 Power: 2.5+2.5KW N/W: 9Kg



Fryer



1-Tank 1-Basket Electric Fryer

Model: HEF-81B
 Size: 270x425x285mm
 Volts: 220V/50Hz
 Power: 2.5KW
 Capacity: 6L
 N/W: 4Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-82B
 Size: 550x425x285mm
 Volts: 220V/50Hz
 Power: 2.5+2.5KW
 Capacity: 6+6L
 N/W: 8Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-4L
 Dimension: 265x385x320mm
 Packing Size: 415x285x320mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW
 N/W: 5Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-4L-2
 Dimension: 490x385x320mm
 Packing Size: 470x425x335mm
 Volts: 220V-240V/50-60Hz
 Power: 2x2KW
 N/W: 9.2Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-6L
 Dimension: 310x410x290mm
 Packing Size: 450x290x310mm
 Volts: 220V-240V/50-60Hz
 Power: 2.5KW
 N/W: 5.6Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-6L-2
 Dimension: 590x385x320mm
 Packing Size: 570x430x310mm
 Volts: 220V-240V/50-60Hz
 Power: 2x2.5KW
 N/W: 10.2Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-8L
 Dimension: 310x410x340mm
 Packing Size: 450x390x380mm
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 6.2Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-8L-2
 Dimension: 592x410x340mm
 Packing Size: 590x450x380mm
 Volts: 220V-240V/50-60Hz
 Power: 2x2.8KW
 N/W: 11Kg



1-Tank 1-Basket Electric Fryer

Model: HEF-11L
 Dimension: 370x440x340mm
 Packing Size: 470x350x360mm
 Volts: 220V-240V/50-60Hz
 Power: 3.2KW
 N/W: 11.4Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-11L-2
 Dimension: 725x440x345mm
 Packing Size: 700x470x360mm
 Volts: 220V-240V/50-60Hz
 Power: 2x3.2KW
 N/W: 15Kg





Fryer



1-Tank 1-Basket Electric Fryer

- Model: HEF-12L
- Dimension: 290x240x410mm
- Packing Size: 320x500x420mm
- Volts: 220V-240V/50-60Hz
- Power: 3.25KW
- N/W: 9.8Kg



2-Tank 2-Basket Electric Fryer

- Model: HEF-12L-2
- Dimension: 580x550x410mm
- Packing Size: 610x500x420mm
- Volts: 220V-240V/50-60Hz
- Power: 2x3.25KW
- N/W: 17.6Kg



1-Tank 1-Basket Electric Fryer

- Model: HEF-901
- Dimension: 300x600x450mm
- Packing Size: 520x500x420mm
- Capacity: 8L
- Volts: 220V-240V/50-60Hz
- Power: 2.8KW
- N/W: 10Kg



2-Tank 2-Basket Electric Fryer

- Model: HEF-902
- Dimension: 600x600x450mm
- Packing Size: 660x600x545mm
- Capacity: 16L
- Volts: 220V-240V/50-60Hz
- Power: 2.8+2.8KW
- N/W: 18Kg



1-Tank 1-Basket Electric Fryer

- Model: HEF-131V
- Dimension: 310x480x360mm
- Packing Size: 360x545x385mm
- Capacity: 13L
- Volts: 220V-240V/50-60Hz
- Power: 4.5KW N/W: 8Kg



2-Tank 2-Basket Electric Fryer

- Model: HEF-132V
- Dimension: 630x480x360mm
- Packing Size: 680x545x385mm
- Capacity: 13L+13L
- Volts: 220V-240V/50-60Hz
- Power: 4.5+4.5KW N/W: 18Kg



1-Tank 1-Basket Electric Fryer

- Model: HEF-903
- Dimension: 330x600x440mm
- Packing Size: 670x410x545mm
- Capacity: 12.5L
- Volts: 220V-240V/50-60Hz
- Power: 4.5KW
- N/W: 13Kg



2-Tank 2-Basket Electric Fryer

- Model: HEF-904
- Dimension: 660x600x440mm
- Packing Size: 720x670x545mm
- Capacity: 25L
- Volts: 220V-240V/50-60Hz
- Power: 4.5+4.5KW
- N/W: 23.2Kg



Fryer



1-Tank 1-Basket Gas/Electric Fryer

Model: HGF-779
 Dimension: 340x615x630mm
 Capacity: 18L
 Gas: LPG
 Power: 5KW/Hr
 N/W: 22Kg



Model: HEF-779
 Dimension: 340x615x630mm
 Capacity: 18L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW
 N/W: 22Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-912
 Dimension: 840x510x810mm
 Capacity: 21+21L
 Volts: 220V-240V
 Power: 4.5+4.5KW
 N/W: 34Kg



2-Tank 2-Basket Gas/Electric Fryer

Model: HGF-780
 Dimension: 680x615x630mm
 Capacity: 18L+18L
 Gas: LPG
 Power: 10KW/Hr
 N/W: 38Kg



Model: HEF-780
 Dimension: 680x615x630mm
 Capacity: 18L+18L
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW+4.5KW
 N/W: 38Kg



2-Tank 2-Basket Gas/Electric Fryer

Model: HGF-907C
 Dimension: 850x515x620mm
 Capacity: 21L+21L
 Gas: LPG
 N/W: 32Kg



Model: HEF-906C
 Dimension: 850x515x620mm
 Capacity: 21L+21L
 Volts: 220V-240V/50-60Hz
 Power: 3.5+3.5KW
 N/W: 32Kg



1-Tank 1-Basket Gas Fryer

Model: HGF-71A
 Dimension: 330x650x480mm
 Capacity: 15L
 Gas: LPG or LNG
 Power: 4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



2-Tank 2-Basket Gas Fryer

Model: HGF-72A
 Dimension: 660x650x480mm
 Capacity: 2x15L
 Gas: LP or LNG
 Power: 4.5KW+4.5KW
 Pressure: 2800-3200Pa
 Temperature: 160-220°C
 Basket Size: 300x210x135mm



Gas Fryer

Model: HGF-74 (1-Tank 2-Basket)
 Dimension: 590x500x1060mm
 Capacity: 14L+14L
 Power: 36TU/hr
 N/W: 32.8Kg



Model: HGF-75 (2-Tank 2-Basket)
 Dimension: 590x500x1060mm
 Capacity: 14L+14L
 Power: 36TU/hr
 N/W: 32.8Kg



Electric Fryer

Model: HEF-84 (1-Tank 2-Basket)
 Dimension: 590x500x960mm
 Capacity: 28L
 Volts: 220V-240V/50-60Hz
 Power: 8KW
 N/W: 24Kg



Model: HEF-85 (2-Tank 2-Basket)
 Dimension: 590x500x960mm
 Capacity: 14L+14L
 Volts: 220V-240V/50-60Hz
 Power: 8KW
 N/W: 24Kg



Fryer



1-Tank 1-Basket Gas Fryer

Model: HGF-971
 Dimension: 300x600x550mm
 Capacity: 8L
 Power: 4KW/Hour
 N/W: 22Kg



1-Tank 1-Basket Gas Fryer

Model: HGF-71
 Dimension: 290x520x480mm
 Capacity: 6L
 Power: 18.9TU/hr
 N/W: 10.8Kg



2-Tank 2-Basket Gas Fryer

Model: HGF-972
 Dimension: 600x600x550mm
 Capacity: 8L+8L
 Power: 8KW/Hour
 N/W: 35Kg



2-Tank 2-Basket Gas Fryer

Model: HGF-72 (2-Tank 2-Basket)
 Dimension: 570x520x480mm
 Capacity: 6L+6L
 Power: 37.8TU/hr
 N/W: 18.4Kg



2-Tank 2-Basket Gas Fryer

Model: HGF-772
 Dimension: 600x650x550mm
 Capacity: 12.5L+12.5L
 Power: 9KW/Hour
 N/W: 40Kg



Model: HGF-73 (1-Tank 2-Basket)
 Dimension: 550x520x480mm
 Capacity: 12L
 Power: 37.8TU/hr
 N/W: 14.8Kg



1-Tank 2-Basket Electric Fryer

Model: HEF-26
 Dimension: 420x830x1080mm
 Capacity: 30L
 Volts: 380V
 Power: 10KW
 N/W: 38Kg



2-Tank 4-Basket Electric Fryer

Model: HEF-26-2
 Dimension: 800x830x1080mm
 Capacity: 30L+30L
 Volts: 380V
 Power: 20KW
 N/W: 58Kg



1-Tank 2-Basket Computer Fryer

Model: HEF-871
 Dimension: 400x800x1125mm
 Capacity: 28L
 Volts: 3N-380V
 Hp: 18KW
 N/W: 40Kg



2-Tank 4-Basket Computer Fryer

Model: HEF-872
 Dimension: 800x800x1125mm
 Capacity: 28L+28L
 Volts: 3N-380V
 Hp: 18+18KW
 N/W: 80Kg





Fryer



1-Tank 1-Basket Electric Fryer

Model: HEF-161C
 Dimension: 340x530x940mm
 Capacity: 16L
 Volts: 220-240V
 Power: 5KW
 N/W: 20.6Kg



2-Tank 2-Basket Electric Fryer

Model: HEF-162C
 Dimension: 690x530x940mm
 Capacity: 16Lx2
 Volts: 220-240V
 Power: 5KWx2
 N/W: 33.5Kg



1-Tank 2-Basket Gas Fryer

Model: HGF-778
 Dimension: 400x700x1100mm
 Capacity: 25L
 Gas: LPG or Natural Gas
 Power: 12KW/Hr
 N/W: 41Kg



Gas Pressure Fryer

Model: MDXZ-25
 Dimension: 460x960x1230mm
 Packing Size: 1030x510x1300mm
 Capacity: 25L
 Volts: 220V/50Hz
 Gas: LPG or Natural Gas
 Working Pressure: 0.085Mpa
 N/W: 110Kg



1-Tank 1-Basket Gas Fryer

Model: HGF-181C
 Dimension: 345x585x1025mm
 Capacity: 18L
 Gas: LPG or Natural Gas
 N/W: 25Kg



2-Tank 2-Basket Gas Fryer

Model: HGF-182C
 Dimension: 690x585x1025mm
 Capacity: 18x2L
 Gas: LPG or Natural Gas
 N/W: 50Kg



Electric Pressure Fryer

Model: MDXZ-24
 Dimensions: 460x960x1230mm
 Packing Size: 1030x510x1300mm
 Capacity: 24L
 Volts: 3N~380V/50Hz
 Power: 14.2KW N/W: 110Kg
 For 4-6 Chickens



Electric Pressure Fryer

Model: MDXZ-16
 Dimensions: 350x400x500mm
 Packing Size: 430x500x540mm
 Capacity: 16L
 Volts: 220V/50Hz
 Power: 3KW N/W: 18Kg
 For 2-3 Chickens



Griddle

- Strong stainless steel body with splash guard.
- Large output capacity.
- Thick steel plate for heat retention, heat uniform.
- Fat drainage drawer for convenience.
- Thermostat controller.
- Energy saving and safety.
- Easy to use and clean-up.



Electric Griddle

Model: HEG-818
 Dimension: 550x430x240mm
 Volts: 220V-240V/50-60Hz
 Power: 3KW
 N/W: 25Kg



Electric Griddle

Model: HEG-820
 Dimension: 730x470x240mm
 Volts: 220V-240V/50-60Hz
 Power: 4.4KW
 N/W: 34Kg



Electric Griddle

Model: HEG-818A
 Dimension: 540x400x220mm
 Volts: 220V-240V/50-60Hz
 Power: 3KW
 N/W: 23Kg



Electric Griddle

Model: HEG-822
 Dimension: 730x470x240mm
 Volts: 220V-240V/50-60Hz
 Power: 4.4KW
 N/W: 32Kg



Electric Griddle

Model: HEG-821
 Dimension: 550x450x230mm
 Volts: 220V-240V/50-60Hz
 Power: 3KW
 N/W: 23Kg



Electric Griddle

Model: HEG-920
 Dimension: 780x600x350mm
 Volts: 220V-240V/50-60Hz
 Power: 3+3KW
 N/W: 65Kg



Electric Griddle

Model: HEG-922
 Dimension: 760x600x350mm
 Volts: 220V-240V/50-60Hz
 Power: 3+3KW
 N/W: 65Kg



Electric Griddle

Model: HEG-824
 Dimension: 610x620x360mm
 Volts: 220-240V/50Hz-60Hz
 Power: 8KW
 N/W: 70Kg



Model: HEG-836
 Dimension: 915x620x360mm
 Volts: 220-240V/50Hz-60Hz
 Power: 12KW
 N/W: 100Kg

Model: HEG-848
 Dimension: 1215x620x360mm
 Volts: 220-240V/50Hz-60Hz
 Power: 16KW
 N/W: 130Kg



Electric Griddle With Gas/Electric Fryer

Model: HGG-751
 Dimension: 760x650x550mm
 Gas: LPG
 Power: 12KW/Hour
 N/W: 48Kg

Model: HEG-908
 Dimension: 760x630x460mm
 Volts: 220-240V/50Hz-60Hz
 Power: 3+2.8KW
 N/W: 48Kg





Electric Griddle

Model: **HEG-350**
 Dimension: 350x520x320mm
 Volts: 220V-240V/50-60Hz
 Power: 2.2KW
 NW: 40Kg



Model: **HEG-500**
 Dimension: 500x520x320mm
 Volts: 220V-240V/50-60Hz
 Power: 3KW
 NW: 50Kg

Model: **HEG-700**
 Dimension: 700x520x320mm
 Volts: 220V-240V/50-60Hz
 Power: 4.5KW
 NW: 65Kg



Electric Griddle & Salamander

Model: **HEG-580**
 Dimensions: 580x455x332mm
 Volts: 220-240V/50-60Hz
 Power: 2.4KW
 NW: 34Kg



Gas Griddle

Model: **HGG-350**
 Dimension: 350x520x320mm
 Power: 4KW/Hour
 NW: 40Kg



Model: **HGG-500**
 Dimension: 500x520x320mm
 Power: 8KW/Hour
 NW: 50Kg

Model: **HGG-700**
 Dimension: 700x520x320mm
 Power: 12KW/Hour
 NW: 65Kg



Gas Griddle (1/3 Grooved)

Model: **HGG-530-2**
 Dimension: 530x600x475mm
 Gas: LPG or Natural Gas
 Power: 10.7KW



Model: **HGG-600-2**
 Dimension: 600x600x475mm
 Gas: LPG or Natural Gas
 Power: 11.7KW

Model: **HGG-750-2**
 Dimension: 750x600x475mm
 Gas: LPG or Natural Gas
 Power: 11.7KW



Gas Griddle

Model: **HGG-718**
 Dimension: 550x480x420mm
 Packing Size: 615x555x445mm
 Power: 36.7Tu/hr
 NW: 30Kg



Gas Griddle

Model: **HGG-720**
 Dimension: 730x520x420mm
 Packing Size: 790x615x500mm
 Power: 37.8Tu/hr
 NW: 43Kg



Gas Griddle

Model: **HGG-721**
 Dimension: 550x480x420mm
 Packing Size: 615x555x445mm
 Power: 36.7Tu/hr
 NW: 30Kg



Gas Griddle

Model: **HGG-722**
 Dimension: 730x520x420mm
 Packing Size: 790x615x500mm
 Power: 37.8Tu/hr
 NW: 43Kg



Griddle



Pasta Cooker



Gas Griddle (1/3 Grooved)

Model: **HGG-752**
 Dimension: 760x650x550mm
 Gas: LPG or Natural Gas
 Power: 16KW/Hour
 N/W: 70Kg



Gas Griddle (All Flat)

Model: **HGG-753**
 Dimension: 760x650x550mm
 Gas: LPG or Natural Gas
 Power: 16KW/Hour
 N/W: 70Kg



Counter Top Electric Pasta Cooker

Model: **HEN-4A**
 Dimension: 410x570x280mm
 Volts: 220-240V/50-60Hz
 Power: 4KW
 N/W: 13Kg



Counter Top Electric Pasta Cooker

Model: **HEN-6A**
 Dimension: 590x550x280mm
 Volts: 220-240V/50-60Hz
 Power: 6KW
 N/W: 17Kg



Electric Pasta Cooker

Model: **HEN-4HX**
 Dimension: 430x690x950mm
 Volts: 220-240V/50-60Hz
 Power: 4KW
 N/W: 17Kg



Gas Griddle

Model: **HGG-24**
 Dimension: 610x620x440mm
 Gas: LPG or Natural Gas
 Power: 9KW
 N/W: 51Kg



Model: **HGG-36**
 Dimension: 915x620x440mm
 Gas: LPG or Natural Gas
 Power: 13.5KW
 N/W: 76Kg



Gas Griddle

Model: **HGG-48**
 Dimension: 1215x620x440mm
 Gas: LPG or Natural Gas
 Power: 18KW
 N/W: 105Kg



Gas Pasta Cooker

Model: **HEN-4HX**
 Dimension: 430x690x950mm
 Gas: LPG or Natural Gas
 Power: 56500BTU/Hour
 N/W: 20Kg



Gas Pasta Cooker

Model: **HGN-6HX**
 Dimension: 600x690x950mm
 Gas: LPG or Natural Gas
 Power: 84750BTU/Hour
 N/W: 31Kg



Electric Pasta Cooker

Model: **HEN-6HX**
 Dimension: 600x690x950mm
 Volts: 220-240V/50-60Hz
 Power: 6KW
 N/W: 22Kg

Food Warmer

- The designs with different shapes and colors.
- Different models with different functions, like to keep dry, keep wet, keep warm or keep cold.
- Keep wet, keep warm or keep cold.
- Removable crumb tray.
- Humidity pan prevents dryness.
- Thermostatically controlled temperature.
- Temperature indicating gauge for monitoring internal temperature.
- Convenient sliding doors provide quick, easy access.
- Interior light.

Food Warmer



Food Display Warmer

Model: HW-2x2
 Dimension: 700x655x730mm
 Volts: 220-240V/50-60Hz
 Power: 0.7KW
 N/W: 27Kg



Food Display Warmer

Model: HW-2x3
 Dimension: 1100x655x730mm
 Volts: 220-240V/50-60Hz
 Power: 1KW
 N/W: 35Kg



Model: HW-2x4
 Dimension: 1200x655x730mm
 Volts: 220-240V/50-60Hz
 Power: 1KW
 N/W: 43Kg



Food Display Warmer

Model: HW-6P-B
 Dimension: 1200x760x860mm
 Volts: 220-240V/50-60Hz
 Power: 3KW
 N/W: 94Kg



Model: HW-6P
 Dimension: 1500x760x860mm
 Volts: 220-240V/50-60Hz
 Power: 3.8KW
 N/W: 112Kg



Model: HW-6P-A
 Dimension: 1800x760x860mm
 Volts: 220-240V/50-60Hz
 Power: 4.2KW
 N/W: 152Kg



Model: HW-6P-C
 Dimension: 2200x760x860mm
 Volts: 220-240V/50-60Hz
 Power: 5.2KW
 N/W: 180Kg



Food Display Warmer

Model: HW-861
 Dimension: 350x455x580mm
 Volts: 220-240V/50-60Hz
 Power: 1.3KW
 N/W: 21Kg



Food Display Warmer

Model: HW-862
 Dimension: 650x455x580mm
 Volts: 220-240V/50-60Hz
 Power: 1.3KW
 N/W: 33Kg



Food Display Warmer

Model: HW-863
 Dimension: 900x455x580mm
 Volts: 220-240V/50-60Hz
 Power: 1.6KW
 N/W: 41Kg



Food Display Warmer

Model: HW-2P
 Dimension: 660x480x630mm
 Volts: 220-240V/50-60Hz
 Power: 0.8KW
 N/W: 21Kg



Model: HW-3P
 Dimension: 950x480x630mm
 Volts: 220-240V/50-60Hz
 Power: 1.2KW
 N/W: 30Kg



Food Warmer

Food Warmer



Food Display Warmer

Model: HW-2PS
 Dimension: 660x480x630mm
 Volts: 220~240V/50~60Hz
 Power: 0.8KW
 N/W: 21Kg

Model: HW-3PS
 Dimension: 950x480x630mm
 Volts: 220~240V/50~60Hz
 Power: 1.2KW
 N/W: 30Kg



Food Display Warmer

Model: HW-60-1
 Dimension: 660x480x610mm
 Volts: 220~240V/50~60Hz
 Power: 1.84KW
 N/W: 33Kg

Model: HW-60-2
 Dimension: 900x480x610mm
 Volts: 220~240V/50~60Hz
 Power: 1.84KW
 N/W: 50Kg

Model: HW-60-3
 Dimension: 1200x480x610mm
 Volts: 220~240V/50~60Hz
 Power: 2.2KW
 N/W: 72Kg



Pie Warmer

Model: HW-1P
 Dimension: 350x430x500mm
 Volts: 220~240V/50~60Hz
 Power: 0.85KW
 N/W: 18Kg



Food Display Warmer

Model: HW-500H
 Dimension: 380x420x760mm
 Volts: 220~240V/50~60Hz
 Power: 1.2KW
 N/W: 24Kg



Pizza Warming Showcase

Model: HW-13
 Dimension: 500x450x770mm
 Volts: 220V-240V/50-60Hz
 Power: 0.85KW
 Weight: 26Kg



Food Display Warmer

Model: HW-14
 Dimension: 550x450x770mm
 Volts: 220V-240V/50-60Hz
 Power: 0.85KW
 Weight: 38Kg



Food Display Warmer

Model: HW-580
 Dimension: 640x360x530mm
 Volts: 220~240V/50-60Hz
 Power: 1.0KW
 Weight: 45Kg

Model: HW-805
 Dimension: 865x360x825mm
 Volts: 220V-240V/50-60Hz
 Power: 1.5KW
 Weight: 60Kg



Food Display Warmer (Touch Screen)

Model: HW-500HA
 Dimension: 380x420x760mm
 Volts: 220~240V/50~60Hz
 Power: 1.2KW
 N/W: 24Kg



Food Display Warmer

Model: HW-600H
 Dimension: 480x540x840mm
 Volts: 220~240V/50~60Hz
 Power: 1.6KW
 N/W: 36Kg



Food Warmer



Pizza Display Warmer

Model: **HW-815**
 Dimension: 490x490x810mm
 Volts: 220-240V/50-60HZ
 Power: 0.65KW
 Weight: 15Kg



Pizza Display Warmer

Model: **HW-816**
 Dimension: 490x490x810mm
 Volts: 220-240V/50-60HZ
 Power: 0.65KW
 Weight: 15Kg



Electric Warming Tray

Model: **HTC-2F**
 Dimension: 730x580x550mm
 Volts: 220-240V/50-60Hz
 Power: 0.8KW
 Weight: 14Kg



Infrared Warm lamp

Model: **HW-819A (1-Lamp)**
 Dimension: 580x430x330mm
 Volts: 220-240V/50-60Hz
 Power: 0.25KW



Model: **HW-819B (2-Lamp)**
 Dimension: 335x560x465mm
 Volts: 220-240V/50-60Hz
 Power: 0.05KW



Model: **HW-819C (3-Lamp)**
 Dimension: 810x350x440mm
 Volts: 220-240V/50-60Hz
 Power: 0.75KW



Food Warmer



Food Warmer Cart

Model: **HW-11-5F**
 Dimension: 790x970x1350mm
 Inner Size: 540x680x940mm
 Volts: 220-240V
 Power: 2.62KW
 Layer Distance: 160mm
 Layer Number: 5-layer



Food Warmer Cart

Model: **HW-11-21**
 Dimension: 790x970x1750mm
 Inner Size: 540x680x1380mm
 Volts: 220-240V
 Power: 2.62KW
 Layer Distance: 115mm
 Layer Number: 11-layer



Food Warmer Cart

Model: **HW-11-21**
 Dimension: 1540x975x1795mm
 Inner Size: 1350x680x1380mm
 Volts: 220-240V
 Power: 2.62KW
 Layer Distance: 115mm
 Layer Number: 22-layer



Sushi Display Cooler

Model: **HSD-1200**
 Dimension: 1200x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.23KW

Sushi Display Cooler

Model: **HSD-1200-2**
 Dimension: 1200x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.35KW



Model: **HSD-1500**
 Dimension: 1500x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.32KW

Model: **HSD-1500-2**
 Dimension: 1500x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.39KW

Model: **HSD-1800**
 Dimension: 1800x350x340mm
 Volts: 220-240V/50-60Hz
 Power: 0.34KW

Model: **HSD-1800-2**
 Dimension: 1800x350x500mm
 Volts: 220-240V/50-60Hz
 Power: 0.41KW

Infrared Lamps



Bronze Black Silver

Infrared Lamps

Model: **A031**
Power: 220V/250W
Diameter: 175mm
Adjustable Height: 0.6~1.8m

Infrared Lamps

Model: **A032**
Power: 220V/250W
Diameter: 175mm
Adjustable Height: 0.6~1.8m



Bronze Black Silver

Infrared Lamps

Model: **A033**
Power: 220V/250W
Diameter: 270mm
Adjustable height: 0.6~1.8m



Bronze Black Silver

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.

Popcorn Machine



Popcorn Machine

Model: **HP-6B**
Dimension: 560x420x760mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine

Model: **HP-6C**
Dimension: 560x420x760mm
Volts: 220-240V/50-60Hz
Power: 1.44KW



Popcorn Machine

Model: **HP-6A**
Dimension: 500x370x680mm
Volts: 220-240V/50-60Hz
Power: 1.44KW

Model: **HP-16A**
Dimension: 750x550x1100mm
Volts: 220-240V/50-60Hz
Power: 2.34KW



Popcorn Machine & Warming Showcase

Model: **HW-P8**
Dimension: 900x420x740mm
Volts: 220-240V/50-60Hz
Power: 1.9KW

Model: **HW-P16**
Dimension: 1290x600x1000mm
Volts: 220-240V/50-60Hz
Power: 3.5KW



Popcorn Machine

Model: **HP-6D**
Dimension: 500x400x700mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
NW: 22Kg



Popcorn Machine

Model: **HP-800**
Dimension: 520x450x650mm
Volts: 220-240V/50-60Hz
Power: 1.44KW

Popcorn Machine

- Charming designs and excellent product display make these units a winner.
- Different designs and dimensions are available. Ideal for cafes, canteens, outdoor events, restaurants, etc.
- Non-Stick kettle.
- High efficiency stainless steel heating element.
- Hinge down feature for easy loading popcorn.
- Bottom element ensures that popcorn stays warm.
- Hygienic and easy to clean.



Popcorn Machine

Model: HP-2488
 Dimension: 505x350x680mm
 Volts: 220-240V
 Power: 1.2KW
 N/W: 22Kg



Popcorn Machine Cart

Model: HPC-6
 Dimension: 940x500x825mm



Popcorn Machine Cart

Model: HP-LC
 Dimension: 2070x760x2070mm
 Packing Size: 2080x860x680mm

Popcorn Machine



Popcorn Machine with Cart

Model: HP-800C
 Dimension: 800x470x1540mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW



Popcorn Machine with Cart

Model: HP-DC
 Dimension: 910x490x1630mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 N/W: 38Kg



Popcorn Machine with Cart

Model: HP-CC
 Dimension: 940x450x1540mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW



Popcorn Machine with Cart

Model: HP-BC
 Dimension: 940x450x1540mm
 Volts: 220-240V/50-60Hz
 Power: 1.44KW

Candy Floss Machine



Our high output Candy Floss Machines are used by professional operators all over the world, very popular among stadiums, carnivals, arenas, department stores, festivals, amusement parks or other large venue. When you need to have high quantities of cotton candy in a short period of time-these workhorses are the machines to use.

Pink color and orange color are available. Adjustable temperature control. All Candy Floss Machines come with a dedicated sugar spoon. Over-temperature protection device.



Electric Candy Floss Machine

Model: **HEC-01**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 0.93KW



Electric Candy Floss Machine

Model: **HEC-02**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.93KW



Plastic Cover

Model: PC-C3/PC-C4



Electric Candy Floss Machine

Model: **HEC-03N**
Dimension: 520X520X300mm
Packing Size: 53x53x32mm
Volts: 220-240V/50-60Hz
Power: 0.93 KW



Electric Candy Floss Machine

Model: **HEC-03**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 0.93KW



Electric Candy Floss Machine

Model: **HEC-04**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.93KW



Electric Candy Floss Machine With Cart

Model: **HEC-03C**
Dimension: 460x700x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW



Gas Candy Floss Machine With Cart

Model: **HGC-03C**
Dimension: 460x700x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW

Model: **HEC-04C**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 0.9KW

Model: **HGC-04C**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/Hour + 0.3KW



Gas Candy Floss Machine

Model: **HGC-03**
Dimension: 460x460x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW



Gas Candy Floss Machine

Model: **HGC-04**
Dimension: 730x730x500mm
Volts: 220-240V/50-60Hz
Power: 1KW/h+0.08KW



Electric Candy Floss Machine

Model: **HEC-05**
Dimension: 350x350x170mm
Volts: 220-240V/50-60Hz
Power: 0.5KW

Bain Marie

- All stainless steel body.
- With stainless steel G/N pans.
- High efficiency heating elements.
- Variable heat control.
- Tap for easy drainage.
- Great for buffets, serving lines, restaurants,
- Outside caterers, completely portable.



Chocolate Stove

Model: **HW-22 (2-Pan)**
Dimension: 220x530x180mm
Volts: 220-240V/50-60Hz
Power: 1KW N/W: 7Kg

Model: **HW-23 (3-Pan)**
Dimension: 230x640x180mm
Volts: 220-240V/50-60Hz
Power: 2KW N/W: 9Kg

Model: **HW-24 (4-Pan)**
Dimension: 370x480x180mm
Volts: 220-240V/50-60Hz
Power: 3KW N/W: 10Kg



Electric Bain Marie

Model: **HB-750**
Dimension: 750x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
N/W: 18Kg



Electric Bain Marie

Model: **HB-4**
Dimension: 705x580x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 14.3Kg

Model: **HB-4V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 16.5Kg



Electric Bain Marie

Model: **HB-1080**
Dimension: 1080x750x280mm
Volts: 220-240V/50-60Hz
Power: 3KW
Weight: 28.2Kg



Electric Bain Marie

Model: **HB-3**
Dimension: 575x450x275mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 12Kg

Model: **HB-3V**
Dimension: 580x450x240mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 10Kg



Electric Bain Marie

Model: **HB-6V**
Dimension: 700x600x280mm
Volts: 220-240V/50-60Hz
Power: 1.5KW
N/W: 19Kg



Table Top Bain Marie

Model: **HB-M2**
Dimensions: 355x600x360mm
Volts: 220-240V/50-60Hz
Power: 1.2KW
N/W: 12Kg



Electric Bain Marie

Model: **HB-904**
Dimension: 715x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 27Kg

Model: **HB-906**
Dimension: 615x560x380mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 25Kg



Electric Bain Marie

Model: **HB-2T**
Dimension: 430x680x280mm
Volts: 220-240V/50-60Hz
Power: 1.6KW
N/W: 12Kg



Electric Bain Marie

Model: **HB-4TA**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 26Kg

Model: **HB-4T**
Dimension: 750x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 18Kg

Model: **HB-6T**
Dimension: 1100x680x290mm
Volts: 220-240V/50-60Hz
Power: 1.6KW N/W: 27Kg

Bain Marie



Electric Bain Marie

Model: **HBM-100**
 Dimension: 1165x370x400mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 1/2x4"x1 + 1/3x4"x4

Model: **HBM-150**
 Dimension: 1530x370x400mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 1/2x4"x1 + 1/3x4"x6

Electric Bain Marie

Model: **HBM-143**
 Dimension: 855x370x410mm
 Packing Size: 885x400x425mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Capacity: 1/3x100x4

Model: **HBM-163**
 Dimension: 1200x370x410mm
 Packing Size: 1230x400x425mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Capacity: 1/3x100x6

Model: **HBM-183**
 Dimension: 1560x370x410mm
 Packing Size: 1590x400x425mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 1/3x100x8

Electric Bain Marie

Model: **HBM-169**
 Dimension: 1710x370x400mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 1/2x4"x1 + 1/3x4"x7

Model: **HBM-204**
 Dimension: 2070x370x400mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 1/2x4"x3 + 1/3x4"x6

Electric Bain Marie

Model: **HBM-24**
 Dimension: 940x350x360mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Capacity: 4x(1/2x100)Pan

Model: **HBM-25**
 Dimension: 1200x350x360mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 5x(1/2x100)Pan

Model: **HBM-26**
 Dimension: 1450x350x360mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 6x(1/2x100)Pan




Tabletop Bain Marie

Model: **HBM-20-1**
 Dimension: 1175x460x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.3KW
 Capacity: 4x(1/2x150)Pan

Model: **HBM-20-2**
 Dimension: 1450x460x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 5x(1/2x150)Pan

Model: **HBM-20-3**
 Dimension: 1725x460x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 6x(1/2x150)Pan



Tabletop Bain Marie

Model: **HBM-21-1**
 Dimension: 1080x660x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Capacity: 3x(1/1x150)Pan

Model: **HBM-21-2**
 Dimension: 1415x660x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 Capacity: 4x(1/1x150)Pan

Model: **HBM-21-3**
 Dimension: 1750x660x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 5x(1/1x150)Pan

Model: **HBM-21-4**
 Dimension: 2085x660x700mm
 Volts: 220-240V/50-60Hz
 Power: 1.8KW
 Capacity: 6x(1/1x150)Pan



Barbecue Oven



- Vertical broiling function, high efficient heating element.
- The process of rotating can be seen at a glance. the machine is made of good quality stainless steel, easy to clean and is in accordance with food hygiene regulations, transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate, safe and energy-saving

Rotisserie



Electric Smokeless Barbecue Oven

Model: **HBO-70**
 Dimension: 660x350x210mm
 Volts: 220-240V/50-60Hz
 Power: 3KW



Gas Smokeless Barbecue Oven

Model: **HBO-70G**
 Dimension: 700x400x240mm
 Power: 19410BTU/hr



Electric Smokeless Barbecue Oven

Model: **HBO-110**
 Dimension: 1100x370x210mm
 Volts: 220-240V/50-60Hz
 Power: 6KW



Gas Smokeless Barbecue Oven

Model: **HBO-110G**
 Dimension: 1170x400x240mm
 Power: 25880BTU/hr



Gas Shawarma

Model: **HGS-R2**
 Dimensions: 480x630x790mm
 Gas: LPG or Natural Gas
 Power: 9KW/Hour
 N/W: 27Kg

Model: **HGS-R3**
 Dimension: 530x630x920mm
 Gas: LPG or Natural Gas
 Power: 9.9KW/Hour
 N/W: 31Kg



Gas Shawarma

Model: **HGS-R4**
 Dimension: 530x630x1050mm
 Gas: LPG or Natural Gas
 Power: 14.8KW/Hour
 N/W: 34Kg



Kebab Slicer

Model: **KS-100E**
 Size: 280x240x190mm
 Blade: Dia.100mm
 Volts: 110-220V/50-60Hz
 Power: 80W
 Two Blade changeable



Gas Shawarma

Model: **HGS-R5**
 Dimension: 530x630x1220mm
 Gas: LPG or Natural Gas
 Power: 19.7KW/Hour
 N/W: 40Kg



Electric Shawarma

Model: **HES-E2**
 Dimension: 535x610x960mm
 Volts: 3N-380V
 Power: 9.9KW
 N/W: 31Kg

Rotisserie

Rotisserie

- Vertical broiling function, high efficient heating element.
- The process of rotating can be seen at a glance, the machine is made of good quality stainless steel, easy to clean and is in accordance with food hygiene regulations, transparent door and built-in tungsten lamp for the user is designed to ensure even heating the barbecue food.
- Electronic temperature controller is fixed for automatic control of temperature.
- Easy to operate, safe and energy-saving

Super Star Product



Electric/Gas Chicken Rotisserie

Model: HEJ-266
 Dimension: 810x630x610mm
 Volts: 220~240V/50~60Hz
 Power: 4.5KW
 N/W: 65Kg
 4 basket for 8~12 chickens

Model: HGJ-366
 Dimension: 810x630x610mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 8.2KW
 N/W: 63Kg
 4 basket for 8~12 chickens



Electric/Gas Chicken Rotisserie

Model: HEJ-268
 Dimension: 1010x630x880mm
 Volts: 220~240V/50~60Hz
 Power: 6KW
 N/W: 81Kg
 4 basket for 12~16 chickens

Model: HGJ-368
 Dimension: 1010x630x880mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 8.2KW
 N/W: 74Kg
 4 basket for 12~16 chickens



Electric/Gas Chicken Rotisserie

Model: HEJ-206
 Dimension: 550x740x1600mm
 Volts: 220~240V/50~60Hz
 Power: 6.7KW
 N/W: 106kg
 12 Hangers for 12~24 chickens

Model: HGJ-306
 Dimension: 550x740x1600mm
 Volts: 220~240V/50~60Hz
 Gas: LPG or Natural Gas
 Power: 9.2KW
 N/W: 91kg
 12 Hangers for 12~24 chickens



Electric Chicken Rotisserie

Model: HEJ-201
 Dimension: 1000x900x1060mm
 Volts: 3N~380V
 Power: 9.3KW
 N/W: 134kg
 Capacity: 30 chickens

Model: HEJ-202
 Dimension: 1000x900x2020mm
 Volts: 3N~380V
 Power: 18.6KW
 N/W: 270kg
 Capacity: 60 chickens

Super Star Product



Rotisserie (3-Rod)

Model: HGJ-3P
 Dimensions: 1180x490x830mm
 Volts: 220V-240V/50-60Hz
 Power: 10KW/Hour + 0.2KW

Model: HEJ-3P
 Dimensions: 1180x490x830mm
 Volts: 380V
 Power: 6KW

3 Rods for 12-15 Chickens.

Rotisserie (6-Rod)

Model: HGJ-6P
 Dimensions: 1180x490x1380mm
 Volts: 220V-240V/50-60Hz
 Power: 20KW/Hour + 0.3KW

Model: HEJ-6P
 Dimensions: 1180x490x1380mm
 Volts: 380V
 Power: 12.3KW

6 Rods for 24-30 Chickens.

Rotisserie (9-Rod)

Model: HGJ-9P
 Dimensions: 1180x490x1880mm
 Volts: 220V-240V/50-60Hz
 Power: 30KW/Hour + 0.4KW

Model: HEJ-9P
 Dimensions: 1180x490x1880mm
 Volts: 380V
 Power: 18.4KW

9 Rods for 36-45 Chickens.



Pizza Oven

Pizza Oven



Electric/Gas Pizza Oven

Model: HEP-1
 Dimension: 890x790x430mm
 Volts: 3N-380V
 Power: 4.2KW
 N/W: 48kg

Model: HGP-1
 Dimension: 910x780x430mm
 Volts: 220V~50Hz
 Gas: LPG
 Power: 6KW/Hour+0.1KW
 Inner size: 600x600x150mm
 N/W: 48kg



Electric Pizza Oven

Model: HEP-2PR
 Temperature: 0-350°C
 Pizza Stone Size: 400x400mmx2pcs
 Machine Size: 560x570x440mm
 Packing Size: 610x570x480mm
 Volts: 220-240V
 Power: 3KW
 N/W: 33Kg



Electric Pizza Oven

Model: HEP-1ST
 Temperature: 0-350°C
 Pizza Stone Size: 400x400mmx2pcs
 Machine Size: 560x570x280mm
 Packing Size: 610x570x320mm
 Volts: 220-240V/50-60Hz
 Power: 3KW
 N/W: 24Kg



Electric/Gas Pizza Oven

Model: HEP-2
 Dimension: 890x790x750mm
 Volts: 3N-380V
 Power: 8.4KW
 N/W: 90Kg

Model: HGP-2
 Dimension: 910x780x750mm
 Volts: 220V~50Hz
 Gas: LPG
 Power: 9.4KW
 Inner size: 600x600x150mm
 N/W: 90Kg



Electric Pizza Oven

Model: HEP-01-1
 Temperature: 0-350°C
 Pizza Stone Size: 638x430mmx1pcs
 Machine Size: 870x600x345mm
 Volts: 220-240V/380V
 Power: 4.2KW



Electric Pizza Oven

Model: HEP-2ST
 Temperature: 0-350°C
 Pizza Stone Size: 400x400mmx2pcs
 Machine Size: 560x570x440mm
 Packing Size: 610x570x480mm
 Volts: 220-240V/50-60Hz
 Power: 3KW
 N/W: 33Kg



Electric Conveyor Pizza Oven

Model: HEP-12
 Dimension: 1100x570x360mm
 Volts: 220V-240V/50-60Hz
 Power: 6.7KW
 Work Station Dimension: 350x1000mm
 N/W: 60Kg

Gas Conveyor Pizza Oven

Model: HGP-12
 Dimension: 1100x570x430mm
 Power: 12KW/Hour + 0.1KW
 Work Station Dimension: 350x1000mm
 N/W: 60Kg

Electric Conveyor Pizza Oven

Model: HEP-18
 Dimension: 1560x750x360mm
 Volts: 380V
 Power: 10.3KW
 Work Station Dimension: 500x1450mm
 N/W: 96Kg

Gas Conveyor Pizza Oven

Model: HGP-18
 Dimension: 1560x750x430mm
 Power: 15KW/Hour + 0.1KW
 Work Station Dimension: 500x1450mm
 N/W: 96Kg



Electric Conveyor Pizza Oven

Model: HEP-32
 Dimension: 2500x1060x450mm
 Volts: 380V
 Power: 25.5KW
 Work Station Dimension: 850x1800mm
 N/W: 140Kg

Gas Conveyor Pizza Oven

Model: HGP-32
 Dimension: 2200x1060x430mm
 Power: 30KW/Hour + 0.2KW
 Work Station Dimension: 850x1800mm
 N/W: 140Kg



Baking Oven



Electric Oven

- | | |
|---|--|
| <p>Model: HEO-11
Machine Size: 880x580x350mm
Packing Size: 930x650x420mm
Volts: 220-240V/50Hz
Power: 3.2KW
N/W: 40Kg</p> | <p>Model: HEO-13
Machine Size: 1650x815x580mm
Packing Size: 1670x890x590mm
Volts: 220-240V/380V
Power: 8KW
N/W: 120Kg</p> |
| <p>Model: HEO-12
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 83Kg</p> | |



Gas Oven

- | | |
|--|---|
| <p>Model: HGO-11
Machine Size: 810x890x650mm
Packing Size: 850x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 48Kg</p> | <p>Model: HGO-13
Machine Size: 1760x890x650mm
Packing Size: 1800x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 150Kg</p> |
| <p>Model: HGO-12
Machine Size: 1330x890x650mm
Packing Size: 1380x950x680mm
Volts: 220-240V/50Hz
Power: 0.05 KW
N/W: 109Kg</p> | |

Electric Oven

- | | |
|---|---|
| <p>Model: HEO-22
Machine Size: 880x580x770mm
Packing Size: 930x650x790mm
Volts: 220-240V/50Hz
Power: 6.4KW
N/W: 60Kg</p> | <p>Model: HEO-26
Machine Size: 1650x815x1260mm
Packing Size: 1670x890x1290mm
Volts: 3N-380V/50Hz
Power: 16KW
N/W: 250 Kg</p> |
| <p>Model: HEO-24
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW
N/W: 140Kg</p> | |



Rack need to be order separate

Gas Oven

- | | |
|--|---|
| <p>Model: HGO-24
Machine Size: 1330x890x1430mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1 KW
N/W: 196Kg
Rack need to be order separate</p> | <p>Model: HGO-26
Machine Size: 1760x890x1430mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 310Kg
Rack need to be order separate</p> |
|--|---|



Electric Oven

- | | |
|--|--|
| <p>Model: HEO-36
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 202Kg</p> | <p>Model: HEO-39
Machine Size: 1650x815x1530mm
Packing Size: 1670x890x1550mm
Volts: 3N-380V/50Hz
Power: 25KW
N/W: 265Kg</p> |
|--|--|



Gas Oven

- | | |
|---|---|
| <p>Model: HGO-36
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 267Kg</p> | <p>Model: HGO-39
Machine Size: 1760x890x1660mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 330Kg</p> |
|---|---|



Baking Oven



Electric Oven

- Model: HEO-12A**
Machine Size: 1220x815x580mm
Packing Size: 1270x890x590mm
Volts: 220-240V/50Hz
Power: 6.6KW
N/W: 85Kg
- Model: HEO-13A**
Machine Size: 1650x815x580mm
Packing Size: 1670x890x590mm
Volts: 220-240V/380V
Power: 8KW
N/W: 122Kg



Gas Oven

- Model: HGO-12A**
Machine Size: 1330x890x650mm
Packing Size: 1380x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 111Kg
- Model: HGO-13A**
Machine Size: 1760x890x650mm
Packing Size: 1800x950x680mm
Volts: 220-240V/50Hz
Power: 0.05KW
N/W: 152Kg

Electric Oven

- Model: HEO-24A**
Machine Size: 1220x815x1260mm
Packing Size: 1270x890x1290mm
Volts: 220-240V/380V
Power: 13.2KW
N/W: 144Kg
Rack need to be order separate
- Model: HEO-26A**
Machine Size: 1650x818x1260mm
Packing Size: 1670x890x1290mm
Volts: 3N-380V/50Hz
Power: 16KW
N/W: 254Kg
Rack need to be order separate



Gas Oven

- Model: HGO-24A**
Machine Size: 1330x890x1430mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 200Kg
Rack need to be order separate
- Model: HGO-26A**
Machine Size: 1780x890x1430mm
Packing Size: 1800x950x1750mm
Volts: 220-240V/50Hz
Power: 0.1KW
N/W: 314Kg
Rack need to be order separate



Electric Oven

- Model: HEO-36A**
Machine Size: 1220x815x1530mm
Packing Size: 1270x890x1550mm
Volts: 3N-380V/50Hz
Power: 19.5KW
N/W: 208Kg
- Model: HEO-38A**
Machine Size: 1650x815x1530mm
Packing Size: 1670x890x1550mm
Volts: 3N-380V/50Hz
Power: 25KW
N/W: 277Kg



Gas Oven

- Model: HGO-36A**
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 273Kg
- Model: HGO-38A**
Machine Size: 1330x890x1660mm
Packing Size: 1380x950x1750mm
Volts: 220-240V/50Hz
Power: 0.15KW
N/W: 339Kg



Digital Control Baking Oven & Electric Prover

Convection Oven



Digital Control Baking Oven

Model: HEO-11B(1-Deck-1-Tay)
Machine Size: 960x970x320mm
Volts: 220-240V/380V
Power: 3.2KW



Digital Control Baking Oven

Model: HEO-24B(2-Deck-4-Tay)
Machine Size: 1330x815x1320mm
Volts: 220-240V/380V
Power: 13W



Electric Convection Oven

Model: HEB-4F
Dimension: 595x600x580mm
Volts: 220V/50Hz
Power: 2.6KW
N/W: 39Kg



Electric Convection Oven

Model: HEB-8F
Dimension: 835x770x580mm
Volts: 220V/50Hz
Power: 6.4KW
N/W: 56Kg



Electric Prover

Model: HEO-11B(1-Deck-1-Tay)
MachinModel: FJ-13
Dimension: 490x690x1660mm
Volts: 220V/50Hz
Power: 2.6KW
Capacity: 13 Pans
Production: 20Kg/Hour



Electric Prover

Model: FJ-26
Dimension: 1000x690x1660mm
Volts: 220V/50Hz
Power: 2.8KW
Capacity: 26 Pans
Production: 60Kg/Hour

Model: FJ-16
Dimension: 490x690x1860mm
Volts: 220V/50Hz
Power: 2.6KW
Capacity: 16 Pans
Production: 40Kg/Hour
Size: 960x970x320mm
Volts: 220-240V/380V
Power: 3.2KW

Model: FJ-32
Dimension: 1000x690x1860mm
Volts: 220V/50Hz
Power: 2.8KW
Capacity: 32 Pans
Production: 120Kg/Hour



Electric Convection Oven

Model: HE0-07
Dimension: 680x650x620mm
Volts: 220V/50Hz
Power: 3.15KW
N/W: 45Kg



Electric Convection Oven

Model: HEO-08
Dimension: 880x800x600mm
Volts: 220V/50Hz
Power: 6.8KW
N/W: 65Kg

Convection Oven

Combi Oven Series



Electric Convection Oven

Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Voltage	Power	Packing Size(mm)	Weight
HEA-3	930x890x670	700x500x340	465x600x337/90	220V/50Hz	4.4KW	1060x1080x780	80/90Kg
HEA-5	930x890x830	700x500x500	465x600x498/90	380V/50Hz	7.4KW	1060x1080x950	110/120Kg
HEA-8	930x890x1100	700x500x775	465x600x768/90	380V/50Hz	9.4KW	980x1080x1200	160/180Kg
HEA-12	930x890x1550	700x500x1225	465x600x1218/95	380V/50Hz	12.8KW	1060x1080x1880	220/240Kg
HEA-16	930x890x1550	700x500x1225	465x600x1218/73	380V/50Hz	16.2KW	1060x1080x1880	220/240Kg



Gas Convection Oven

Model	Dimensions(mm)	Inner Size(mm)	Rack Size(mm)	Power(V/Hz/KW)	Heat Flux	Packing Size(mm)	Weight
HGA-5	930x890x830+130	700x500x500	465x600x498/90	220/50/0.6	10KW/H	1060x1080x950	110/120Kg
HGA-8	930x890x1100+130	700x500x775	465x600x768/90	220/50/0.6	12KW/H	980x1080x1200	160/180Kg
HGA-12	930x890x1550+130	700x500x1225	465x600x1218/95	220/50/1	16KW/H	1060x1080x1880	220/240Kg
HGA-16	930x890x1550+130	700x500x1225	465x600x1218/73	220/50/1.2	20KW/H	1060x1080x1880	220/240Kg



20-Tray Combi-Steamer

- Model: **HX-201BQ1**
- Dimension: 910x820x1880mm
- Internal Dimensions: 440x645x1468mm
- Layer Height: 60mm
- Volts: 380V
- Power: 37KW
- Capacity(GN1/1): 20 Individual GN1/1x1" Pan



6-Tray Combi-Steamer

- Model: **HX-06-11-L**
- Dimension: 910x820x900mm
- Internal Dimensions: 440x645x580mm
- Layer Height: 67mm
- Volts: 380V
- Power: 12.5KW
- Capacity(GN1/1): 6 Individual GN1/1x1" Pan



10-Tray Combi-Steamer

- Model: **HX-10-11-M**
- Dimension: 910x820x1080mm
- Internal Dimensions: 440x645x770mm
- Layer Height: 67mm
- Volts: 380V
- Power: 18.5KW
- Capacity(GN1/1): 10 Individual GN1/1x1" Pan

Salamander

- Perfect for restaurants, pubs, coffee shops, etc.
- These salamanders are ideal for: toasting, defrosting of ready-made dishes, reheating food, like: fish, pizzas, croissants, sausage rolls, fried eggs, cheese sandwiches, and so on.
- All stainless steel body with adjustable layers.
- Attenuator inside, safety and improve thermal efficiency.
- Electric models and gas models are available.



Electric Hanging Salamander

Model: **HES-936**
 Dimension: 610x310x280mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW
 N/W: 10.8kg



Electric Hanging Salamander

Model: **HES-937**
 Dimension: 790x450x490mm
 Volts: 220V-240V/50-60Hz
 Power: 4KW
 N/W: 23.6Kg

Model: **HES-938**
 Dimension: 580x390x380MM
 Volts: 220V-240V/50-60Hz
 Power: 2.2KW
 N/W: 15.8Kg



Electric Lift Salamander

Model: **HES-450**
 Dimension: 450x510x530mm
 Volts: 220V-240V/50-60Hz
 Power: 2.8KW
 N/W: 36Kg

Model: **HES-600**
 Dimension: 600x520x530mm
 Volts: 220-240V
 Power: 4KW
 N/W: 45Kg



Gas Salamander

Model: **HGS-14**
 Dimension: 610x460x610mm
 Power: 24TU/hr
 N/W: 31.6Kg



Gas Salamander

Model: **HGS-16**
 Dimension: 860x460x610mm
 Power: 42TU/hr
 N/W: 47.2Kg



Electric Salamander

Model: **HES-360B**
 Dimension: 470x270x420mm
 Packing Size: 500x300x450mm
 Volts: 220V-240V/50-60Hz
 Power: 3.15KW

Model: **HES-370B**
 Dimension: 460x250x280mm
 Packing Size: 490x280x310mm
 Volts: 220V-240V/50-60Hz
 Power: 2KW



Char Grill



Electric Lava Rock Grill

Model: **HEL-928**
 Dimension: 460x600x400mm
 Volts: 220V/50Hz
 Power: 5KW



Gas Char Grill

Model: **HGL-82**
 Dimension: 360x770x460mm
 Gas: LPG or Natural Gas
 Heating: 8KW/Hour

Model: **HGL-84**
 Dimension: 620x770x460mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour



Gas/Electric Lava Rock Grill

Model: **HGL-741**
 Dimension: 760x650x550mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour

Model: **HEL-841**
 Dimension: 760x650x550mm
 Volts: 220V/50Hz
 Power: 9KW



Gas Char Grill

Model: **HGL-86**
 Dimension: 880x770x460mm
 Gas: LPG or Natural Gas
 Heating: 24KW/Hour

Model: **HGL-88**
 Dimension: 1170x770x460mm
 Gas: LPG or Natural Gas
 Heating: 32KW/Hour



Gas Lava Rock Grill

Model: **HGL-978**
 Dimension: 760x590x410mm
 Gas: LPG or Natural Gas
 Heating: 16KW/Hour

Gas Stove



Gas Stove

Model: HGS-1
 Dimension: 445x570x590mm
 Gas: LPG or Natural Gas
 Heating: 24.7KW/84280BTU
 N/W: 47Kg



Gas Stove

Model: HGS-2
 Dimension: 305x770x375mm
 Gas: LPG or Natural Gas
 Heating: 15.5KW/53000BTU
 N/W: 34Kg



Gas Stove

Model: HGS-4
 Dimension: 610x770x375mm
 Gas: LPG or Natural Gas
 Heating: 25.2KW/86000BTU
 N/W: 59Kg



Gas Stove

Model: HGS-6
 Dimension: 915x770x375mm
 Gas: LPG or Natural Gas
 Heating: 46.6KW/159000BTU
 N/W: 84Kg



Hot-dog Grill



Hot Dog Grill

Model: HHD-05 (5-Roller)
 Dimension: 560x255x190mm
 Volts: 220V/50Hz
 Power: 1KW
 N/W: 8kg



Model: HHD-07 (7-Roller)
 Dimension: 560x330x190mm
 Volts: 220V/50Hz
 Power: 1.4KW
 N/W: 9kg



Model: HHD-09 (9-Roller)
 Dimension: 560x410x190mm
 Volts: 220V/50Hz
 Power: 1.8KW
 N/W: 13kg

Model: HHD-11 (11-Roller)
 Dimension: 560x485x190mm
 Volts: 220V/50Hz
 Power: 2.2KW
 N/W: 16kg



Hot Dog Steamer

Model: HHD-03
 Dimension: 467x300x385mm
 Volts: 220V/50Hz
 Power: 0.7KW
 N/W: 9kg



Hot Dog Steamer

Model: HHD-04
 Dimension: 360x360x460mm
 Volts: 220V/50Hz
 Power: 0.8KW
 N/W: 10kg



Hot Dog Grill & Food Warmer

Model: HHD-09A
 Dimension: 460x515x385mm
 Volts: 220V/50Hz
 Power: 1.2KW

Model: HHD-11A
 Dimension: 660x575x385mm
 Volts: 220V/50Hz
 Power: 1.55KW

Food Warmer

Model: HW-81 (1-Drawer)
 Dimension: 750x580x400MM
 Volts: 220-240V/50-60Hz
 Power: 1KW

Model: HW-82 (2-Drawer)
 Dimension: 750x580x650mm
 Volts: 220-240V/50-60Hz
 Power: 2KW

Model: HW-83 (3-Drawer)
 Dimension: 750x580x900mm
 Volts: 220-240V/50-60Hz
 Power: 3KW



Toaster

Crepe Maker



4-Slice Toaster

Model: HET-4
 Dimension: 370x210x225mm
 Volts: 220-240V/50-60Hz
 Power: 2.3KW
 N/W: 4Kg



6-Slice Toaster

Model: HET-6
 Dimension: 460x210x225mm
 Volts: 220-240V/50-60Hz
 Power: 3.24KW
 N/W: 5Kg



9-Slice Toaster(San Blast Finish)

Model: HT-01
 Dimension: 540x400x290mm
 Volts: 220-240V/50-60Hz
 Power: 2.2KW
 N/W: 12Kg



Electric Conveyor Toaster

<p>Model: HET-150 Dimension: 560x320x200mm Packing Size: 510x380x380mm Volts: 220-240V/50-60Hz Power: 1.3KW N/W: 12Kg G.W: 14Kg</p>	<p>Model: HET-300 Dimension: 560x385x200mm Packing Size: 510x440x380mm Volts: 220-240V/50-60Hz Power: 2.2KW N/W: 13.2Kg G.W: 16Kg</p>
<p>Model: HET-450 Dimension: 560x460x200mm Packing Size: 510x540x380mm Volts: 220-240V/50-60Hz Power: 2.6KW N/W: 30.5Kg G.W: 33.5Kg</p>	



1-Plate Electric/Gas Crepe Maker



Model: HCM-1
 Dimension: 450x470x230mm
 Volts: 220V/50Hz
 Power: 3KW
 N/W: 23Kg

Model: HCM-1G
 Dimension: 450x470x230mm
 Gas: LPG
 Power: 4KW/Hour
 N/W: 23Kg



2-Plate Electric Crepe Maker

Model: HCM-2
 Dimension: 860x470x230mm
 Volts: 220V/50Hz
 Power: 6KW
 N/W: 44Kg



2-Plate Gas Crepe Maker

Model: HCM-2G
 Dimension: 860x470x230mm
 Gas: LPG
 Power: 8KW/Hour
 N/W: 44Kg



1-Plate Electric Crepe Maker

Model: HCM-400
 Dimension: 400x400x190mm
 Volts: 220V/50Hz
 Power: 2.2KW
 N/W: 20Kg



1-Plate Gas Crepe Maker

Model: HCM-400G
 Dimension: 400x400x200mm
 Gas: LPG
 Power: 4KW/Hour
 N/W: 20Kg


Waffle Baker

Snack food Equipment



1-Plate Waffle Baker

Model: HWB-1
 Dimension: 250x350x260mm
 Volts: 220-240V/50-60Hz
 Power: 1KW
 N/W: 5.4Kg



2-Plate Waffle Baker

Model: HWB-2
 Dimension: 500x350x260mm
 Volts: 220-240V/50-60Hz
 Power: 2KW
 N/W: 10.4Kg



1-Plate Cone Baker

Model: HCB-1
 Dimension: 282x380x230mm
 Volts: 220-240V/50-60Hz
 Power: 1KW
 N/W: 6.4Kg



2-Plate Cone Baker

Model: HCB-2
 Dimension: 570x380x230mm
 Volts: 220-240V/50-60Hz
 Power: 2KW
 N/W: 12.4Kg



1-Plate Waffle Baker

Model: HWB-1S
 Dimension: 282x380x230mm
 Volts: 220-240V/50-60Hz
 Power: 1.6KW
 N/W: 11.6Kg



2-Plate Waffle Baker

Model: HWB-2S
 Dimension: 570x380x230mm
 Volts: 220-240V/50-60Hz
 Power: 3.2KW
 N/W: 20.5Kg



Hong Kong Egg Waffle Maker

Model: HX-6
 Dimension: 225x420x290mm
 Packing Size: 485x295x315mm
 Volts: 220-240V/50-60Hz
 Power: 1.415KW
 N.W.: 5.3Kg
 G.W.: 6.5Kg



Lolly Waffle Maker

Model: HX-220B
 Dimension: 410x305x240mm
 Packing Size: 450x350x280mm
 Volts: 220-240V/50-60Hz
 Power: 1.75KW
 N.W.: 12.2Kg
 G.W.: 13.5Kg
 Single Pie Size: 225x60x15mm
 Cake Depth: 30mm



5 Sticks Waffle Stick Maker

Model: HX-117
 Dimension: 360x330x245mm
 Packing Size: 360x330x245mm
 Volts: 220-240V/50-60Hz
 Power: 1.55KW
 N.W.: 9Kg
 G.W.: 10Kg
 Single Pie Size: 140x40mm
 Cake Depth: 15mm



6 Sticks Waffle Stick Maker

Model: HX-119
 Dimension: 390x340x245mm
 Packing Size: 435x410x305mm
 Volts: 220-240V/50-60Hz
 Power: 1.55KW
 N.W.: 9.5Kg
 G.W.: 10.5Kg
 Entire Board Size: 320*185mm
 Single Pie Size: 140x40mm
 Cake Depth: 15mm

Snack food Equipment



Snack Food Equipment



Five Corn Waffle Maker

Model:HX-229
 Dimension: 390x340x245mm
 Packing Size:435x410x305mm
 Volts:220-240V/50-60Hz
 Power:1.55KW
 N.W.:9.5Kg
 G.W.:10.5Kg
 Single Pie Size: 140xØ40mm
 Cake Depth:15mm



Six Corn Waffle Maker

Model:HX-111
 Dimension: 390x340x245mm
 Packing Size:435x410x305mm
 Volts:220-240V/50-60Hz
 Power:1.55KW
 N.W.:9.5Kg
 G.W.:10.5Kg
 Single Pie Size: 140xØ40mm
 Cake Depth:15mm



Corn & Hot Dog Waffle Maker

Model:HX-216
 Dimension: 390x340x245mm
 Packing Size:435x410x305mm
 Volts:220-240V/50-60Hz
 Power:1.55KW
 N.W.:10Kg
 G.W.:11Kg
 Single Pie Size: 140xØ40mm
 Cake Depth:15mm



Lolly Waffle Maker

Model:HX-116
 Dimension: 390x340x245mm
 Packing Size:435x410x305mm
 Volts:220-240V/50-60Hz
 Power:1.55KW
 N.W.:8Kg
 G.W.:9Kg
 Single Pie Size: 140x140mm



Korean Mini Taiyaki Maker

Model:HX-112
 Dimension: 390x340x245mm
 Packing Size:435x410x305mm
 Volts:220-240V/50-60Hz
 Power:1.55KW
 N.W.:9.5Kg
 G.W.:10.5Kg
 Entire Board Size:320x185mm
 Single Fish Size: 90x70mm
 Fish Depth:15mm



Crispy Machine

Model: NP-542
 Dimension: 340x310x200mm
 Volts:220-240V/50-60Hz
 Power:0.8KW
 N.W.:7Kg



Crispy Machine

Model: NP-544
 Dimension: 620x310x200mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 N.W.: 13Kg



Donut Maker

Model: HDM-5
 Dimension: 385x410x320mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 N/W: 10Kg



Donut Maker

Model: HDM-6
 Dimension: 385x410x320mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 N/W: 8.5Kg



Donut Maker

Model: HDM-12
 Dimension: 385x410x320mm
 Volts: 220-240V/50-60Hz
 Power: 1.5KW
 N/W: 8Kg

Contact Grill



Fast Food Equipment



Electric Contact Grill

Model: HEG-811
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg

Model: HEG-811E
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

Model: HEG-813
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8x1.8KW
N/W: 26Kg

Model: HEG-813E
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Electric Contact Grill

Model: HEG-811A (Down Flat)
Dimension: 305x400x210mm
Volts: 220V/50Hz
Power: 1.8KW
N/W: 14Kg

Model: HEG-811EA (Down Flat)
Dimension: 425x400x210mm
Volts: 220V/50Hz
Power: 2.2KW
N/W: 21Kg



Electric Contact Grill

Model: HEG-813A (Down Flat)
Dimension: 580x400x210mm
Volts: 220V/50Hz
Power: 1.8x1.8KW
N/W: 26Kg

Model: HEG-813EA (Down Flat)
Dimension: 845x400x210mm
Volts: 220V/50Hz
Power: 4.4KW
N/W: 37Kg



Single Electric Contact Grill (Full Flat)

Model: HEG-811B (Full Flat)
Dimension: 410x310x210mm
Packing Size: 420x395x245mm
Volts: 220-240V/50-60Hz
Power: 1.8KW
N.W.: 13.54kg G.W.: 14.56kg
Upper Board Size: 214x214mm
Down Board Size: 235x225mm

Model: HEG-811EB (Full Flat)
Dimension: 435x410x210mm
Packing Size: 510x420x245mm
Volts: 220-240V/50-60Hz
Power: 2.2KW
N.W.: 19.4kg G.W.: 20kg
Upper Board Size: 335x235mm
Down Board Size: 345x235mm



Double Electric Contact Grill (Full Flat)

Model: HEG-813B (Full Flat)
Dimension: 570x410x210mm
Packing Size: 570x420x245mm
Volts: 220-240V/50-60Hz
Power: 3.6KW
N.W.: 25.5kg G.W.: 27kg
Upper Board Size: 214x214mm
Down Board Size: 485x235mm

Model: HEG-813EB (Full Flat)
Dimension: 845x410x210mm
Volts: 220-240V/50-60Hz
Power: 4.4KW
N.W.: 37kg G.W.: 39kg



Counter Top French Fries Display Warmer

Model: HCW-8
Dimension: 800x700x650mm
Volts: 220-240V/50-60Hz
Power: 0.6KW
N/W: 30Kg



Chip Dump

Model: HCW-620
Dimension: 795x445x210mm
Volts: 220-240V/50-60Hz
Power: 1KW
N/W: 7Kg



Portable Food Warmer

Model: HW-819
Dimension: 335x575x465mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 8Kg



Cup Dispenser

Model: HCW-2
Dimension: 200x700x350mm

Model: HCW-3
Dimension: 200x700x500mm

Model: HCW-4
Dimension: 200x700x650mm



Cup Dispenser with Ice Storage

Model: HCS-02-A
Dimension: 1200x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 50Kg

Model: HCS-02-B
Dimension: 1500x760x790mm
Volts: 220-240V/50-60Hz
Power: 0.65KW
N/W: 57.3Kg



Pedestal Fries Display Warmer

Model: HCW-833
Dimension: 1000x700x1580mm
Volts: 220-240V/50-60Hz
Power: 0.75KW
N/W: 90Kg

Fast Food Equipment

Super Star Product



Tomato Potato Cutter

Model: HSP-01
Dimension: 450x150x180mm
N/W: 2.5Kg

Low cost and high profile, can be used forever, hand-shaking only by 1 people, easy to operate & clean
Raw: Stainless Steel (offer one blade extra)

SALE



Wrapping Machine

Model: HWM-430
Dimension: 430x660x155mm
Volts: 220V/50HZ
Power: 0.75KW
N/W: 5Kg

Model: HWM-550
Dimension: 550x660x155mm
Volts: 220V/50HZ
Power: 0.21KW
N/W: 7Kg



Vegetable & Fruit Cutter

Model: HC-03
Dimension: 380x195x240mm

Super Star Product



Chipper

Model: HC-01
Dimension: 330x140x641mm
Remark: 7x7 Holes
N/W: 4.5Kg



Chipper

Model: HC-02
Dimension: 430x220x330mm
N/W: 5Kg



WF-A100/WF-A130

WF-S100/WF-S130

Hamburger Patty Press

Model: WF-A100/A130 (Aluminum)
Dimension: 275x230x300mm
Patty Dia.: 100 / 130mm
N/W: 5Kg / 6Kg

Model: WF-S100/S130 (Stainless Steel)
Dimension: 240x210x280mm / 255x270x280mm
Patty Dia.: 100 / 130mm
N/W: 6Kg / 7Kg



Hamburger Machine

Model: HHM-212
Dimension: 408x660x290mm
Volts: 220-240V/50-60Hz
Power: 2.4KW
N/W: 28Kg



Meat Sallting Machine

Model: HML-900
Dimension: 910x480x1030mm
Volts: 220-240V/50-60Hz
Power: 0.38KW
N/W: 59Kg



Vacuum Meat Sallting Machine

Model: HML-809
Dimension: 953x680x914mm
Volts: 220-240V/50-60Hz
Power: 0.3KW
N/W: 75Kg



Electric Breading Table

Model: HBT-1150
Dimension: 1200x750x1100mm
Volts: 220V/50Hz
Hp: 0.18KW
N/W: 60kg



Breading Table

Model: HBT-1000
Dimension: 1000x700x800(950)mm



Electric Breading Table

Model: HBT-1200
Dimensions: 1200x750x1100mm
Volts: 220-240V/50Hz
Power: 0.18KW
N/W: 60Kg



Shortening Filter Cart

Model: HSC-20
Dimension: 450x330x350mm
Volts: 220-240V/50-60Hz
Power: 0.55KW
N/W: 42Kg
Oil filtering capacity: 5 Liters / min
Pump flow: 20 Liters / min
Discharge pressure: 0.33 Mpa

Fishball Grill



Electric 1-Head Fish Grill

Model: HX-34
 Dimension: 270x470x260mm
 Volts: 220V/50Hz
 Power: 2KW
 N/W: 14Kg



Gas 1-Head Fish Grill

Model: HX-34R
 Dimension: 270x470x260mm
 Gas: LPG
 Heating: 12053BTU/Hour
 N/W: 14Kg



Electric 2-Head Fish Grill

Model: HX-56
 Dimension: 470x470x260mm
 Volts: 220V/50Hz
 Power: 4KW
 N/W: 28Kg



Gas 2-Head Fish Grill

Model: HX-56R
 Dimension: 470x470x260mm
 Gas: LPG
 Heating: 26700BTU/Hour
 N/W: 28Kg



Electric 3-Head Fish Grill

Model: HX-65
 Dimension: 740x470x260mm
 Volts: 220V/50Hz
 Power: 6KW
 N/W: 42Kg



Gas 3-Head Fish Grill

Model: HX-65R
 Dimension: 740x470x260mm
 Gas: LPG
 Heating: 36160BTU/Hour
 N/W: 42Kg

Induction Cooker



Single Induction Cooker

Model: HSC-2203
 Dimension: 520x360x250mm
 Volts: 220-240V/50-60Hz
 Power: 2.6KW
 N/W: 6.5Kg



Double Induction Cooker

Model: HSC-2205
 Dimension: 610x520x250mm
 Volts: 220-240V/50-60Hz
 Power: 2+2.6KW
 N/W: 10Kg



1-Head Induction Oven

Model: HP-2000
 Dimension: 350x420x100mm
 Volts: 220V/50Hz
 Power: 2KW
 N/W: 5Kg



2-Head Induction Oven

Model: HP-4500
 Dimension: 600x420x100mm
 Volts: 220V/50Hz
 Power: 2+2KW
 N/W: 8Kg

Rice Cooker



GF20Y-10L-A

GF20Y-30L-A

Gas Rice Cooker

Model	Packing Size	Gas Type	Service People	Rice Volume	N.W	G.W
GF20Y-7L-A	475x475x415mm	LPG/Natural	35	3~6Kg	12Kg	14Kg
GF20Y-10L-A	510x505x422mm	Gas	50	4.5~8.5Kg	14Kg	16Kg
GF20Y-15L-A	525x520x430mm	Pipelined	80	8~11Kg	15Kg	17Kg
GF20Y-23L-A	605x600x452mm	Gas	120	8~16Kg	20Kg	23Kg
GF20Y-30L-A	645x645x465mm	Methane	200	13~21Kg	23Kg	26Kg



ERC-8L/ERC-10L

ERC-13L/ERC-15L/ERC-19L

ERC-23L/ERC-33L/ERC-38L

Electric Rice Cooker

Model	Volts	Power	Capacity	N.W	G.W
ERC-8L	220V/50Hz	1.3KW	8L	-	-
ERC-10L	220V/50Hz	1.6KW	10L	-	-
ERC-13L	220V/50Hz	2.0KW	13L	-	-
ERC-15L	220V/50Hz	2.5KW	15L	-	-
ERC-19L	220V/50Hz	2.8KW	19L	-	-
ERC-23L	220V/50Hz	3.0KW	23L	-	-
ERC-33L	220V/50Hz	3.65KW	33L	-	-
ERC-38L	220V/50Hz	4.35KW	38L	-	-



1-Head Electric Plate Warmer Cart

Model: HPW-1
 Dimension: 450x570x900mm
 Volts: 220-240V/50-60Hz
 Power: 0.4KW



2-Head Electric Plate Warmer Cart

Model: HPW-2
 Dimension: 450x950x900mm
 Volts: 220-240V/50-60Hz
 Power: 0.8KW



Towel Warmer

Model: HTW-15B-2
 Size: 450x285x355mm
 Working type: Heating
 Door Material: ABS Plastic
 Body Material: Painting
 Power: 220V/50Hz/0.18KW
 Capacity: 18L
 Numbers of Towel: 40-50



Towel Warmer

Model: HTW-30B-2
 Size: 410x425x446mm
 Working type: Heating
 Door Material: ABS Plastic
 Body Material: Painting
 Power: 220V/50Hz/0.36KW
 Capacity: 32L
 Numbers of Towel: 60-80

Commercial Dish Washer



Bell Type Washing Machine

- Model: HX-C88
- Dimensions(mm): 687x750x1470mm
- Power Supply(KW): 14KW
- High Temperature Tank Power(KW): 15KW
- Average Hourly Capacity(L): 60 Basket / Hour
- Voltage(V): 380V/50Hz



Channel Type Dish Washer

- Model: HX-180
- Dimensions: 1500x810x1630mm
- Power Supply: 36KW
- High Temperature Tank Power: 27KW
- Wash Tank Power: 9KW
- Average Hourly Capacity: 185 Basket / Hour
- High Temperature Tank Capacity: 30L
- Wash Tank Capacity: 98L
- Voltage: 380V/50Hz

- Model: HX-250
- Dimensions: 2200x810x1630mm
- Power Supply: 40KW
- High Temperature Tank Power: 27KW
- Wash Tank Power: 9KW
- Average Hourly Capacity: 250 Basket / Hour
- High Temperature Tank Capacity: 30L
- Wash Tank Capacity: 140L
- Voltage: 380V/50Hz

Food Mixer



B10S/B15S

B20S/B30S

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	Weight
B10S	450x386x606mm	10L	220-240V	0.72KW	5Kg	110/178/139r/min	56Kg
B15S	474x372x676mm	15L	220-240V	0.50KW	6Kg	110/178/355r/min	65Kg
B20S	520x420x760mm	20L	220-240V	1.0KW	7Kg	110/200/420r/min	82Kg
B30S	545x440x882mm	30L	220-240V	1.1KW	10Kg	80/163/310 r/min	148Kg



B25S/B40S

B50S

B60S

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max.Kneading Capacity	Mixing Speed	Weight
B25S	515x440x860mm	25L	220-240V	1.0KW	8Kg	110/200/422 r/min	84Kg
B40S	620x630x1011mm	40L	220-240V	2. KW	12Kg	80/160/310 r/min	150Kg
B50S	690x622x1200mm	50L	3N-380V	1.8KW	15Kg	74/150/288 r/min	195Kg
B60S	724x652x1300mm	60L	3N-380V	2.5KW	20Kg	74/150/288 r/min	230Kg

Food Mixer



B10B/B15B/B20B

B30B

Food Mixer

Model	Dimensions	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	Weight
B10B	450x366x606mm	10L	220-240V	0.72KW	5Kg	110/178/390r/min	56Kg
B15B	474x372x676mm	15L	220-240V	0.75KW	6Kg	110/178/390r/min	58Kg
B20B	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
B30B	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg



B25F/B40F/B50F/B60F

B80F

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Motor Power	Max.Kneading Capacity	Mixing Speed	Weight
B25F	515x440x860mm	25L	220-240V	1.3KW	6Kg	110/200/420r/min	84Kg
B40F	620x630x1011mm	40L	220-240V	2.0KW	12Kg	80/160/310r/min	150Kg
B50F	690x622x1200mm	50L	3N-380V	1.8KW	15Kg	74/150/288r/min	195Kg
B60F	724x652x1300mm	60L	3N-380V	2.5KW	20Kg	74/150/288r/min	230Kg
B80F	1205x740x1620mm	80L	3N-380V	4.0KW	25Kg	75/111/147/220r/min	550Kg



B5S



B7S



B10S

Cake Mixer

Model	Dimensions	Power	Volts	Capacity	Dough Mixing Quantity	Egg Mixing Quantity	Max Output	Speed	Weight
B5S	380x240x375mm	0.5KW	110V/220-240V/50-60Hz	5.5L	500kg	500kg	-	0-1000r/min	13
B7S	380x240x405mm	0.5KW	110V/220-240V/50-60Hz	7.5L	500kg	500kg	-	0-1000r/min	13.3
B10S	390x280x445mm	0.5KW	110V/220-240V/50-60Hz	10.5L	500kg	500kg	-	0-1000r/min	15



B20K



B40K

Food Mixer

Model	Dimensions	Bowl Capacity	Voltage	Power	Max.kneading capacity	Mixing speed	Weight
B10K	450x366x606mm	10L	220-240V	0.45KW	5Kg	110/178/390r/min	56Kg
B15K	474x372x676mm	15L	220-240V	0.50KW	6Kg	110/178/390r/min	58Kg
B20K	520x420x760mm	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
B30K	545x440x882mm	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg
B40K	620x630x1011mm	40L	3N-380V	1.5KW	12Kg	80/160/288r/min	150Kg



Spiral Mixer

Users may select mixing tools and speed according to operating styles and the following requirements.

- A. Snake-shaped beater: suitable for flour mixing and food with high glutinosity. Capacity and water added is 45%~50% of the flour weight. Select low speed mode. (See Figure a)
- B. Chequer-shaped beater: suitable for mixing crushed, powdered and pasty food, such as stuffing. Select medium speed mode. (See Figure b)
- C. Bud-shaped beater: suitable for mixing liquid food, such as cream, egg etc. Select high speed mode. (See Figure c)



H20A



H30A



H20/H30/H40/H50/H60



H80

Spiral Mixer

Model	Dimension	Packing Size	Voltage	Power	Flour Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
H20	730X390X900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	8kg	21L	112/198r/min	12/20r/min	90Kg
H20A	760X400X870mm	840x480x950mm	220/230/380V/50-60Hz	1.1KW	8kg	20L	240-128r/min	13/24r/min	-
H30	750x435x900mm	810x510x1030mm	110/220/230/380V/50-60Hz	1.5KW	12.5kg	35L	112/198r/min	12/20r/min	100Kg
H30A	800x400x920mm	880x480x1000mm	220/230/380V/50-60Hz	1.5KW	12kg	30L	240-128r/min	13/24r/min	-
H40	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	16kg	40L	112/198r/min	12/20r/min	155Kg
H50	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	20kg	54L	112/198r/min	12/20r/min	170Kg
H60	840X480X1000mm	960x570x1130mm	110/220/230/380V/50-60Hz	3KW	25kg	64L	112/198r/min	12/20r/min	180Kg
H80	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.98KW	32kg	80L	100/200r/min	12r/min	300Kg



H80/H100



H130/H200



H260

Spiral Mixer

Model	Machine Size	Packing Size	Voltage	Power	Capacity	Bowl	Mixing Speed	Bowl Speed	Weight
H80	1000x560x1380mm	1080x850x1570mm	220/230/380V/50-60Hz	2.95KW	32Kg	80L	100/200r/min	12r/min	300Kg
H100	1080x650x1380mm	1150x730x1570mm	220/230/380V/50-60Hz	5.05KW	40Kg	100L	100/200r/min	12r/min	340Kg
H130	1160x730x1380mm	1220x810x1570mm	220/230/380V/50-60Hz	6.05KW	50Kg	130L	100/200r/min	12r/min	370Kg
H200	1380x840x1560mm	1460x920x1610mm	220/230/380V/50-60Hz	8.6KW	75Kg	200L	100/200r/min	12r/min	410Kg
H260	1380x840x1560mm	1460x920x1610mm	220/230/380V/50-60Hz	9KW	100Kg	260L	100/200r/min	12r/min	450Kg



Meat Mincer



TC-42



Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-42	530x1020x950mm	4KW	3-380V,50Hz	650Kg/h	107Kg
TC-42	800x1350x1220mm	5.5KW	3-380V,50Hz	1300Kg/h	438Kg



TC-12



TC-22



TC-32

Meat Mincer (All SS Body)

Model	Dimensions	Power	Voltage	Productivity	Weight
TC-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TC-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TC-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg



TT-12



TT-22



TT-32

Meat Mincer (SS Body, Chroming T-branch Pipe)

Model	Dimensions	Power	Voltage	Productivity	Weight
TT-12	400x190x410mm	0.55KW	220V,50Hz	120Kg/h	27Kg
TT-22	410x240x450mm	0.75KW	220V,50Hz	220Kg/h	35Kg
TT-32	530x270x500mm	1.5KW	220V,50Hz	320Kg/h	76Kg

Meat Mincer



Meat Slicer & Vegetable Cutter



Meat Mincer

Model	Dimensions	HP	Voltage	Mincer Speed	Slicer Speed	Slicer Output	Mincer Output	Shred Output	Slicer Thickness	N/W	G/W
HX128B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX128S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	240-280Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX228B	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg
HX228S	345x340x455mm	1.1KW	220V	190r/min	228r/min	120Kg/h	280-320Kg/h	80Kg/h	3.5-4.0Kg/h	42Kg	45Kg



Meat Slicer

Model	Dimensions	Power	Voltage	Blade diameter	N/W
220ES-8	440x380x340mm	0.32KW	220V,50Hz	Ø220mm	14.3Kg
250ES-10	490x390x380mm	0.32KW	220V,50Hz	Ø250mm	15.5Kg
300ES-12	530x460x460mm	0.42KW	220V,50Hz	Ø300mm	24.3Kg



Multi-Purpose Electric Vegetable Cutter

Model	Dimensions	Power	Voltage	N/W	G/W
VC-55	580x300x545mm	3/4HP/0.55KW	220V/50Hz	27.5Kg	30.5Kg
VC-60	650x315x535mm	3/4HP/0.55KW	220V/50Hz	25Kg	29Kg
VC-65	650x325x535mm	1HP/0.75KW	220V/50Hz	25Kg	30Kg



MG12MD/MG22MD/MG32MD
Compact Commercial Meat Grinder

CG55SH/CG22DM
Cheese Grater & Chopper

Model	Dimensions	Power	Voltage	Capacity	N/W	G/W
MG12MD	500x315x550mm	0.75HP/0.55KW	220V/50Hz	100Kg/hr	21Kg	24Kg
MG22MD	500x315x550mm	1HP/0.735KW	220V/50Hz	180Kg/hr	23.5Kg	26.5Kg
MG32MD	550x330x580mm	1.2HP/0.9KW	220V/50Hz	200Kg/hr	29Kg	31.6Kg
CG55SH	490x320x485mm	0.75HP/0.55KW	220V/50Hz	40Kg/hr	18Kg	18Kg
CG22DM	680x335x580mm	1.2HP/0.90KW	220V/50Hz	60Kg/hr	28Kg	32Kg

Sausage Filler



TV-3L/TV-5L

TV-7L

TV-10L/TV-12L/TV-15L

SF-150/260/350
Rapid Sausage Filler

Model	Dimensions	Power	Voltage	Bowl Volume	Productivity	N/W	G/W
TV-3L	550x330x305mm	/	/	3L	/	11Kg	/
TV-5L	670x330x305mm	/	/	5L	/	12Kg	/
TV-7L	820x330x305mm	/	/	7L	/	13Kg	/
TV-10L	670x450x350mm	/	/	10L	/	20Kg	/
TV-12L	730x450x350mm	/	/	12L	/	21Kg	/
TV-15L	800x450x350mm	/	/	15L	/	22Kg	/
SF-150	600x400x1240mm	0.75KW	220V/380V	15L	300Kg/h	120Kg	140Kg
SF-260	640x485x1240mm	1.1KW	220V/380V	26L	400Kg/h	160Kg	180Kg
SF-350	735x460x1240mm	1.1KW	220V/380V	35L	600Kg/h	180Kg	210Kg



TV-3L/TV-5L

TV-7L

Model	Dimensions	Packing Size	N/W	G/W
TG3L	450x210x160mm	450x320x300mm	9.5Kg	10.5Kg
TG5L	580x210x160mm	570x320x300mm	11Kg	12Kg
TG7L	710x210x160mm	700x320x300mm	12Kg	13Kg

Dough Series



Pizza Dough Sheeter

Model: APD30 (Automatic)
Dimensions: 530x480x560mm
Power: 0.37KW
Volts: 220V/50Hz
Dough Weight: 50-500g
Pizza Diameter: 30cm
N/W: 37Kg



Pizza Dough Sheeter

Model: APD40 (Semi-Automatic)
Size: 530x530x650mm
Power: 0.37KW
Volts: 220V/50Hz
Dough Weight: 50-500g
Pizza Diameter: 40cm
N/W: 39Kg



Bread Slicer

Model: TR31
Machine Size: 650x740x780mm
Volts: 220-240V/50-60Hz
Power: 0.25KW
Thickness: 31 pcs, 1.2cm
37-45pcs, 0.8-1.2cm can be made too



Dough Sheeter

Model: LSP520
Dimensions: 2550x880x1180mm
Packing Size: 960x720x1650mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2550/1180mm
Resting Position Width/Height: 750/1600mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 5Kg
N/W: 190Kg

Model: LSP650
Dimensions: 2950x1100x1680mm
Packing Size: 1180x1130x1650mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2950/1180mm
Resting Position Width/Height: 1200/1780mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 6.5Kg
N/W: 225Kg

Dough Sheeter



Model: TSP520
Dimensions: 2080x880x620mm
Packing Size: 960x660x1060mm
Conveyor Belt Size: 500x2000mm
Power: 0.55KW
Volts: 220V/380V/50Hz
Working Position Width/Height: 2080/620mm
Resting Position Width/Height: 750/840mm
Roller Adjustable Gap: 1-35mm
Maximum Rolling Weight: 5Kg
N/W: 125Kg

Model: TSP650
Dimensions: 2350x1100x620mm
Packing Size: 1180x1130x1050mm
Roller Adjustable Gap: 1-35mm
Conveyor Belt Size: 630x2400mm
Power: 0.75KW
Volts: 220V/380V/50Hz
Working position width/Height: 2350/620mm
Resting position width/Height: 1200/840mm
Maximum Rolling Weight: 6.5Kg
N/W: 190Kg



Semi-auto Rounder & Divider

Model: FK-30
Dimensions: 650x540x2100mm
Voltage: 380V
Motor Power: 1KW
Weight: 345Kg



Fully-auto Rounder & Divider

Model: FK-30A
Dimensions: 650x730x1440mm
Voltage: 380V
Motor Power: 2KW
Weight: 440Kg



Dough Divider

Model: DD36
Dimensions: 520x420x1230mm
Voltage: 220-240V/50-60Hz
Motor Power: 0.75KW
Weight: 220Kg



Dough Moulder

Model: CG-38
Dimensions: 1300x500x1050mm
Voltage: 220V/380V
Motor Power: 0.75KW
Weight: 208Kg



Bone Saw

Model: J210
Dimensions: 525x470x850mm
Work Size: 500x380mm
Voltage: 220V/50Hz
Motor Power: 0.65KW

Model: J310
Dimensions: 560x570x1040mm
Work Size: 560x425mm
Voltage: 220V/50Hz
Motor Power: 1.1KW



Food Cut Up Machine

Model: TQ-5/TQ-5A (Painting/ SS body)
Size: 530x420x540mm
Volts: 220V/50Hz
Power: 0.37KW
Productivity: 80Kg/Hour
Weight: 62Kg



Food Cut Up Machine

Model: TQ-8/TQ-8A (Painting/ SS body)
Size: 800x550x550mm
Volts: 220V/50Hz
Power: 0.75KW
Productivity: 120Kg/Hour
Weight: 90Kg



Food Cut Up Machine

Model: QS-620/QS-620A (Painting/ SS body)
Size: 775x710x940mm
Volts: 220V/50Hz
Power: 1.1KW
Capacity: 20L
Productivity: 120Kg/Hour
Weight: 126Kg



Food Cut Up Machine

Model: QS650 (SS body)
Size: 1200x1000x1138mm
Volts: 220V/50Hz
Knife Motor Power: 2.2/2.8KW
Bowl Motor Power: 1.1KW
Capacity: 50L
Productivity: 1000Kg/Hour
Weight: 360Kg



Food Cut Up Machine

Model: QS630 (SS body)
Size: 990x810x980mm
Volts: 220V/50Hz
Knife motor power: 2.2/2.8kw
Bowl motor power: 1.1kw
Capacity: 25L
Productivity: 300kg/Hour
Weight: 318kg

Potato Peeler



PP8



PP15



PP30

Potato Peeler

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
PP8	460x460x785mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	42Kg
PP15	520x520x850mm	0.75KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	53Kg
PP30	600x580x1020mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	72Kg



PP8A



PP15A/30A



QP-350/500/800

Potato Peeler

Model	Dimensions	Power	Voltage	Frequency	Efficiency	Capacity	N.W
PP8A	490x470x850mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	48Kg
PP15A	550x520x910mm	1.1KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	60Kg
PP30A	630x590x1075mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	78Kg
QP-350	400x450x800mm	0.75KW	110/220/230V	50/60Hz	350Kg/h	10Kg	65Kg
QP-500	480x500x900mm	1.1KW	110/220/230V	50/60Hz	500Kg/h	15Kg	85Kg
QP-800	800x700x1050mm	2.2KW	110/220/230/380V	50/60Hz	800Kg/h	30Kg	110Kg

Ice Cream Showcase & Cake Showcase



HW-848
Curved Cooling Showcase



BQG-1200 BQG-1500 BQG-1800
Ice Cream Show Case



CD120BL CD150BL CD180BL
Island Type Ice Cream Show Case

Model	Dimensions	Power Supply	Power	Volume	Temperature
HW-848	900x520x700mm	220-240V/50-60Hz	0.2KW	-	-
BQG-1200	1200x1100x1300mm	220V/50Hz	1.48KW	12Pcs(1/3)	-18~-22℃
BQG-1500	1500x1100x1300mm	220V/50Hz	1.56KW	16Pcs(1/3)	-18~-22℃
BQG-1800	1800x1100x1300mm	220V/50Hz	2.60KW	20Pcs(1/3)	-18~-22℃
CD120BL	1200x900x1140mm	220V/50Hz	0.88KW	/	-15~-18℃
CD150BL	1500x900x1140mm	220V/50Hz	0.98KW	/	-15~-18℃
CD180BL	1800x900x1140mm	220V/50Hz	1.18KW	/	-15~-18℃



HCL-400L
Cake Showcase



HCL-600L
Cake Showcase



Model	Dimensions	Power	Voltage	Temperature	Remarks
HCL-400L	640x400x1890mm	0.53KW	220V/50Hz	5~10℃	Fan Cooling
HCL-600L	920x600x1890mm	0.89KW	220V/50Hz	5~10℃	Fan Cooling

Ice Cream Machine

Ice Cream Machine



Ice Cream Machine

Model: HIM-01
 Dimension: 570x740x750mm
 Volts: 220-240V/50-60Hz
 Power: 0.9KW
 Output: 8-11Kg/Hour(13-18L)
 Refrigerant: R22/R404A
 N/W: 59Kg



Ice Cream Machine

Model: HIM-03
 Dimension: 800x700x840mm
 Volts: 220-240V/50-60Hz
 Power: 1.7KW
 Output: 11-16Kg/Hour(18-25L)
 Refrigerant: R22/R404A
 N/W: 108Kg



Ice Cream Machine

Model: HIM-08
 Machine: 570x780x1500mm
 Packing: 630x835x1650mm
 Volts: 220-240V/50-60Hz
 Power: 4.2KW
 Output: 60-75L/Hour
 Refrigerant: R22/R404A
 N/W: 190Kg



Soft Ice Cream Machine

Model: HIM-06
 Dimension: 733x530x828mm
 Voltage: 220V/50Hz
 Power: 2000W
 Compressor Power: 1HP
 Compressor: LG or Embraco
 Coolant: R22 or R404a
 Tank Capacity: 2x6.5L
 Stainless Steel(non Magnetic)Case+Ti/Steel
 Single System



Soft Ice Cream Machine

Model: HIM-07
 Dimension: 733x530x1380mm
 Voltage: 220V/50Hz
 Power: 2000W
 Compressor Power: 1HP
 Compressor: LG or Embraco
 Coolant: R22 or R404a
 Tank Capacity: 2x6.5L
 Stainless Steel(non Magnetic)Case+Ti/Steel
 Single System



Ice Cream Machine

Model: HIM-02
 Dimension: 700x900x1435mm
 Volts: 220-240V/50-60Hz
 Power: 1.7KW
 Output: 11-16Kg/Hour(18-25L)
 Refrigerant: R22/R404A
 N/W: 135Kg



Ice Cream Machine

Model: HIM-04
 Machine: 570x780x1400mm
 Packing: 630x835x1540mm
 Volts: 220-240V/50-60Hz
 Power: 2.2KW
 Output: 28-38L/Hour
 Refrigerant: R22/R404A
 N/W: 138Kg



Ice Cream Machine

Model: HIM-05
 Machine: 540x780x1400mm
 Packing: 630x835x1540mm
 Volts: 220-240V/50-60Hz
 Power: 2.5KW
 Output: 28-38L/Hour
 Refrigerant: R22/R404A
 N/W: 162Kg



Hard Ice Cream Machine

Model: HIM-18
 Dimension: 900x700x1435mm
 Volts: 220-240V
 Power: 1.7KW
 Output: 28-38L
 Refrigerant: R22
 N/W: 138Kg

Model: HIM-28
 Dimension: 900x700x1435mm
 Volts: 380V
 Power: 3.4KW
 Output: 43-52L
 Refrigerant: R404A
 N/W: 168Kg



Soft Ice Cream Machine

Model: HIM-25DB
 Dimension: 715x560x1380mm
 Packing Size: 780x620x1480mm
 Volts: 220V/50Hz
 Hp: 1.8KW
 Out Put: 25L/H
 Refrigerant: R22/R404A
 Compressor: Panasonic Or Aspera



Soft Ice Cream Machine

Model: HIM-32C
 Dimension: 715x560x1380mm
 Packing Size: 780x620x1480mm
 Volts: 220V/50Hz
 Hp: 2.35KW
 Out Put: 28-32L/H
 Refrigerant: R22/R404A
 Compressor: Panasonic Or Aspera



Fried Ice Cream Machine

Model: **FIM-A15**
 Dimension: 535x535x700mm
 Volts: 220V/50Hz
 Power: 1.5KW
 Output: 13Kg/hour
 N/W: 38Kg



Fried Ice Cream Machine

Model: **FIM-A30**
 Dimension: 830x440x700mm
 Volts: 220V/50Hz
 Power: 1.8KW
 Output: 25Kg/hour
 N/W: 60Kg



Roller Ice Cream Machine

Model: **FIR-PF1R(Round Type)**
 Dimension: 65x65x88cm
 Packing Size: 70x70x93cm
 Volts: 220V/50HZ
 Power: 2.2KW
 N.W.: 48KGS
 G.W.: 53KGS



Roller Ice Cream Machine

Model: **FIR-PF1R(Square Type)**
 Dimension: 65x65x88cm
 Packing Size: 70x70x93cm
 Volts: 220V/50HZ
 Power: 2.2KW
 N.W.: 48KGS
 G.W.: 53KGS



Roller Ice Cream Machine

Model: **FIR-PF2R(Round Type)**
 Dimension: 130x65x88cm
 Packing Size: 135x70x93cm
 Volts: 220V/50HZ
 Power: 4KW
 N.W.: 88KGS
 G.W.: 98KGS



Roller Ice Cream Machine

Model: **FIR-PF2R-6C**
 Dimension: 156x65x88cm
 Packing Size: 161x70x93cm
 Volts: 220V/50HZ
 Power: 4.2KW
 N.W.: 106KGS
 G.W.: 122KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(Round Type)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(Square Type)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 68KGS
 G.W.: 76KGS



Roller Ice Cream Machine

Model: **FIR-PF1R-6C(With Cover)**
 Dimension: 100x65x88cm
 Packing Size: 105x70x93cm
 Volts: 220V/50HZ
 Power: 2.4KW
 N.W.: 73KGS
 G.W.: 84KGS

Ice Maker



Model	FD-20A	FD-40A	FD-60A
Dimension	415x460x750mm	505x505x800mm	505x560x880mm
Ice cube size	23x23x23mm	23x23x23mm	23x23x23mm
Daily production	20Kg/24h	35Kg/24h	56Kg/24h
Ice Storage Capacity	8Kg	15Kg	55Kg
Refrigerant	R134A, Air Cooling	R134A, Air Cooling	R134A, Air Cooling
Compressor	Zanussi	Zanussi	Zanussi
Power	0.22KW 220V/50Hz	0.35KW 220V/50Hz	0.40KW 220V/50Hz

Model	FD-80A	FD-120A
Dimension	705x610x1000mm	820x610x1050mm
Ice cube size	23x23x23mm	23x23x23mm
Daily production	70Kg/24h	100Kg/24h
Ice Storage Capacity	45Kg	55Kg
Refrigerant	R134A, Air Cooling	R134A, Air Cooling
Compressor	Zanussi	Zanussi
Power	0.50KW 220V/50Hz	0.66KW 220V/50Hz



Model	SD-150	SD-250	SD-350
Dimension	790x865x1500mm	790x865x1545mm	790x865x1545mm
Daily production	150kg/24h	250kg/24h	350kg/24h
Bin capacity	145Kg	145Kg	145Kg
Power	1kw 220v/50Hz	1.5kw 220v/50Hz	1.8kw 220v/50Hz

Model	SD-500	SD-700	SD-900
Dimension	790x865x1655mm	790x865x1855mm	790x865x1855mm
Daily production	500kg/24h	700kg/24h	1200kg/24h
Bin capacity	250Kg	350Kg	265Kg
Power	3.1kw 380v/50Hz	4kw 380v/50Hz	6kw 380v/50Hz



Model:	SD-1300	SD-1800
Dimension:	1220x920x1740mm	1220x920x1840mm
Daily production:	590kg/24h	817kg/24h
Bin capacity:	300kg	300kg
Power:	2850W	3650W
Voltage:	380V/50Hz	380V/50Hz
Refrigerant:	R22	R22

Juice Dispenser



LSP50L
Juice Dispenser



CH5L
CH10L Hot Chocolate Machine



CH10L
CH10L Hot Chocolate Machine

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSP50L	500x500x720mm	540x540x750mm	220V/50Hz	0.38KW	50L	25Kg	28Kg
CH5L	400x320x470mm	420x360x500mm	220V/50Hz	0.44KW	5L	8Kg	10Kg
CH10L	400x320x570mm	420x360x600mm	220V/50Hz	0.44KW	10L	10Kg	12Kg



JD-81



JD-82



JD-83

Model	Dimensions	Volts	Power	Rotation Speed	Capacity	Weight
JD-81	350x260x580mm	-	-	-	8L	-
JD-82	350x540x580mm	-	-	-	2x8L	-
JD-83	350x820x580mm	-	-	-	3x8L	-



JD-121/JD-181



JD-122/JD-182



JD-123/JD-183

Model	Dimensions	Volts	Power	Capacity	N/W
JD-121	480x360x750mm	220V-240V/50Hz	0.18KW	12Lx1	24Kg
JD-181	480x360x750mm	220V-240V/50Hz	0.18KW	18Lx1	27Kg
JD-122	470x450x700mm	220V-240V/50Hz	0.28KW	12Lx2	28Kg
JD-182	510x470x750mm	220V-240V/50Hz	0.28KW	18Lx2	40Kg
JD-123	640x450x700mm	220V-240V/50Hz	0.32KW	12Lx3	36Kg
JD-183	750x470x750mm	220V-240V/50Hz	0.32KW	18Lx3	54Kg



LSP10Lx1



LSP10Lx2



LSP10Lx3



LSP10Lx4

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSP10Lx1	210x360x670mm	240x400x700mm	220V/50Hz	0.18KW	10L	13Kg	15Kg
LSP10Lx2	430x360x670mm	440x400x700mm	220V/50Hz	0.28KW	10Lx2	22Kg	24Kg
LSP10Lx3	430x360x670mm	490x400x700mm	220V/50Hz	0.32KW	10Lx3	27Kg	30Kg
LSP10Lx4	550x360x670mm	580x400x700mm	220V/50Hz	0.38KW	10Lx4	33Kg	36Kg



SM-101



SM-102
SM-122



SM-103
SM-123

Model	Dimensions	Volts	Power	Capacity	Weight
SM-101	350x620x840mm	220V-240V/50Hz	0.3KW	10Lx1	40Kg
SM-102	470x620x840mm	220V-240V/50Hz	0.4KW	10Lx2	55Kg
SM-122	470x650x870mm	220V-240V/50Hz	0.5KW	12Lx2	68Kg
SM-103	620x670x840mm	220V-240V/50Hz	0.5KW	10Lx3	74Kg
SM-123	660x550x870mm	220V-240V/50Hz	0.6KW	12Lx3	78Kg



SM-151



SM-152



SM-153

Model	Dimensions	Volts	Power	Capacity	Weight
SM-151	350x620x840mm	220V-240V/50Hz	0.3KW	15Lx1	40Kg
SM-152	470x620x840mm	220V-240V/50Hz	0.4KW	15Lx2	55Kg
SM-153	620x670x840mm	220V-240V/50Hz	0.5KW	15Lx3	74Kg

Ice Crusher & Milk Shaker



Ice Crusher(Aluminum)

Model: **HCC-6S**
 Dimension: 425x200x305mm
 Volts: 220-240V/50-60Hz
 Power: 300W
 Rotation Speed: 1450R/M
 Capacity: 65Kg/h
 N/W: 5.5kg



Ice Crusher(Plastic)

Model: **HCC-6P**
 Dimension: 425x200x305mm
 Volts: 220-240V/50-60Hz
 Power: 300W
 Rotation Speed: 1450R/M
 Capacity: 65Kg/h
 N/W: 5.5kg



Milk Shaker (1-Head)

Model: **HBL-015**
 Dimension: 230x250x570mm
 Volts: 220-240V/50-60HZ
 Power: 0.3KW



Milk Shaker (2-Head)

Model: **HBL-018**
 Dimension: 340x270x510mm
 Volts: 220-240V/50-60HZ
 Power: 0.6KW



Milk Shaker (1-Head)

Model: **HBL-11**
 Dimension: 190x160x530mm
 Volts: 220V/50HZ
 Hp: 1.5KW



Milk Shaker (2-Head)

Model: **HBL-22**
 Dimension: 230x230x530mm
 Volts: 220V/50HZ
 Hp: 1.5+1.5KW

Coffee Machine & Juicer



Coffee Brewer

Model: **HCM-61**
 Machine Size: 430x545x520mm
 Packing Size: 530x645x680mm
 Capacity: 6L
 Volts: 220-240V
 Power: 2KW
 N/W: 57Kg



Coffee Machine

Model: **HCM-112**
 Machine Size: 670x545x520mm
 Packing Size: 770x645x680mm
 Capacity: 11L
 Volts: 220-240V
 Power: 3KW
 N/W: 79Kg



Coffee Brewer

Model: **HCB-A**
 Dimension: 210x345x430mm
 Volts: 220-240V/50-60Hz
 Power: 2.6KW
 N/W: 4.5Kg



Juicer

Model: **YTZ-001**
 Dimension: 295x195x405mm
 Packing Size: 360x240x418mm
 Volts: 220V/50Hz
 Power: 0.7KW
 Rotating Speed: 17000-20000r/min
 N/W: 4Kg



Centrifugal Juicer

Model: **1000KP**
 Size: 345x32x380mm
 Power: 220V/50Hz
 HP: 0.37KW
 Speed: 2800r/min
 Output: 5Kg/min
 N/W: 15Kg

Model: **2000KP**
 Size: 420x360x510mm
 Power: 220V/50Hz
 HP: 0.55KW
 Speed: 2800r/min
 Output: 10Kg/Min
 N/W: 28Kg



Auto Orange Juicer

Model: **2000E-1**
 Size: 400x330x780mm
 Power: 220V/50Hz
 HP: 0.12KW
 Size of Orange: 40-80mm (Diameter)
 Output: 20 Oranges/Min
 Yield: 40%-50%
 N/W: 45Kg

Model: **2000E-2**
 Size: 400x300x770mm
 Power: 220V/50Hz
 HP: 0.12KW
 Size of Orange: 40-80mm (Diameter)
 Output: 20 Oranges/Min
 Yield: 40%-50%
 N/W: 40Kg

Commercial Blender

Water Boiler



CB-168 Commercial Blender CB-767 Commercial Blender CB-787 Commercial Blender CB-768A Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
CB-168	245x325x195mm	220-240V	-	-	2.3Kg	1.5L	-
CB-767	170x235x530mm	220-240V	1.8KW	23000-26000R/M	4Kg	2L	80cup/h
CB-787	195x225x565mm	220-240V	1.39KW	23000-26000R/M	4.1Kg	2L	80cup/h
CB-768A	195x225x565mm	220-240V	1.5KW	23000-26000R/M	4.3Kg	2L	80cup/h



CB-966 Commercial Blender CB-333 Commercial Blender CB-666 Commercial Blender CB-999z Commercial Blender

Model	Dimensions	Volts	Power	Rotation Speed	Weight	Capacity	Juicing Capacity
CB-966	195x215x490mm	220-240V	1.8KW	26000-28000R/M	5.3Kg	2.7L	90cup/h
CB-333	270x235x530mm	220-240V	1.8KW	26000-28000R/M	4.6Kg	3L	96cup/h
CB-666	580x275x515mm	220-240V	2.5KW	26000-28000R/M	5.2Kg	2.8L	120cup/h
CB-999	195x215x490mm	220-240V	1.8KW	26000-28000R/M	5.4Kg	2.7L	90cup/h
CB-999z	200x220x500mm	220-240V	1.8KW	12000-28000R/M	7.3Kg	2.7L	90cup/h



WB-10/15/25/30/35/40 Double-Layer Water Boiler(Heat & Warm) WB-20A/30A/40A/55A Single-Layer Water Boiler(Heat) WB-30B/40B Single-Layer Water Boiler(Heat)

Model	Dimensions	Power	Voltage	Weight
WB-10	Ø14.5x44cm	1.5KW	~220V	3.20Kg
WB-15	Ø14.5x49.5cm	2.0KW	~220V	3.50Kg
WB-25	Ø31.5x49cm	2.0KW	~220V	4.23Kg
WB-30	Ø31.5x54cm	2.0KW	~220V	4.70Kg
WB-35	Ø31.5x62cm	2.0KW	~220V	5.10Kg
WB-40	Ø31.5x67cm	2.5KW	~220V	5.60Kg
WB-20A	Ø25.5x42cm	2.0KW	~220V	2.13Kg
WB-30A	Ø30.5x45cm	2.0KW	~220V	2.75Kg
WB-40A	Ø36.5x47cm	2.5KW	~220V	3.33Kg
WB-55A	Ø41.5x54cm	2.5KW	~220V	4.43Kg
WB-30B	Ø32x53cm	2.0KW	~220V	3.76Kg
WB-40B	Ø32x58cm	2.5KW	~220V	4.30Kg



HB-10L Microcomputer Water Boiler HB-5L/20L/30L Microcomputer Water Boiler HB-30LA/40LA/60LA Microcomputer Water Boiler

Model	Dimensions	Output	Power	Water Pressure	Voltage	Weight
HB-5L	190X240X420mm	22L/Hour	2.5KW	0.2-0.6MPa	220V-240V	5L
HB-10L	190x240x630mm	35L/Hour	2.5KW	0.2-0.6MPa	220V-240V	10L
HB-20L	190x280x690mm	60L/Hour	3KW	0.2-0.6MPa	220V-240V	20L
HB-30L	190x340x740mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
HB-30LA	450x280x570mm	90L/Hour	3KW	0.2-0.6MPa	220V-240V	30L
HB-40LA	450x300x680mm	120L/Hour	3KW	0.2-0.6MPa	220V-240V	40L
HB-60LA	450x340x760mm	160L/Hour	6KW	0.2-0.6MPa	220V-240V	60L

Chafing Dish



Chafing Dish

Model: 33117
Dimension: 670x510x460MM



Chafing Dish

Model: 36117QT
Machine Size: 690x545x500MM
Packing Size: 700x520x390MM



Chafing Dish

Model: 301129
Machine Size: 600x350x320MM
Packing Size: 610x360x240MM



Electric Heat board



Chafing Dish

Model: 23036B
Machine Size: 475x520x470MM
Packing Size: 530x495x350MM



Chafing Dish

Model: 36036T
Machine Size: 550x550x430MM
Packing Size: 560x550x370MM



Chocolate Fountains

Model: CF-8060
Packing Size: 380x380x690mm
Layers: 4
Material: SS304
Max. Dia: 33cm
Max. Height: 80cm
Weight: 6/8KgS
Motor Power: 0.065KW (screw)
Heating Power: 0.2KW
Machine Consumption Power: 0.265KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-110°C (Manual)
Working Capacity: 2KgS
Max.Capacity: 5KgS



Chocolate Fountains

Model: CF-8086
Packing Size: 280x520x680mm
Layers: 5
Material: SS304
Max. Dia: 37cm
Max. Height: 80cm
Weight: 8/10KGS
Motor Power: 0.095KW (screw)
Heating Power: 0.215KW
Machine Consumption Power: 0.31KW
Volts: 220V,50Hz/110V,60Hz
Temperature: 0-150°C (Manual)
Working Capacity: 2.5KgS
Max.Capacity: 8KgS



Stainless Steel Electric Soup Kettle

Model: 81010SP
Dimension: 10L
Volts: 220V AC 50Hz
Power: 400W



Electric Soup Kettle

Model: 83013SP
Dimension: 13L
Volts: 220V AC/50Hz
Power: 600W



Electric Soup Kettle

Model: 83010SP
Dimension: 10L
Volts: 220V AC/50Hz
Power: 400W

Packing Machine

Sink Table

Vacuum Packing Machine



DZ400/2C DZ500/2C DZ600/2C



DZ260T DZ300T DZ400T



DZ400S DZ500S DZ600S

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Sealing Width	Weight
DZ400/2C	490x445x40mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	10mm	162Kg
DZ500/2C	570x550x45mm	1.5KW	380V/50Hz	500mm	10mm	0.1-0.5mm	10mm	205Kg
DZ600/2C	670x545x45mm	2.2KW	380V/50Hz	600mm	10mm	0.1-0.5mm	10mm	252Kg

Sealing Time Range: 10-35sec / 10-35sec / 10-40sec Package Dimension: 105x107x75cm / 110x135x75cm / 115x165x80cm

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Package Dimension	Weight
DZ260T	280x380x55mm	0.75KW	220V/50Hz	260mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
DZ300T	320x380x55mm	0.75KW	380V/50Hz	300mm	10mm	0.1-0.5mm	42x50x46cm	37Kg
DZ400T	440x420x75mm	0.75KW	380V/50Hz	400mm	10mm	0.1-0.5mm	55x64x60cm	75Kg
DZ400S	440x420x75mm	0.75KW	220V/50Hz	400mm	10mm	0.1-0.5mm	105x54x60cm	90Kg
DZ500S	520x520x75mm	0.85KW	380V/50Hz	500mm	10mm	0.1-0.5mm	110x65x70cm	115Kg
DZ600S	660x660x75mm	1.5KW	380V/50Hz	600mm	10mm	0.1-0.5mm	110x75x80cm	150Kg

Sealing Time Range: 10-20sec / 10-20sec / 10-20sec / 10-20sec / 15-30sec / 15-30sec



Impulse Sealer

Model	Chamber Size	Power	Voltage	Sealing Length	Sealing Width	Max Seal Thickness	Heat Time	Weight
SF200	325x75x225mm	0.28KW	220V/50Hz	200mm	2mm	0.2mm	0.2-1.3seconds	2.2Kg
SF300	440x83x255mm	0.38KW	220V/50Hz	300mm	2mm	0.2mm	0.2-1.3seconds	3.3Kg
SF400	540x85x280mm	0.6KW	220V/50Hz	400mm	2mm	0.2mm	0.3-2.5seconds	4.7Kg
SF500	550x85x280mm	0.75KW	220V/50Hz	500mm	2mm	0.3mm	0.3-2.5seconds	5.9Kg



Economical Single Sink Bench

ITEM	SPEC	Bowl Size
S810	610x620x600+150mm	450x450x280mm
S860	660x700x600+150mm	500x500x280mm



Single Sink Bench

ITEM	SPEC	Bowl Size
S830R	630x670x600+150mm	450x450x280mm
S660R	660x720x600+150mm	500x500x280mm



Economical Kitchen Cabinet With Backsplash

ITEM	SPEC
CB1900	1900x800x800+150mm
CB1800	1800x800x800+150mm
CB1950	1950x800x800+150mm
CB1900A	1900x800x800+150mm
CB1100	1100x800x800+150mm



Work Table With Under Shelf

ITEM	SPEC	ITEM	SPEC
T1800	1800x800x800	T800A1	800x600x800
T1500	1500x800x800	T1500A2	1500x530x800
T1900A1	1800x500x800	T1100A2	1100x530x800
T1500A1	1500x500x800	T800A2	800x530x800
T1100A1	1100x500x800	T800A2	800x530x800
T900A1	900x500x800		



Economical Double Sink Bench

ITEM	SPEC	Bowl Size
S1100	1100x620x600+150mm	450x450x280mm
S1200	1200x700x600+150mm	500x500x280mm



Binary Wash Dish Even Things

ITEM	SPEC	Bowl Size
S1100R	1100x690x950mm	-
S1200R	1200x750x950mm	-
S1500R	1500x750x950mm	-



Work Bench With Splashback

ITEM	SPEC
T600G	600x600x850+100mm
T900S	900x600x650+100mm
T1200S	1200x600x650+100mm
T1500S	1500x600x650+100mm
T1800S	1800x600x650+100mm
T600AS	600x700x650+100mm
T900AS	900x700x650+100mm
T1200AS	1200x700x650+100mm
T1500AS	1500x700x650+100mm
T1800AS	1800x700x650+100mm



Work Table With Under Shelf

ITEM	SPEC	ITEM	SPEC
T1800-3	1800x800x800	T800A1-3	800x600x800
T1500-3	1500x800x800	T1500A2-3	1500x530x800
T1900A1-3	1800x500x800	T1100A2-3	1100x530x800
T1500A1-3	1500x500x800	T800A2-3	800x530x800
T1100A1-3	1100x500x800	T800A2-3	800x530x800
T900A1-3	900x500x800		



Economical Triple Sink Bench

ITEM	SPEC	Bowl Size
S1600	1600x620x600+150mm	450x450x280mm
S1750	1750x670x600+150mm	600x500x280mm



Triple Sink Bench

ITEM	SPEC	Bowl Size
S1930R	1930x670x600+150mm	450x450x280mm
S2080R	2080x720x600+150mm	500x500x280mm



Work Table With Under Shelf

ITEM	SPEC
T1500R	1500x600x800mm
T1500AR	1500x600x800mm



2 Tiers assembled dining cart

ITEM	SPEC
DC9592	950x500x950mm
DC9592	850x450x900mm
DC7592	750x400x850mm

Racks

GN Pans



3 Tiers assembled dining cart

ITEM	SPEC
DC9503	950x500x900mm
DC8503	850x450x900mm
DC7503	750x400x835mm



2 Tiers assembled dining cart

ITEM	SPEC
DC700	700x400x850mm
DC600	600x350x800mm
DC900A	900x500x850mm
DC800A	800x450x800mm



Assembled bar trolley

ITEM	SPEC
BT450	450x400x765mm
BT500	500x450x830mm
BT550	550x500x890mm



Bar trolley

ITEM	SPEC
BT400R	ø400x715mm



S/S luggage cart

ITEM	SPEC
LC740	740x480x870mm
LC900	900x600x930mm



Assembled luggage cart

ITEM	SPEC	Thickness
LC900A	900x550x870mm	1.2mm
LC900B	900x550x870mm	1.5mm
LC1000A	1000x600x930mm	1.2mm
LC1000B	1000x600x930mm	1.5mm



Pole

ITEM	SPEC
P1800	1800mm
P1600	1600mm
P1370	1370mm
P800	800mm
P660	660mm



Food Storage Rack

ITEM	SPEC
H6	1500x500x1550mm
H7	1200x500x1550mm



Food Storage Rack

ITEM	SPEC
H24	1500x500x1550mm
H25	1200x500x1550mm



Tray Cart

ITEM	SPEC
112901	380x550x1000mm
112903	690x670x1300mm
113001	350x500x1730mm
113101	470x620x1730mm



Model	Dimensions(mm)	Thickness(mm)
H5401	530x325x20 1/1x20	0.6
H5402	530x325x40 1/1x40	0.6
H5403	530x325x65 1/1x65	0.6
H5404	530x325x100 1/1x100	0.7
H5405	530x325x150 1/1x150	0.7
H5406	530x325x200 1/1x200	0.7
H5501	530x325x30 Cover for 1/1	0.7
H5407	325x265x20 1/2x20	0.6
H5408	325x265x40 1/2x40	0.6
H5409	325x265x65 1/2x65	0.6
H5410	325x265x100 1/2x100	0.7
H5411	325x265x150 1/2x150	0.7
H5412	325x265x200 1/2x200	0.7
H5502	530x325x30 Cover for 1/2	0.7

Model	Dimensions(mm)	Thickness(mm)
H5413	325x176x20 1/3x20	0.6
H5414	325x176x40 1/3x40	0.6
H5415	325x176x65 1/3x65	0.6
H5416	325x176x100 1/3x100	0.7
H5417	325x176x150 1/3x150	0.7
H5444	325x176x200 1/3x200	0.7
H5503	325x176x30 Cover for 1/3	0.7
H5445	265x162x20 1/4x20	0.6
H5418	265x162x40 1/4x40	0.6
H5419	265x162x65 1/4x65	0.6
H5420	265x162x100 1/4x100	0.7
H5421	265x162x150 1/4x150	0.7
H5422	265x162x200 1/4x200	0.7
H5504	265x162x30 Cover for 1/4	0.7



Model	Dimensions(mm)	Thickness(mm)
H5423	176x162x65 1/6x65	0.6
H5424	176x162x100 1/6x100	0.7
H5425	176x162x150 1/6x150	0.7
H5426	176x162x200 1/6x200	0.7
H5505	176x162x30 Cover for 1/6	0.7
H5427	176x108x65 1/9x65	0.6
H5428	176x108x100 1/9x100	0.7
H5429	176x108x150 1/9x150	0.7
H5506	176x108x30 Cover for 1/9	0.7
H5430	325x353x20 2/3x20	0.6
H5431	325x353x40 2/3x40	0.6
H5432	325x353x65 2/3x65	0.6
H5433	325x353x100 2/3x100	0.7
H5434	325x353x150 2/3x150	0.7
H5435	325x353x200 2/3x200	0.7
H5507	325x353x30 Cover for 2/3	0.7