

2018 FACTOLED  
**CATALOGUE**  
LED LIGHTING

[WWW.FACTOLED.COM](http://WWW.FACTOLED.COM)

[HTTP://FACTOLED.EN.ALIBABA.COM](http://FACTOLED.EN.ALIBABA.COM)

— LED STEP LIGHT —



# LED STEP LIGHT



White/Black/Gold/Sliver/  
Champagne/Brush gold

**MODEL** DJ100 SERIES  
**Power:** 1W/1.5W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** ABS  
**Lamp size:** 94x94xH30mm  
**Cut size:** 86x86x50mm  
**Light source:** SMD 2835/COB  
**CRI:** 70



White/Black/Gold/Sliver/  
Champagne

**MODEL** DJ101 SERIES  
**Power:** 1W  
**Sensor:** Light+Body Sensor  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** PC  
**Lamp size:** 94x94xH30mm  
**Cut size:** 86x86x50mm  
**Light source:** SMD 5050  
**CRI:** 70



White/Black/Gold/Sliver/  
Champagne

**MODEL** DJ1021 SERIES  
**Power:** 1W/ 1.5W  
**Sensor:** Light +Body Sensor  
**Input Voltage:** 100-265V  
**PF:** 0.5  
**Material:** PC  
**Lamp size:** 94x94xH30mm  
**Cut size:** 86x86x50mm  
**Light source:** SMD 5050  
**CRI:** 70



White/Black/Gold/Grey

**MODEL** DJ200 SERIES  
**Power:** 2.2W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 86x86x30 mm  
**Cut size:** 65x65mm  
**Light source:** SMD 5050  
**CRI:** 70



ZHONGSHAN


**FACTOLED LIGHTING**

TECHNOLOGY CO., LTD


TEL:0086-760-87556547

www.factoled.com


# LED STEP LIGHT





**MODEL** DJ30  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** 75x75x36mm  
**Cut size:** 42x26mm  
**Light source:** EPISTAR COB  
**CRI:** 70



**MODEL** DJ31  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** 80x80x30mm  
**Cut size:** 55mm  
**Light source:** SMD 2835  
**CRI:** 70



**MODEL** DJ32  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** 80x80x30mm  
**Cut size:** 55mm  
**Light source:** SMD 2835  
**CRI:** 70



**MODEL** DJ33  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø81x30mm  
**Cut size:** 55mm  
**Light source:** SMD 2835  
**CRI:** 70



# LED STEP LIGHT



**MODEL** DJ34  
**Power:** 1W high power  
**Sensor:** 80lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 45x45xH25mm  
**Cut size:** ø32mm  
**Light source:** Brightlux  
**CRI:** 70




**MODEL** DJ35  
**Power:** 3W  
**Luminous:** 800lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø75xH25mm  
**Cut size:** ø65mm  
**Light source:** Brightlux  
**CRI:** 70



**MODEL** DJ36  
**Power:** 1W high power  
**Luminous:** 80lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø51xH28mm  
**Cut size:** ø45mm  
**Light source:** Brightlux  
**CRI:** 70



**MODEL** DJ37  
**Power:** 3W high power  
**Luminous:** 90lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø80xH35mm  
**Cut size:** /  
**Light source:** Brightlux  
**CRI:** 70



# LED STEP LIGHT



**MODEL** DJ38  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø50xH95mm  
**Cut size:** ø35mm  
**Light source:** Bridgelux  
**CRI:** 70



**MODEL** DJ25  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 75x75mm  
**Cut size:** 43x25mm  
**Light source:** SMD 2835  
**CRI:** 70



**MODEL** DJ26  
**Power:** 3W high power  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø60xH25mm  
**Cut size:** ø50xH65mm  
**Light source:** Bridgelux  
**CRI:** 70



**MODEL** DJ3000  
**Power:** 3W-double color  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 90x90mm  
**Cut size:** 85x90mm  
**Light source:** SMD 2835  
**CRI:** 70





# LED STEP LIGHT



**MODEL** DJ3038S  
**Power:** 1W high power  
**Luminous:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 45x45xH37mm  
**Cut size:** ø40mm  
**Light source:** Bridgelux  
**CRI:** 70



**MODEL** DJ3038R  
**Power:** 1W high power  
**Luminous:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 45x45xH37mm  
**Cut size:** ø40mm  
**Light source:** Bridgelux  
**CRI:** 70



**MODEL** DJ3001S  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 55x55xH30mm  
**Cut size:** ø45\*H30mm  
**Light source:** CREE COB  
**CRI:** 70



**MODEL** DJ3001R  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø55xH30mm  
**Cut size:** ø45\*H30mm  
**Light source:** CREE COB  
**CRI:** 70



ZHONGSHAN


**FACTOLED LIGHTING**

TECHNOLOGY CO., LTD

TEL:0086-760-87556547

www.factoled.com



# LED STEP LIGHT



**MODEL** DJ3030S  
**Power:** 3W  
**Luminous:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** 73x73xH27mm  
**Cut size:** ø50mmxH27  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3030R  
**Power:** 3W  
**Luminous:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø73xH27mm  
**Cut size:** ø50xH27mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3031S  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 70x70xH25mm  
**Cut size:** 58x65xH25mm  
**Light source:** CREE COB  
**CRI:** 70





**MODEL** DJ3031R  
**Power:** 3W  
**Luminous:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø60xH25mm  
**Cut size:** ø55xH25mm  
**Light source:** CREE COB  
**CRI:** 70






# LED STEP LIGHT




**MODEL** DJ3032R  
**Power:** 1W high power  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 65x65xH40mm  
**Cut size:** ø40xH40mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3033R  
**Power:** 1W high power  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø58xH28mm  
**Cut size:** ø50xH28mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3034  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø55xH30mm  
**Cut size:** ø45\*H30mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3035  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø60xH25mm  
**Cut size:** ø50\*H25mm  
**Light source:** Epistar  
**CRI:** 70



ZHONGSHAN

**FACTOLED LIGHTING**

TECHNOLOGY CO., LTD

TEL:0086-760-87556547

www.factoled.com


# LED STEP LIGHT



**MODEL** DJ3036  
**Power:** 1W high power  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø80xH25mm  
**Cut size:** ø55xH25mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3037  
**Power:** 1W high power  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø45xH25mm  
**Cut size:** ø37xH25mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3039  
**Power:** 2W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø65xH35mm  
**Cut size:** ø50xH35mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3040  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø58xH36mm  
**Cut size:** ø50xH36mm  
**Light source:** Epistar  
**CRI:** 70



# LED STEP LIGHT




**MODEL** DJ39  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø50xH95mm  
**Cut size:** ø40mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ40  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø50xH95mm  
**Cut size:** ø40mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3045-1  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø58xH36mm  
**Cut size:** ø50xH36mm  
**Light source:** Epistar  
**CRI:** 70




**MODEL** DJ3045-2  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø58xH36mm  
**Cut size:** ø50xH36mm  
**Light source:** Epistar  
**CRI:** 70




# LED STEP LIGHT



**MODEL** DJ3045-3  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø58xH36mm  
**Cut size:** ø50xH36mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3046  
**Power:** 1W high power  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** ø40xH35mm  
**Cut size:** ø35xH35mm  
**Light source:** Epistar  
**CRI:** 70





**MODEL** DJ3047  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 80x50x30mm  
**Cut size:** 70x35x30mm  
**Light source:** Epistar  
**CRI:** 70




**MODEL** DJ3048  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 125x60x30mm  
**Cut size:** 115x50x30mm  
**Light source:** Epistar  
**CRI:** 70



# LED STEP LIGHT




**MODEL** DJ3049  
**Power:** 1W  
**Lumen:** 110lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 70x40x30mm  
**Cut size:** 62x33x30mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3050  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 80x80x25mm  
**Cut size:** 72x72x25mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3052  
**Power:** 1W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum+Acrylic  
**Lamp size:** ø56xH20mm  
**Cut size:** ø45xH20mm  
**Light source:** Epistar  
**CRI:** 70



**MODEL** DJ3055  
**Power:** 3W  
**Lumen:** 100lm/w  
**Input Voltage:** 85-265V  
**PF:** 0.5  
**Material:** Aluminum  
**Lamp size:** 90x50x40mm  
**Cut size:** /  
**Light source:** Epistar  
**CRI:** 70





**Zhongshan Factoled Lighting Technology Co.,Ltd.**

No.5 QingJong Road, Sansha, Henglan Town,  
ZhongShan City, Guangdong Province, China

Tel: 0086-760-23757036

E-mail: [info@factoled.com](mailto:info@factoled.com)

website: [www.factoled.com](http://www.factoled.com)

Alibaba: [www.factoled.en.alibaba.com](http://www.factoled.en.alibaba.com)