

BALLOON INFLATION DEVICE



- *Max Pressure: 30bar/40bar
- *Max Volume: 20ml
- *Accurate Pressure Control
- *Stable Performance
- *Simple Operation
- *Latex Free





ATM-BID1-30

Part No.	Volume	Contents
AT1100	20ml 30bar	Balloon Inflation Device
AT1101	20ml 30bar	Balloon Inflation Device +Stopcock (Right"ON")
AT1102	20ml 30bar	Balloon Inflation Device +Stopcock (Right"OFF")
AT1103	20ml 30bar	AT1101 +Y connector kit (Screw Y connector, Torque, Insertion tool)
AT1104	20ml 30bar	AT1102 +Y connector kit (Screw Y connector, Torque, Insertion tool)
AT1105	20ml 30bar	AT1101 +Y connector kit (Push/pull Y connector, Torque, Insertion tool)
AT1106	20ml 30bar	AT1102 +Y connector kit (Push/pull Y connector, Torque, Insertion tool)
AT1107	20ml 30bar	AT1101 +Y connector kit (Push/pull Y connector with line, Torque, Insertion tool)
AT1108	20ml 30bar	AT1102 +Y connector kit (Push/pull Y connector with line, Torque, Insertion tool)
AT1115	20ml 30bar	AT1101 + Y connector kit (Push/pull click Y connector, Torque, Insertion tool)
AT1116	20ml 30bar	AT1102 + Y connector kit (Push/pull click Y connector, Torque, Insertion tool)

INTRODUCER SHEATH KIT

- *Smooth Transitions from dilator to sheath, greatly reduces puncture resistance
- *Radiopaque Sheath and dilator
- *Providing easy and non-traumatic insertion



Product No.	Dimeter	Length	Guide wire
AT1201	4F	9cm	0.021" x 45cm
AT1202	5F	11cm	0.035" x 45cm
AT1203	6F	11cm	0.038" x 45cm
AT1204	7F	11cm	0.038" x 45cm
AT1205	8F	11cm	0.038" x 45cm
AT1206	10F	11cm	0.038" x 45cm
AT1207	6F	23cm	0.038" x 80cm
AT1208	7F	23cm	0.038" x 80cm
AT1209	8F	23cm	0.038" x 80cm
AT1210	6F	45cm	0.038 x 120cm
AT1211	7F	45cm	0.038 x 120cm
At1212	8F	45cm	0.038 x 120cm
At1215	9F	11cm	0.038" x 45cm
At1213	11F	11cm	0.038" x 45cm
At1214	11F	45cm	0.038" x 120cm
At1215	9F	11cm	0.038" x 45cm

HEMOSTASIS VALVE SET

HEMOSTASIS VALVE SET:

- *Y CONNECTOR VALVE
- *TORQUE DEVICE
- *GUIDE WIRE INSERTION TOO

Y CONNECTOR WITH LINE AND STOPCOCK



PUSH/PULL CLICK Y CONNECTOR



PUSH/PULL Y CONNECTOR



ROTATING Y CONNECTOR



Product No.	Description
At1301	8Fr Screw Y connector + Torque device +Insertion Tool
AT1311	8Fr Screw Y connector with line (25cm)and stopcock + Torque device +Insertion Tool
AT1312	8Fr Screw Y connector with line (50cm) and stopcock + Torque device +Insertion Tool
AT1302	7Fr Push/pull Y connector + Torque device +Insertion Tool
AT1303	7Fr Push/pull Y connector with line (25cm)and stopcock + Torque device +Insertion Tool
AT1304	7Fr Push/pull Y connector with line (50cm) and stopcock + Torque device +Insertion Tool
AT 1305	8Fr Push/pull click Y connector +Torque device + insertion Tool
AT 1306	8Fr Push/pull click Y connector with line (25cm) and stopcock +Torque device + insertion Tool


Standard package:
 200kit/carton
 Size/carton: 54cmx31cmx40cm
 Weight/carton: 7kg

Http://www.anntom.com
 //anntommed.en.alibaba.com
 Tel: 86-755-28216760
 Mobile: 86-181-187-62060
 Email: sales@anntom.com

MANIFOLD-500PSI

- *Max Pressure: 250PSI, **500PSI**
- *Rotating Adapter
- *Simple Operation
- *Latex Free

3 PORT RIGHT ON/OFF 250PSI/500PSI



3 PORT manifold set



2 PORT RIGHT ON/OFF 250PSI/500PSI




Product No.	Description
AT1401	3 Port "ON" Right-handed 250PSI
AT1402	3 Port "OFF" Right-handed 250PSI
AT1403	3 Port "ON" Right-handed 500PSI
AT1404	3 Port "OFF" Right-handed 500PSI
AT1405	3 Port "ON" Right-handed with extension line (12cm)
AT1406	3 Port "OFF" Right-handed with extension line (12cm)
AT1407	2 Port "ON" Right-handed 500PSI
AT1408	2 Port "OFF" Right-handed 500PSI

Standard package:
200kit/carton
Size/carton: 54cmx31cmx40cm
Weight/carton: 8kg

PEELABLE INTRODUCER KIT

- *Lower insertion forces during placement into vasculature
- *Reduced drag on catheter during placement through sheath
- *Convenient dilator to sheath interlock



Peelable Introducer Set:


- *Peelable Sheath
- *Dilator
- *Guidewire with advancer 0.038" x 60cm
- *Introducer needle 18G x 7cm
- *Syringe 10ml
- *Scalpel

Product No.	Size	Length
AT1501	7F	14cm
AT1502	8F	14cm
AT1503	9F	14cm
AT1504	10F	14cm

Standard package:
40kit/carton
Size/carton: 35cmx28cmx48cm
Weight/carton: 3.7kg

TRANSRADIAL INTRODUCER KIT

- *Used for coronary interention to reduce vascular access complications
- *Uniquely designed sheath for the smooth atraumatic insertion and removal
- *Complete kit include everything for the applicable procedure



Transradial Introducer Set:

- *Transradial Introducer sheath
- *Dilator
- *Guidewire with advancer
- *Introducer needle
- *Syringe
- *Scalpel

Product No.	Dimeter	Length	Guide wire
AT1601	4F	9cm	0.018" x 45cm
AT1602	5F	11cm	0.021" x 45cm
AT1603	6F	11cm	0.021" x 45cm
AT1604	7F	11cm	0.021" x 45cm
At1605	6F	23cm	0.021" x 70cm
At1606	7F	23cm	0.021" x 70cm


Standard package:

100kit/carton


Size/carton: 54cmx31cmx40cm

Weight/carton: 7kg

THE MICRO GUIDE WIRE (PTCA GUIDE WIRE)




- *Nitinol Core, Stainless Steel with PTFE Coated
- *Platinum Coil/Gilding Coil/Stainless Steel Coil




Product No.	Size	Shaft Material	Tip Form		Tip Coil
At2301	0.014" x 185cm	Nitinol	Angle	Floppy	Platinum
At2302	0.014" x 185cm	Nitinol	Straight	Floppy	Platinum
At2303	0.014" x 185cm	Nitinol	Angle	Standard	Platinum
At2304	0.014" x 185cm	Nitinol	Straight	Standard	Platinum
At2305	0.014" x 185cm	Nitinol	Angle	Support	Platinum
At2306	0.014" x 185cm	Nitinol	Straight	Support	Platinum
At2311	0.018" x 185cm	Nitinol	Angle	Floppy	Platinum
At2312	0.018" x 185cm	Nitinol	Straight	Floppy	Platinum
At2313	0.018" x 185cm	Nitinol	Angle	Standard	Platinum
At2314	0.018" x 185cm	Nitinol	Straight	Standard	Platinum
At2315	0.018" x 185cm	Nitinol	Angle	Support	Platinum
At2316	0.018" x 185cm	Nitinol	Straight	Support	Platinum
At2317	0.014" x 300cm	Nitinol	Straight	Extra Support	Platinum
At2318	0.018" x 300cm	Nitinol	Straight	Extra Support	Platinum

ANGIOGRAPHIC GUIDE WIRE (PTFE COATED)



- *Fixed core and movable core
- *Tip Type: J tip and Straight tip
- *J Radius: 1.5mm--15mm
- *Length Range: 60cm--300cm
- *OD Range: 0.025"--0.038"




Product No.	Description	Tip type	Product No.	Description	Tip type
AT1801	0.032" 150cm Fixed core	J	AT1811	0.032" 150cm Fixed core	Straight tip
AT1802	0.032" 180cm Fixed core	J	AT1812	0.032" 180cm Fixed core	Straight tip
AT1803	0.032" 260cm Fixed core	J	AT1813	0.032" 260cm Fixed core	Straight tip
AT1804	0.035" 150cm Fixed core	J	AT1814	0.035" 150cm Fixed core	Straight tip
AT1805	0.035" 180cm Fixed core	J	AT1815	0.035" 180cm Fixed core	Straight tip
AT1806	0.035" 260cm Fixed core	J	AT1816	0.035" 260cm Fixed core	Straight tip
AT1807	0.038" 150cm Fixed core	J	AT1817	0.038" 150cm Fixed core	Straight tip
AT1808	0.038" 180cm Fixed core	J	AT1818	0.038" 180cm Fixed core	Straight tip
AT1809	0.038" 260cm Fixed core	J	AT1819	0.038" 260cm Fixed core	Straight tip
AT1824	0.025" 150cm Fixed core	J	AT1834	0.025" 150cm Fixed core	Straight tip
AT1843	0.035" 80cm Fixed core	J1.5X15mm	AT1844	0.035" 80cm Fixed core	J3.0X15mm
AT1845	0.035" 80cm Fixed core	J6.0X15mm	AT1846	0.035" 90cm Extra support	J3
AT1847	0.021" 480cm Nitinol	Straight tip	AT1848	0.025" 480cm Nitinol	Straight tip
AT1849	0.035" 480cm Nitinol	Straight tip	AT1850	0.038" 260cm Fixed core	Angle tip

GUIDE WIRE

HYDROPHILIC GUIDE WIRE


- * Hydrophilic coated
- * Elastic alloy core, Super flexible tip
- * Tip Type: Angle tip and Straight tip
- * Black and blue color
- * Length Range: 150cm--300cm



Product No.	Description
AT1901	0.032" 150cm Angled tip black
AT1902	0.035" 150cm Angled tip black
AT1903	0.032" 150cm Straight tip black
AT1904	0.035" 150cm Straight tip black
AT1905	0.032" 150cm Angled tip blue
AT1906	0.035" 150cm Angled tip blue
AT1907	0.032" 150cm Straight tip blue
AT1908	0.035" 150cm Straight tip blue
AT1909	0.035" 180cm Straight tip black
AT1910	0.035" 180cm Angled tip black
AT1911	0.035" 260cm Straight tip black
AT1912	0.038" 260cm Straight tip black
AT1921	0.025" 150cm Straight tip black
AT1922	0.035" 260cm Angle tip black
AT1923	0.038" 260cm Angle tip black

ZEBRA GUIDE WIRE

- * Kink-resistant nitinol core
- * Tip Type: 3cm Angled tip and Straight tip
- * Blue/white striped ,
Black/white striped,
Yellow/Black striped
- * Length Range: 150cm--300cm
- * OD Range: 0.025"--0.038"



Product No.	Description
AT2001	0.032" 150cm Straight tip blue/white
AT2002	0.035" 150cm Angled tip blue/white
AT2003	0.032" 150cm Straight tip blue/white
AT2004	0.035" 150cm Straight tip blue/white
AT2005	0.032" 150cm Angled tip black/white
AT2006	0.035" 150cm Angled tip black/white
AT2007	0.032" 150cm Straight tip black/white
AT2008	0.035" 150cm Straight tip black/white

TR Closure Band




REF	SIZE
AT2401	S 24cm
AT2402	M 27cm
AT2403	L 29cm

CE0197
EN ISO: 13485: 2012/AC: 2012

10

Http: //www: anntom. com
//anntommed. en. alibaba. com
Tel: 86-755-28216760
Mobile: 86-181-187-62060
Email: sales@anntom. com

Angiographic Needle



REF	SIZE
AT2307	18Ga x 7cm
AT2308	19Ga x 7cm
AT2309	20Ga x 7cm
AT2310	20Ga x 4cm

CE0197
EN ISO: 13485: 2012/AC: 2012

11

Http: //www: anntom. com
//anntommed. en. alibaba. com
Tel: 86-755-28216760
Mobile: 86-181-187-62060
Email: sales@anntom. com

Angiographic syringe

Control Syringe

Precise Control

- ◇ Precise graduations printing and flow control
- ◇ Triple ring design handle for easy and soft operation


Ordering Information

- | | | |
|-----------|------|-------------------------|
| ◇ AT 1409 | 12ml | Rotating Male Luer Lock |
| ◇ AT 1410 | 10ml | Rotating Male Luer Lock |
| ◇ AT 1411 | 12ml | Female Luer lock |
| ◇ AT1412 | 10ml | Female Luer Lock |



Diagnostic angiography catheter

- *Smooth Transitions,
greatly reduces puncture resistance
- *Radiopaque 1200PSI
- *Providing easy and non-traumatic insertion




Dimeter		Guide wire
5F	JL3.5, JL4.0, JL5.0	0.038" x 150cm
6F	JL3.5, JL4.0, JL5.0	0.038" x 150cm
7F	Pigtail180, Pigtail 145	0.038" x 150cm

PTCA Balloon Catheter

Technical Parameters:

- * Usable PTCA Catheter Length: 140cm
- * Guide wire Compatible: 0.014inches
- * Marker: 2
- * Guiding Catheter: 5F
- * Nominal Pressure: 6atm
- * Rated Burst Pressure: 16atm
- * Mean Burst Pressure: 21atm- 24atm
- * Crossing Profile: 0.021-0.032inches



Balloon Diameter(mm)	Balloon Length (mm)					
	10	12	15	20	25	30
2.0	AT2501	AT2502	AT2503	AT2504	AT2505	AT2606
2.5	AT2511	AT2512	AT2513	AT2514	AT2515	AT2616
2.75	AT2521	AT2522	AT2523	AT2524	AT2525	AT2626
3.0	AT2531	AT2532	AT2533	AT2534	AT2535	AT2636
3.5	AT2541	AT2542	AT2543	AT2544	AT2545	AT2546
4.0	AT2551	AT2552	AT2553	AT2554	AT2555	AT2656

ANGIOGRAPHIC SYRINGE



- *Angiographic syringe
- *Pressure connecting tubing
- *Accessories
- *Latex Free



12ML

Product No.	Description
AT2201	MEDRAD MCT PLUS, VISTRON CT, ENVISION CT, FOR CT 200ML
AT2202	MEDRAD STELLANT FOR CT, 200ML
AT2203	MEDRAD CT STELLANT DUAL-HEAD 200ML
AT2207	MEDRAD MARK V, FOR DSA 200ML
AT2206	MEDRAD MARK V, FOR DSA 150ML
AT2208	MEDRAD SPECTRIS, SPECTRIS SOLARIS EP FOR MRI, 65ML
AT2210	MEDRAD SPECTRIS, SPECTRIS SOLARIS EP FOR MRI, 115ML
AT2216	MEDRAD SPECTRIS, SPECTRIS SOLARIS EP FOR MRI, 115ML + 65ML
AT2204	LF CT 9000 & CT 9000 ADV OptiVantage DHL, FOR CT, 200ML
AT2205	LF ANGIOMAT 6000, FOR DSA 150ML
AT2209	LF Angiomat Illumena, For DSA 150ml
AT2212	EZEM EmpowerCT, EmpowerCTA, For CT 200ml
AT2211	MEDTRON ACCUTRON CT, ACCUTRON CT-D, FOR CT, ACCUTRON HP-D FOR DSA 200ML
AT2213	NEMOTO A-25,A-60, DUAL SHOT FOR CT 100ML
AT2214	NEMOTO A-60, DUAL SHOT FOR CT 200ML
AT2215	NEMOTO 120S FOR DSA 125ML

Standard package:
 50kit/carton Size/carton: 56cmx38cmx38cm
 Weight/carton: 8kg