



# GUANGZHOU AURORA LIGHTING CO., LTD

Website: [www.auroralightings.com](http://www.auroralightings.com)

Tel:00862028988455 Mob/Wechat/WhatsApp:008618924321586 Email:ivy@auroralightings.com

Office Add:Room 4003,Xiangyun Building,No.1400, North Baiyun Road, Baiyun District,510420, Guangzhou,China

Factory Add:2nd Floor,First Building,Songzilong Industrial Park,Jixianzhuang Village,Yongping Street,Baiyun District,Guangzhou,China




ITEM	PART NO.	PICTURE	DESCRIPTIONS	PRICE (EXW)	LAMP SIZE (MM)	PACKING (PCS/CTN)	G.W. (KG)
<b>3W Epistar LEDs TWO ROWS STRAIGHT LED LIGHT BAR</b>							
7.5" 36W	AAL-E036		<b>3W</b> each LEDs Operating Voltage: 10-30 DC Waterproof rate: IP 67 Body Color: Black,White Color Temperature: 6000K Material:Diecast aluminum housing Lens material:PC LENS Mounting Bracket: Alu firm bracket Beam: <b>8°Spot Beam; 90°flood beam;combo.</b> 30000 hours above life time	<b>\$11.99</b>	271.1*86.5*111.2	6	9
13.5" 72W	AAL-E072			<b>\$18.99</b>	424.1*86.5*111.2	6	13
21.5" 120W	AAL-E120			<b>\$25.99</b>	628.1*86.5*111.2	6	19.5
31.5" 180W	AAL-E180			<b>\$35.99</b>	883.1*86.5*111.2	4	19
41.5" 240W	AAL-E240			<b>\$48.99</b>	1138.1*86.5*111.2	4	24
50" 288W	AAL-E288			<b>\$56.99</b>	1343*86.5*111.2	4	28.5
52" 300W	AAL-E300			<b>\$59.99</b>	1385.2*86.5*78.4	4	32
<b>3W CREE LEDs TWO ROWS STRAIGHT LED LIGHT BAR</b>							
7.5" 36W	AAL-A036		<b>3W</b> each LEDs Operating Voltage: 10-30 DC Waterproof rate: IP 67 Body Color: Black,White Color Temperature: 6000K Material:Diecast aluminum housing Lens material:PC LENS Mounting Bracket: Alu firm bracket Beam: <b>8°Spot Beam; 90°flood beam;combo.</b> 30000 hours above life time	<b>\$14.99</b>	271.1*86.5*111.2	6	9
13.5" 72W	AAL-A072			<b>\$21.99</b>	424.1*86.5*111.2	6	13
21.5" 120W	AAL-A120			<b>\$30.99</b>	628.1*86.5*111.2	6	19.5
31.5" 180W	AAL-A180			<b>\$41.99</b>	883.1*86.5*111.2	4	19
41.5" 240W	AAL-A240			<b>\$52.99</b>	1138.1*86.5*111.2	4	24
50" 288W	AAL-A288			<b>\$62.99</b>	1343*86.5*111.2	4	28.5
52" 300W	AAL-A300			<b>\$64.99</b>	1385.2*86.5*78.4	4	32
<b>3W CREE LEDs TWO ROWS CURVED LED LIGHT BAR ( 3D REFLECTOR CUP )</b>							
22" 120W	AAL-I120		<b>3D</b> Reflection Cup, Best Quality! <b>3W</b> each CREE LED Operating Volt: 9-32Volt DC Color temperature: 6000K Operation temperature -40°C~60°C Waterproof rate: IP67 Beam: 90°flood beam, 8°spot beam,combo Material: Diecast aluminum housing LENS: unbreakable PC Housing color: Black About 30,000 hours life time	<b>\$28.99</b>	635*98*122	6	20.7
33" 180W	AAL-I180			<b>\$41.99</b>	886*111.5*122	4	19.1
42" 240W	AAL-I240			<b>\$55.99</b>	1137*130.59*122	4	25.5
50" 288W	AAL-I288			<b>\$66.99</b>	1341.2*150.14*122	4	30.5
51" 300W	AAL-I300			<b>\$69.99</b>	1370*150.14*122	4	32.5
<b>3W CREE LEDs TWO ROWS CURVED LED LIGHT BAR</b>							
22" 120W	AAL-I120C		<b>3W</b> each Cree LED Operating Volt: 9-32Volt DC Color temperature: 6000K Operation temperature -40°C~60°C Waterproof rate: IP67 Beam: 90°flood beam, 8°spot beam,combo Material: Diecast aluminum housing LENS: unbreakable PC Housing color: Black About 30,000 hours life time	<b>\$27.99</b>	635*98*122	6	20.7
33" 180W	AAL-I180C			<b>\$41.99</b>	886*111.5*122	4	19.1
42" 240W	AAL-I240C			<b>\$55.99</b>	1137*130.59*122	4	25.5
50" 288W	AAL-I288C			<b>\$66.99</b>	1341.2*150.14*122	4	30.5
51" 300W	AAL-I300C			<b>\$69.99</b>	1370*150.14*122	4	32.5
<b>5W CREE LEDs SINGLE ROWS Straight LED LIGHT BAR</b>							
10.5" 30W	AAL-B030		<b>5W</b> each CREE LEDs Operating Volt: 10-30Volt DC Optional Color: Black,White Color temperature: 6000K Operation temperature -40°C~60°C Waterproof rate: IP67 Material: Diecast aluminum housing Mounting Bracket: Zinc Alloy LENS: PC LENS Beam: <b>8°Spot Beam; 120°flood beam;combo.</b> 30000 hours above life time	<b>\$19.99</b>	276*68.5*56.5	6	9.2
20" 60W	AAL-B060			<b>\$34.99</b>	516*68.5*56.5	6	14.2
29.5" 90W	AAL-B090			<b>\$50.99</b>	756*68.5*56.5	4	13
39" 120W	AAL-B120			<b>\$65.99</b>	996*68.5*56.5	4	16.5
49" 150W	AAL-B120			<b>\$82.99</b>	1235*68.5*56.5	4	19.8
<b>5W CREE LEDs SINGLE ROWS Curved LED LIGHT BAR</b>							
29.5" 90W	AAL-B090X		<b>5W</b> each CREE LEDs Operating Volt: 10-30Volt DC Optional Color: Black,White Color temperature: 6000K Operation temperature -40°C~60°C Waterproof rate: IP67 Material: Diecast aluminum housing Mounting Bracket: Zinc Alloy LENS: PC LENS Beam: <b>8°Spot Beam; 120°flood beam;combo.</b> 30000 hours above life time	<b>\$53.99</b>	756*68.5*56.5	4	13
39" 120W	AAL-B120X			<b>\$71.99</b>	996*68.5*56.5	4	16.5
49" 150W	AAL-B120X			<b>\$86.99</b>	1235*68.5*56.5	4	19.8


**10W CREE LEDS SINGLE ROW LED LIGHT BAR**

5" 20W	AAL-C020		<p><b>Choose normal lens or 4D LENS</b>                  10W/PC Cree XML T6                  Operating Volt:9-32V DC                  950±50LM each LED                  Color Temperature:6000K                  Operation temperature:-40°C~85°C                  Waterproof rate:IP68                  Body color: Black                  Lens: PC                  Beam pattern: Spot, flood, Combo</p>	<b>\$14.99</b>	20w-2LED-127mm/5 inch	
8" 40W	AAL-C040			<b>\$20.99</b>	40w-4LED-202mm/8 inch	
11" 60W	AAL-C060			<b>\$26.99</b>	60W-6LED-277mm/11inch	
14" 80W	AAL-C080			<b>\$33.99</b>	80w-8LED-354mm/14 inch	
17" 100W	AAL-C100			<b>\$37.99</b>	100w-10LED-429mm/17 inch	
20" 120W	AAL-C120			<b>\$44.99</b>	120w-12LED-506mm/20 inch	
26" 160W	AAL-C160			<b>\$58.99</b>	160w-16LED-658mm/26 inch	
29" 180W	AAL-C180			<b>\$66.99</b>	180w-18LED-733mm/29inch	
32" 200W	AAL-C200			<b>\$73.99</b>	200w-20LED-810mm/32 inch	
38" 240W	AAL-C240			<b>\$88.99</b>	240w-24LED-962mm/38 inch	
41" 260W	AAL-C260	<b>\$95.99</b>	260w-26LED-1037mm/41inch			
47" 300W	AAL-C300	<b>\$101.99</b>	300w-24LED-1190mm/47 inch			

**10W CREE LEDS SINGLE ROWS STRAIGHT LED LIGHT BAR**

14.8" 60W	AAL-F060		<p>. 10W each CREE LEDs                  . Operating Voltage: 10-30Volt DC                  . Waterproof rate: IP 67                  . Body Color: Black,White                  . Color Temperature: 6000K                  . Material:Diecast aluminum housing                  . Lens material:PC                  . Mounting Bracket:Alu firm bracket                  . Beam pattern:Spot,Flood,Combo                  . 30000 hours above life time</p>	<b>\$25.99</b>	374.7*76.39*86.5	6	14.5
22.8" 100W	AAL-F100			<b>\$33.99</b>	579.3*76.39*86.5	6	21.1
30.8" 140W	AAL-F140			<b>\$45.99</b>	780.5*76.39*86.5	6	18.6
39.8" 200W	AAL-F200			<b>\$65.99</b>	1090*76.39*86.5	4	24.9
50.9" 240W	AAL-F240			<b>\$75.99</b>	1295*76.39*86.5	4	29.2

**10W CREE LEDS SINGLE ROWS Curved LED LIGHT BAR**

14.8" 60W	AAL-F060C		<p>. 10W each CREE LEDs                  . Operating Voltage: 10-30Volt DC                  . Waterproof rate: IP 67                  . Body Color: Black,White                  . Color Temperature: 6000K                  . Material:Diecast aluminum housing                  . Lens material:PC                  . Mounting Bracket:Alu firm bracket                  . Beam pattern:Spot,Flood,Combo                  . 30000 hours above life time</p>	<b>\$35.99</b>	374.7*76.39*86.5	6	14.5
22.8" 100W	AAL-F100C			<b>\$44.99</b>	579.3*76.39*86.5	6	21.1
30.8" 140W	AAL-F140C			<b>\$55.99</b>	780.5*76.39*86.5	6	18.6
39.8" 200W	AAL-F200C			<b>\$75.99</b>	1090*76.39*86.5	4	24.9
50.9" 240W	AAL-F240C			<b>\$95.99</b>	1295*76.39*86.5	4	29.2

**3W Philips LEDS TWO ROWS STRAIGHT LED LIGHT BAR**

				Carton size			
4" 18W	AAL-6018		<p>Power: 18-288 W                  . Voltage: 9-32 V                  . Waterproof rate: IP 67                  . LED: 3W (CREE LED)                  . Size: 4-50 Inch                  . Beam: Pencil beam, Flood beam,Combo beam                  . LED color temperature:6000K                  . Working life: 50000 hours                  . Material:diecast aluminum housing                  . Mounting Bracket:stainless steel bracket.</p>	<b>\$5.99</b>	52*32*30CM	40	22
6.5" 36W	AAL-6036			<b>\$9.99</b>	52*23*30CM	20	18
13.3" 54W	AAL-6054			<b>\$13.99</b>	59*27*35CM	12	15
17" 72W	AAL-6072			<b>\$15.99</b>	40*28*35cm	6	12
23" 108W	AAL-6108			<b>\$18.99</b>	61*28*35cm	6	15
25" 126W	AAL-6126			<b>\$21.99</b>	61*28*35cm	6	17
33.5" 144W	AAL-6144			<b>\$25.99</b>	61*28*35cm	6	19
37" 180W	AAL-6180			<b>\$30.99</b>	80*28*24	4	13
41" 234W	AAL-6234			<b>\$38.99</b>	102*28*24	4	19
50" 288W	AAL-6288			<b>\$50.99</b>	122*28*24cm	4	24
4" 18W	AAL-6018-4S		<p>. 3W each CREE LEDs                  . Operating Volt:10-30Volt DC                  . Color temperature:6000K                  . Operation temperature -40°C~60°C                  . Waterproof rate:IP67                  . Beam:30°spot beam,60°flood beam,combo                  . Material:diecast aluminum housing                  . Mounting Bracket:stainless steel bracket.                  . LENS:PC LENS                  . 30000 hours above life time</p>	<b>\$5.99</b>	130.5*80*65	12	9
6.5" 36W	AAL-6036-4S			<b>\$12.99</b>	232.51*80*65	12	12.12
13.3" 54W	AAL-6054-4S			<b>\$16.99</b>	334.71*80*65	12	15.84
17" 72W	AAL-6072-4S			<b>\$19.99</b>	436.72*80*65	6	10.8
23" 108W	AAL-6108-4S			<b>\$24.99</b>	589.53*80*65	6	15.3
25" 126W	AAL-6126-4S			<b>\$28.99</b>	640.7*80*65	6	16.98
33.5" 144W	AAL-6144-4S			<b>\$32.99</b>	844.71*80*65	4	10
37" 180W	AAL-6180-4S			<b>\$40.99</b>	939.8*80*65	6	
41" 234W	AAL-6234-4S			<b>\$51.99</b>	1041.4*80*65	4	
50" 288W	AAL-6288-4S			<b>\$62.99</b>	1270*80*65	4	
10.6" 48W	AAL-NT048		<p>. Operating Voltage: 10-30 DC                  . Waterproof rate: IP 67                  . 5w + 3w high intensity CREE LEDS                  . Body Color: Black                  . Color Temperature: 6000K                  . Material:Diecast aluminum housing                  . Lens material:Toughed glass                  . Mounting Bracket: Alu firm bracket                  . Beam: Flood beam pattern(60 degree)                  . 30 degree spot beam optional                  . 30000 hours above life time</p>	<b>\$15.99</b>	27*9*11.3	6	10
16" 96W	AAL-NT096			<b>\$25.99</b>	42.5*9*11.3	4	16
25" 160W	AAL-NT160			<b>\$34.99</b>	63*9*11.3	6	15
30" 240W	AAL-NT240			<b>\$50.99</b>	88.5*9*11.3	6	19
40" 320W	AAL-NT320			<b>\$60.99</b>	113.8*9*11.3	4	27
40" 384W	AAL-NT384			<b>\$76.99</b>	134*9*11.3	4	29
53" 400W	AAL-NT400			<b>\$78.99</b>	138.3*9*11.3	4	31

**5 Rows LED Light Bar**

13" 34W	AAL-9060F	 <p> <i>All lighting (Red &amp; Black wire)</i>  <i>2 Rows Flood reflector cup not lighting (Blue &amp; Black wire)</i> </p>	Operating Voltage: 10-30 DC Waterproof rate: IP 67 3030 LEDs Body Color: Black Color Temperature: 6000K Material: Diecast aluminum housing Lens material: PC Mounting Bracket: Alu firm bracket Beam: Combo Beam(60W only for flood beam) 30000 hours above life time	<b>\$23.99</b>	30.5*7.5*13.8	6	9
25" 150W	AAL-9150F		<b>\$35.99</b>	63*7.5*13.8	4	14	
35" 225W	AAL-9225F		<b>\$53.99</b>	86.5*7.5*13.8	4	20	
45" 300W	AAL-9300F		<b>\$70.99</b>	112.5*7.5*13.8	4	24	
55" 375W	AAL-9375F		<b>\$88.99</b>	137.5*7.5*13.8	4	28	
5" 40W	AAL-G040		. 10W each <b>CREE</b> LEDs Operating Volt: 10-30Volt DC Color temperature: 6500K Waterproof rate: IP67 Beam: <b>8°Spot Beam; 60°flood beam; combo.</b> Material: Diecast aluminum housing Mounting Bracket: Aluminum alloy bracket LENS: PC Housing color: Black 30000 hours above life time	<b>\$21.99</b>	117*91.5*12.5	12 PCS/CTN	14.82
8" 80W	AAL-G080			<b>\$29.99</b>	197*91.5*12.5	12 PCS/CTN	24.2
11" 120W	AAL-G120			<b>\$45.99</b>	277*91.5*12.5	6 PCS/CTN	15.2
17" 200W	AAL-G200			<b>\$74.99</b>	437*91.5*12.5	4 PCS/CTN	15.4
20" 240W	AAL-G240			<b>\$89.99</b>	517*91.5*12.5	4 PCS/CTN	18.2