



Suzhou Qiangsheng Clean Technology Co.,LTD


Company Introduction

Suzhou Qiangsheng Clean Technology Co.,Ltd specialized in producing cleanroom wiper and ESD products ,we have over 8 years experience in this field.


Qiangsheng focuses on providing total solution of reliable ESD control/ clean room contamination control for high technology customer in the field. It has strong technical advantage in the industry and has gotten ISO9001 quality system and ISO14001 environment system certification.

In order to satisfy the strict requirements of high technology customers, the company introduces the most advanced professional production equipment and full testing equipment of anti-static and contamination, established domestic most advanced research and development testing center and class10 clean cleaning center to ensure superior quality of products.

Company products include: cleanroom wipers,sticky mats, anti-static fabrics, ES clothing/ safety shoes, anti-static shoes, clean shoes, ES face masks, purifying masks, activated carbon masks, civil facemasks, anti-static gloves/clean room ion blower, on-line electrostatic monitor, and other spare parts for clean room and ESD protection.



Microfiber Cleanroom Wiper:



| Specification | | | | | |
|---------------|------------------------|-------------|-----------------------------|---------|------------------------------|
| Model | Basic weight | Thickness | Cutting method | Size | Packaging |
| MKL | 165±5g/m ² | 0.35±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 100pcs/bag, or customization |
| MKB | 180±5g/m ² | 0.42±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 100pcs/bag, or customization |
| MKH | 200±5g/m ² | 0.44±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 100pcs/bag, or customization |
| MKT | 220±5g/m ² | 0.42±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 100pcs/bag, or customization |
| MWP | 95g±5g/ m ² | 0.16±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 150pcs/bag, or customization |
| MWL | 95±5 g/m ² | 0.21±0.03mm | Cold cut, Laser, Ultrasonic | 9, 6, 4 | 150pcs/bag, or customization |

Characteristic:

1. Microfiber,excellent capillary capillary effect,fast becoming dry is one of its remarkable characteristics. High strength synthetic fiber, not easy tobreak.
2. Multiple scrapingeffect.
3. Wide contact areaeffect.
4. Internal peelingeffect.

Polyester Cleanroom Wiper:



| Polyester Cleanroom Wiper Specification | | | | | |
|---|-----------------------|-------------|-----------------------------|-------------|------------------------------|
| Model | Basic weight | Thickness | Cutting method | Size (Inch) | Packaging |
| PKB | 110±5g/m ² | 0.35±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| PKZ | 130±5g/m ² | 0.40±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| PKM | 160±5g/m ² | 0.49±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| PKA | 130±5g/m ² | 0.45±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| PKF | 165±5g/m ² | 0.42±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| PKW | 150±5g/m ² | 0.48±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |
| FKL | 110±5g/m ² | 0.34±0.03mm | Cold cut, Laser, Ultrasonic | 9、6、4 | 150pcs/bag, or customization |

Characteristic: 100% continuous polyester fiber, high purity, strong adsorption capacity and chemical resistance.

SMT Roll Wiper:



Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton



Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton




Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton



Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton



Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton



Item: SMT roll wiper
 Color: White
 Weight: 100gsm,150gsm,170gsm,180gsm,200gsm
 Yarn : 50D,75D
 Class: 10-100
 Packing: 1roll/bag, 10bags/carton



Item: SMT Wiper
 Color: Blue
 Packing: 1roll/bag, 4bags/ctn



Item: SMT Wiper
 Color: White
 Packing: 1roll/bag, 50bags/ctn

Sticky Mat:



Item: Sticky mat
 Spec: LDPE
 Viscosity: Low、Mid、High、Extra-high
 Thickness: 3C、4C、5C
 Spec: 24*36、26*45(Customized)
 Packing: 30layer/pc, 10pcs/box, 5boxes/case



Item: Sticky mat
 Spec: LDPE
 Viscosity: Low、Mid、High、Extra-high
 Thickness: 3C、4C、5C
 Spec: 24*36、26*45(Customized)
 Packing: 30layer/pc, 10pcs/box, 5boxes/case

Sticky Roller:




Item: Sticky Roller
 Material: PP
 Viscosity: Low, Mid, High, Extra-high
 ID: 76.5mm
 OD: 92mm
 Spec: 450mm, 650mm, 850mm, 1300mm*20mm(Customized)
 Adhesive Force: 400D、600D、800D、1200D
 Packing: 4rolls/case



Item: Sticky Roller
 Material: LDPE
 Viscosity: Low, Mid, High, Extra-high
 ID: 38.5mm
 OD: 53.5mm
 Spec: 4"、6"、8"、10"、12"
 Adhesive Force: 400D、600D、800D、1200D
 Packing: 50~200rolls/case



Item: Silicon Rubber Roller
 Material: Silicon Gel
 Viscosity: Low, Mid, High, Extra-high
 Spec: 4"、6"、8"、10"、12"
 Hand Shank: Plasyic Frame,Al Alloy Franme, Aluminum Sheet Rack



Item: Sticky Roller
 Material: LDPE
 Viscosity: Low, Mid, High, Extra-high
 ID: 38.5mm
 OD: 53.5mm
 Spec: 4"、6"、8"、10"、12"
 Adhesive Force: 400D、600D、800D、1200D
 Packing: 50~200rolls/case

ESD Clothes:



Item: Antistatic Garment
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000



Item: Antistatic Suit
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000



Item: Antistatic Lab Coats
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000



Item: Antistatic Hoods
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000



Item: Antistatic Caps
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000



Item: Antistatic Coat
Fabric: 0.5Stripe、0.5Grid、0.25Grid Conductive Fabric
Material: 100% polyester Filament Fiber + Conductive Fiber
Size: S、M、L~4XL
ESD: $1*10^{6\sim9} \Omega$
Application Level:Class10, Class 100, Class 1000

Cleanroom ESD Shoes:



Item: Cleanroom Safety Boots
 Model: QS8807
 Outsole: High Quality PU
 Upper: 0.5Grid(Stripe)+PVC Upper
 Size: 36~48
 ESD: $1*10^{6-9}\Omega$



Item: Antistatic Shoes
 Model: QS601/701/801
 Outsole: PVC/SPU/PU
 Upper: Canvas/PVC
 Size: 35~48
 ESD: $1*10^{6-9}\Omega$



Item: Antistatic Shoes
 Model: QS601/701/801
 Outsole: PVC/SPU/PU
 Upper: Canvas/PVC
 Size: 35~48
 ESD: $1*10^{6-9}\Omega$



Item: Antistatic Slipper
 Model: QS720
 Material: SPU
 Color: Black/Blue/White
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$



Item: Antistatic Slipper
 Model: QS721
 Material: SPU
 Color: Black/Blue/White
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$



Item: Antistatic Slipper
 Model: QS722
 Material: SPU
 Color: White
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$



Item: Cleanroom Boots
 Model: QS626/726/826
 Outsole: SPU/PVC/PU
 Upper: 0.5Grid(Stripe)+PVC Upper
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$



Item: Cleanroom Boots
 Model: QS626/726/826
 Outsole: SPU/PVC/PU
 Upper: 0.5Grid(Stripe)+PVC Upper
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$



Item: Cleanroom Boots
 Model: QS626/726/826
 Outsole: SPU/PVC/PU
 Upper: 0.5Grid(Stripe)+PVC Upper
 Size: 36~46(even number)
 ESD: $1*10^{6-9}\Omega$

ESD Chair:



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA



Item: ESD Chair
Surface resistance: $10^6-10^9\Omega$
System resistance: $10^6-10^9\Omega$
Castor material: PA

Finger Cot:



Item: Yellow Antistatic FingerCot
Material: 100%Natural Latex ESD:
 $1*10^{6-9}\Omega$
Spec: S/M/L
Packing: 500g、 675g /bag or
customized, 30bags/carton



Item: White Antistatic Finger Cot
Material: 100%Natural Latex
ESD: $1*10^{6-9}\Omega$
Spec: S/M/L
Packing:500g、 675g/bagorcustomized,
30bags/carton



Item: Pink Antistatic Finger Cot
Material: 100%Natural Latex
ESD: $1*10^{6-9}\Omega$
Spec: S/M/L
Packing: 500g、 675g /bag or
customized, 30bags/carton



Item: Black Antistatic Finger Cot
Material: 100%Natural Latex
ESD: $1*10^{6-9}\Omega$
Spec: S/M/L
Packing: 500g、 675g /bag or customized,
30bags/carton



Item: Orange Antistatic Finger Cot
Material: 100%Natural Latex
ESD: $1*10^{6-9}\Omega$
Spec: S/M/L
Packing: 500g、 675g /bag or
customized, 30bags/carton



Item: Cutting Finger Cot
Material: 100%Natural Latex
ESD: $1*10^{6-9}\Omega$
Spec: S/M/L
Packing: 500g、 675g /bag or customized,
30bags/carton

Disposable gloves:



Item: Nitrile Glove
Material: Nitrile
Size: S、 M、 L 9"/12"
Application Level:Class 100, Class 1000
Packing: 100pcs/bag,10bags/case



Item: Latex Glove
Material: Natural Rubber
Size: S、 M、 L 9"/12"
Application Level:Class 100, Class1000
Packing:100pcs/bag,10bags/case



Item: PVC Glove
Material: PVC
Size: S、 M、 L 9"/12"
Application Level:Class 100, Class 1000
Packing: 100pcs/bag,10bags/case

Antistatic Gloves:



Item: 1.0 Atistatic Glove
Size: S、 M、 L 9"/12"
ESD: 1*10⁶⁻⁹ Ω
Packing:100pcs/bag,10bags/case



Item: Atistatic Anti-slip Glove
Size: S、 M、 L 9"/12"
ESD: 1*10⁶⁻⁹ Ω
Packing: 100pcs/bag,10bags/case



Item: Cotton Glove
Size: S、 M、 L 9"/12"
Packing: 100pcs/bag,10bags/case



Item: Atistatic Anti-slip Glove
Size: S、 M、 L 9"/12"
ESD: 1*10⁶⁻⁹ Ω
Packing: 100pcs/bag,10bags/case




Item: White Nylon Gloves
Size: S、 M、 L 9"/12"
Packing: 100pcs/bag,10bags/case

ESD Table Mat:



Item:ESD Table Mat
ESD: $1*10^{6\sim9} \Omega$




Item:ESD Table Mat
ESD: $1*10^{6\sim9} \Omega$



Item:ESD Table Mat
ESD: $1*10^{6\sim9} \Omega$


Facemask:



Item: Cup Type Gauze Mask
Packing:20pcs/bag、20bag/case



Item: ESGauze Mask(Purify)
Size:SinglePly、2Ply、3Ply
Spec: 17.5cm*9.5cm
Packing: 20pcs/bag、20bag/case



Item: Acticarbon Gauze Mask
Spec: 17.5cm*9.5cm
Packing: 50pcs/box、40oxes/case



Item: Disposable Civil Mask
Size: Single Ply、2Ply、3Ply
Spec: 17.5cm*9.5cm
Packing: 20pcs/bag、20bag/case



Item: Non-woven Gauze Mask
Size: Single Ply、2Ply、3Ply
Spec: 17.5cm*9.5cm
Packing:20pcs/bag、20bag/case



Item: KN95 Mask
Size:Fold type
Packing: 1pcs/bag、5pcs/color box

Consumptive Material:




Item: M-3 Cleanroom Paper (Import)
Spec: 25cm*25cm
Producing Area: Japan
Packing:100sheets/bag、 30bags/case



Item: M-3 Cleanroom Paper (Import)
Spec: 25cm*50cm
Producing Area: Japan
Packing:100sheets/bag、 30bags/case



Item: Wood Pulp Cleanroom Paper
Spec: 9"*9"
Packing: 300 sheets/bag、 10bags/case



Item: A4 Cleanroom Printing Paper
Color: White、 Blue、 Green、 Yellow
Spec: 210mm*297mm
Packing: 250sheets/bag, 10bags/case



Item: Cleanroom Notebook
Spec: A4、 A5
Packing: 50pages/set、 32pages/set



Item: Antistatic Tweezers
Size: T-11ESDSteieught Peen、 T-15ESDElbow
Spec: 14cm*0.8cm、 12cm*1cm
ESD: 1*10^{6~9}Ω
Packing:1pc/card



Item: Antistatic Tweezers
Size:T-11ESDSteieughtPeen、 T-15ESDElbow
Spec: 14cm*0.8cm、 12cm*1cm
ESD: 1*10^{6~9}Ω
Packing:1pc/card




Item: Antistatic Wrist Straps
Material: PA6
Straps Material: Adjustable Fabric
Crods: PU outside
ESD: 1*10^{6~9}Ω
Packing:1pc/card



Item: Antistatic strip ankle
Material: PA6
Straps Material: Adjustable Fabric
Crods: PU outside
ESD: 1*10^{6~9}Ω
Packing:1pc/card

Cleanroom Equipment:



Item: Shoe Polishing Equipment
Function: sole clean
Material: stainless steel
Cleaning Type: Water circulation
Switch: auto-induction
Water tank capacity: 6L



Item: Horizontal flow cleanbench
Material: stainlesssteel
Switch:auto-induction



Item: Air filter Material:
stainless steel
Switch:auto-induction



Item: Clean cabinet for clothes and shoes
Material: stainless steel
Switch: auto-induction




Item:Vertical flow cleanbench
Material: stainless steel
Switch:auto-induction



Item:FFU purification unit
Material: stainless steel
Switch: auto-induction



Item: Air shower transferwindow
Material: stainlesssteel
Switch: auto-induction



Item:Hepa box Material:
stainless steel Switch:
auto-induction



Item: Hand wash machine
Material: stainless steel
Switch: auto-induction

Our factory workshop:



Glovesfactory



Facemakfactory



ESD clothfactory



ESDclothfactory



Cleanroom



Cleanroom

Enterprise certificate



Our partners



Contact us

Sales Manager: Echo Xu

Phone/Whatsapp: +86 15862617571

Email: sales168@szqskj.com

