

FuLai Agricultural Drone

Quotation

F3-H4



Specification:

Diagonal wheelbase: 950MM

ESC model: 40A

Empty weight: 4KG

Flight time: 35minute

Voltage: 6S

Expand Size: 770*770*380

Motor model: 6312

Propeller size: 22inch

Maximum load: 3KG

Load flight: 25minute

Battery: 22000*1

Folding size: 450*450*380



4axis5KG Agricultural Drone

Model: F5-C4

Accurate, efficient, modular
Fully autonomous



Specifications:

Wheelbase: 1150MM Motor: 6215 Propeller: 22inch

ESC: 6S 60A Maximum load: 5KG Flight time: 12min

Work speed: 5-6m/s Work height: 2-3m Work efficiency: 666m²/min

Tank: 5 L Battery: 16000mAh*1 nozzle: pressure nozzle*2

Spray width: 2.5-3m Empty weight: 7KG Flight sorties: 2sort/set

Center body: 0.52*0.42*0.32m Expand Size: 0.96*0.9*0.32m

Shenzhen Fu Lai Technology Co., Ltd

ADD: 5/F, No. 11, Qingdingbei Industrial park, Xiyuan Road, Pingdi
Longgang dist, Shenzhen city

Contact: James Peng

Complete RTF set:

Complete set: US\$2,177.70/set

(Rack power sleeve ; JIYI K3 Flight control ; SIYI DK30

Remote control ; Battery 16000 mA*1 ; Charger*1)



4shaft10KG agriculture drone

Model: F10-K4 High-efficiency Accurate, Autonomous



Specifications: (Tank:10L)

Wheelbase: 1480MM	Motor model: 8315	Propeller: 32寸
ESC model: 12S 80A	Max payload: 10KG	Flight time: 12min
Work speed: 4-6m/s	work height: 2-3米	Battery: 16000*2
Work efficiency: 0.16-0.32acre/min	Nozzle: Pressure nozzle *4	
Spray width: 3.5-4m	Empty weight: 15KG	Flight sorties: 2sort/set
Body size: 0.65*0.6*0.45m	Unfold size: 1.2*1.2*0.45m	

Shenzhen Fu Lai Technology Co., Ltd

Add: 5/F, No. 11, Qingdingbei Industrial park, Xiyuan Road, Pingdi, Longgang dist, Shenzhen, China
Tel: 0755-28332071

Contact: James Peng 15119351320



Complete RTF set:

Complete set:US\$3,075.30/set

(Rack power sleeve ; V7-AG Flight control + Fixed height radar ; SIYI Remote control ; Battery 16000 mA*2 ; Charger*1)



6shaft 10KG agriculture drone

Accurate, Efficient, Modular
Fully autonomous

Model: F10-H6



Specifications: (Tank:10L)

Wheelbase: 1400MM Motor model: 8010 Propeller: 26inch(fold)

ESC model: 12S 80A Max payload: 10KG Flight time: 12min

Work speed: 4-6m/s Work height: 2-3m Battery: 16000*2

Work efficiency: 0.16-0.32acre/min Nozzle: Centrifugal nozzle*2

Spray width: 3.5-4m Empty weight: 16KG Flight sorties: 2sort/set

Folding size: 0.8*0.8*0.45m Unfold: 1.4*1.4*0.45m

Shenzhen Fu Lai Technology Co.,Ltd

ADD: 5/F, No. 11, Qingdingbei Industrial park, Xiyuan Road, Pingdi,
Longgang dist, Shenzhen, China

Tel: 0755-28332071

Contact: James Peng 15119351320



Complete RTF set:

Complete set:US\$3,484.70/set

(Rack power sleeve ; V7-AG Flight control + Fixed height
radar ; SIYI Remote control ; Herewin Battery 16000
mA*2 ; Charger*1)

F16-H6



Specifications:

Wheelbase:1620

Folding size :0.93m*0.86m*0.515m

Empty weight :8KG (with spraying system)

Payload:16L

Spray Width :4-6M

Power+frame weight :15KG

Maximum takeoff weight :36KG

Power parameter

Motor :8318

Folding propeller :30inch

ESC: 12S 80A

Supply voltage :12S

Single shaft tension : 6-8KG

Single shaft maximum tension :14.5KG

Complete RTF set:

Complete set:US\$4,355.10/set

(Rack power sleeve ; V7-AG Flight control + Fixed height radar ; SIYI Remote control ; Battery 22000 mA*2 ; Charger*1)

F22-H6



Model parameter

Diagonal wheelbase:1850MM	motor model:9616
Water tank capacity:22L	ESC model:12A
No-load weight:19KG	Blade size:32 inch
flight duration:8-10minute	battery capacity:22000*2
Job spray:6.5-8M	Supply voltage:12S
Working height:2-4M	Work efficiency:16-20mu/Order
Working speed:5-6M	Flight times:One group One trip
Expand Size:1.92*1.65*0.53M	Folding size:1*0.98*0.52M

Precision Efficient Modular Full autonomy

Complete RTF set:

Complete set:US\$4,791.70/set

(Rack power sleeve ; V7-AG Flight control + Fixed height radar ; FengYing T12 Remote control ; Battery 22000 mA*2 ; Charger*1)